For KCC Use:	10-20-0la
Effective Date:	10-30-06
District #	4
SGA?   ✓ Yes	No

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

### **NOTICE OF INTENT TO DRILL**

Form C-1
December 2002
Form must be Typed
Form must be Signed
All bianks must be Filled

spected Spud Date October 30, 2006		East
month day year	NE - NE - SW Sec. 22 Twp. 14 S. R. 16	West
PERATOR: License#_33625	2310feet fromN / ✓S Line of Section	n
Ame: Hertel Oil Company	2310 V feet from E / V W Line of Section	n
Idraes: 704 E. 12th Street	Is SECTION Regular Irregular?	
ty/State/Zip:	(Note: Locate well on the Section Plat on reverse side)	
ontact Person: Mike Hertel	County: Ellis	
none: (785) 628-2445	Lease Name: Dreiling Well #: 1	
/	Field Name: wildcat	
ONTRACTOR: License# 33237 V	Is this a Prorated / Spaced Field?	/ No
ame: Anderson Drilling	Target Formation(s): Kansas City	
WAR WAS A WAR TO SEE THE SECOND	Nearest Lease or unit boundary: 2310'	
Well Drilled For: Well Class: Type Equipment:		MSL
Oil Enh Rec Infield Mud Rotary		No
Gas Storage Pool Ext. Air Rotary	•	/ No
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 180'	
Seismic;# of Holes Other	Depth to bottom of usable water: 400'	
Other	Surface Pipe by Alternate: 1 / 2	
OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 200+	
Operator:	Length of Conductor Pipe required: none	
Well Name:	Projected Total Depth: 4,000'	
Original Completion Date: Original Total Depth:	/ Formation at Total Depth: Kansas City	
	Water Source for Drilling Operations:	
irectional, Deviated or Horizontal wellbore?	Well Farm Pond Other haul	
Yes, true vertical depth:	DWR Permit #:	
ottom Hole Location:	(Nate: Apply for Permit with DWR	
CC DKT #:	Will Cores be taken? Yes ▼	/ No
	If Yes, proposed zone:	
AFF	TIDAN/IT	
	FIDAVIT	
he undersigned hereby affirms that the drilling, completion and eventual p		
AFF The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;		
he undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the construction of the surface propriate district office will be notified before well is either pluging the first an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	ch drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to pluggingged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date r #133,891-C, which applies to the KCC District 3 area, alternate II cemented be plugged. In all cases, NOTIFY district office prior to any cementing	<i>ig;</i> nting
the undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea.  3. The minimum amount of surface pipe as specified below shall be surfaced through all unconsolidated materials plus a minimum of 20 feet into the description of the surface pipe and the construction of the surface well is either plus.  4. If the well is dry hole, an agreement between the operator and the construction of the surface district office will be notified before well is either plus.  5. The appropriate district office will be notified before well is either plus.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of	ch drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to pluggingged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date r #133,891-C, which applies to the KCC District 3 area, alternate II cemented plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief.	<i>ig;</i> nting
he undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea  3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the surface propriate district office will be notified before well is either plus of an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date.	ach drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to pluggin gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date 14133,891-C, which applies to the KCC District 3 area, alternate II cemented be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief.  Title: Agent	<i>ig;</i> nting
the undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be surface</i> through all unconsolidated materials plus a minimum of 20 feet into the surface of the well is dry hole, an agreement between the operator and the constitution of the surface of the well is either plus.  5. The appropriate district office will be notified before well is either plus.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the constant of the constant of the plus of the spud date.  Signature of Operator or Agent:	ach drilling rig;  Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Idistrict office on plug length and placement is necessary prior to pluggingged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cemel be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief.  Title: Agent  Remember to:	<i>ig;</i> nting
he undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea  3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the driving that is dry hole, an agreement between the operator and the constitution of the surface well is either plus for the appropriate district office will be notified before well is either plus for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the constitution of the constitution of the date:    October 25, 2006	ach drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to pluggin gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cemented be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief.  Title: Agent  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;	nting
the undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea.  3. The minimum amount of surface pipe as specified below shall be surfaced through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the constitution of the surface well is either plugion.  5. The appropriate district office will be notified before well is either plugion.  6. If an ALTERNATE II COMPLETION, production pipe shall be common or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the complete of the complete of the determinant of the det	ach drilling rig;  Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Idistrict office on plug length and placement is necessary prior to pluggingged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cemel be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief.  Title: Agent  Remember to:	<i>ig;</i> nting
the undersigned hereby affirms that the drilling, completion and eventual prise agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into to the second of the well is dry hole, an agreement between the operator and the confidence of the second of the	ach drilling rig;  Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Listrict office on plug length and placement is necessary prior to pluggingged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cemented be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;	nting
the undersigned hereby affirms that the drilling, completion and eventual prise agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea.  3. The minimum amount of surface pipe as specified below shall be surfaced through all unconsolidated materials plus a minimum of 20 feet into the surface well is dry hole, an agreement between the operator and the composition of the surface well is either plus.  5. The appropriate district office will be notified before well is either plus.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the surface of Operator or Agent:  For KCC Use ONLY  API # 15 - OSI - 25588 - OCOO feet into the production pipe required feet per Alt. (2)	ach drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to pluggingged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cemel be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;	nting
ne undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea.  3. The minimum amount of surface pipe as specified below shall be surface through all unconsolidated materials plus a minimum of 20 feet into the surface well is dry hole, an agreement between the operator and the composition of the surface district office will be notified before well is either plus.  5. The appropriate district office will be notified before well is either plus.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall neereby certify that the statements made herein are true and to the best of the composition of the specific production and the specific production of the specific production and the specific production of the specific production of the specific production of the specific production and the specific production of	ach drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  the plug length and placement is necessary prior to plugging ged or production casing is cemented in;  the form below any usable water to surface within 120 days of spud dater  #133,891-C, which applies to the KCC District 3 area, alternate II cemented be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;	nting
the undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea.  3. The minimum amount of surface pipe as specified below shall be surface pipe as specified below shall be surfaced through all unconsolidated materials plus a minimum of 20 feet into to the surface pipe as a proper that the operator and the control of the well is dry hole, an agreement between the operator and the control of the surface district office will be notified before well is either plus and an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the control of the surface pipe required to the perfect of the surface pipe required to the pipe required to the perfect of the surface pipe required to the driving production and the surface pipe required to the driving production and the surface pipe required to the driving production and the surface pipe required to the driving production and the surface pipe required to the driving production and the surface pipe required to the driving production and the production and the surface pipe required to the driving production and the surface production are surface production and the surface production ar	ch drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to pluggin gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cemented be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please	nting
he undersigned hereby affirms that the drilling, completion and eventual prise agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea.  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into to the set of the well is dry hole, an agreement between the operator and the constitution of the surface pipe shall be cemen. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the surface pipe required.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - OSI - 25588 - OCOO feet per Alt. (2)  Approved by: Put 10-2506	ch drilling rig;  ach drilling rig;  ath point of the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to pluggin gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date r #133,891-C, which applies to the KCC District 3 area, alternate II cemel be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief.  Title: Agent  Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water.	nting
the undersigned hereby affirms that the drilling, completion and eventual prise agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into to the determinant of the well is dry hole, an agreement between the operator and the construction of the surface plus an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the construction of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the construction of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the construction of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the construction of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the construction of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall hereby certified before well is either plus at the statement of the surface plus and the statement of the spud date or the well shall hereby certified before well is either plus at the statement of the spud date or the shall hereby certified before well is either plus at the statement of the statement of the statement of the statement of the shall be	ch drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to pluggin gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cemented be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please	nnting
the undersigned hereby affirms that the drilling, completion and eventual prise agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into to the determinant of the well is dry hole, an agreement between the operator and the construction of the surface plus an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the construction of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the construction of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the construction of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the construction of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the construction of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall hereby certified before well is either plus at the statement of the surface plus and the statement of the spud date or the well shall hereby certified before well is either plus at the statement of the spud date or the shall hereby certified before well is either plus at the statement of the statement of the statement of the statement of the shall be	ch drilling rig;  ach drilling rig;  ath point of the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to pluggin gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date r #133,891-C, which applies to the KCC District 3 area, alternate II cemel be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief.  Title: Agent  Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	nting

OOT O TOO

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 051-25588-0000	Location of Well: County: Ellis
Operator: Hertel Oil Company	•
Lease: Dreiling	2310 feet from N / S Line of Section 2310 feet from E / W Line of Section
Well Number: 1 Field: wildcat	Sec. 22 Twp. 14 S. R. 16 East / Wes
Number of Acres attributable to well:  QTR / QTR / QTR of acreage:  NE _ NE _ SW	Is Section: Regular or Irregular
QIT/QIT/QITO acreage.	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

					···		
1	•				-	•	•
						-	
				ļ	-		
		•		1	•		•
	•				•		•
		•					
				• • •			
							•
						•	
1	•	•			•	•	•
		•				•	
	•				•		•
	-			l			•
<b>-</b>							
	•				•		,
			— •				
-			<b>T</b>				
	•	· · · ·	<u> </u>		•		
1	•	· · · · · · · · · · · · · · · · · · ·			•		
1	•	· · · · · · · · · · · · · · · · · · ·			•		
1	•	· · · · · · · · · · · · · · · · · · ·	<u> </u>		•		
1	•	· · · · · · · · · · · · · · · · · · ·			•		
		· · · · · · · · · · · · · · · · · · ·					
		· · · · · · · · · · · · · · · · · · ·					
	·						
		· · · · · · · · · · · · · · · · · · ·					
	·						



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Hertel Oil Company			License Number: 33625				
Operator Address: 704 E. 12th Street, Hays, KS 67601							
Contact Person: Mike Hertel			Phone Number: ( 785 ) 628 - 2445				
Lease Name & Well No.: Dreiling #1			Pit Location (QQQQ):				
Type of Pit:	Pit is:		NE NE SW				
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 22 Twp. 14 R. 16 East				
Settling Pit	If Existing, date co	onstructed:	2310 Feet from North / South Line of Section				
Workover Pit Haul-Off Pit			2310 Feet from East / V West Line of Section				
(If WP Supply API No. or Year Drilled)	Pit capacity: 3,600	(bbis)	Ellis County				
Is the pit located in a Sensitive Ground Water			Chloride concentration:mg/l				
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?				
✓ Yes ☐ No	Yes 🗸	No	native clay				
Pit dimensions (all but working pits):		Width (feet) N/A: Steel Pits					
Depth fr	om ground level to de	eepest point: 5	(feet)				
If the pit is lined give a brief description of the liner material, thickness and installation procedure.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.							
Source of inf		Depth to shallo Source of infor	west fresh water				
			measured well owner electric log KDWR				
			al utilized in drilling/workover: drilling mud king pits to be utilized: 1				
· -			Number of working pits to be utilized: 1  Abandonment procedure: air dry and backfill				
Does the slope from the tank battery allow all spilled fluids to			be closed within 365 days of spud date.				
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  KANSAS CORPORATION COMMISS							
			OCT 2 5 2006				
October 25, 2006  Date	(No	rnna s	ignature of Applicant or Agent CONSERVATION DIVISION				
			WICHITA, KS				
KCC OFFICE USE ONLY							
Date Received: 10/25/06 Permit Num	ber:	Perm	it Date: 10/25/04 Lease Inspection: Yes Y No				