For KCC Use:	10-30-06	
Effective Date:	70-30-00	
District #		
CC42 -	[V] No.	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date	10/29/20	106	Spot	x East
	month de	ay year	SW . SE . NE Sec. 9 Twp. 26S S	. R. <u>20E</u> West
OREDATOR: Linear	32912			S Line of Section
OPERATOR: License# Carroll	Energy, LLC			W Line of Section
2198 V	/alley High Dr		Is SECTION X Regular Irregular?	
Address: Indepe	endence, KS 67301		(Note: Locate well on the Section Plat on rev	erse side)
Contact Person: Terry C	Carroll Jr.		County: Allen	
	330-7213		Lease Name: FEWINS	_Well #: 9-D2
1110710.		•	Field Name: SEIBERT	
CONTRACTOR: License#	33374		Is this a Prorated / Spaced Field?	Yes X No
Name:	Well Service, LLC		Target Formation(s): Cherokee Coals	
Well Drilled For:	Well Class:	Type Equipment:	Nearest Lease or unit boundary: 360'	
			Ground Surface Elevation: 985	feet MSL
X Oil Enh Re		Mud Rotary X Air Rotary	Water well within one-quarter mile:	Yes X No
X Gas Storag			Public water supply well within one mile:	Yes X No
OWWO Dispos		Cable	Depth to bottom of fresh water: 100'+	
Seismic; # of Other	Holes Other		Depth to bottom of usable water:30014/75±	
Other		****	Surface Pipe by Alternate: 1 x 2	•
If OWWO: old well informa	ation as follows:		Length of Surface Pipe Planned to be set:	
Operator:			Length of Conductor Pipe required:	
Well Name:			Projected Total Depth: 1100'	The sale of the sa
Original Completion Da	ate: Origin	nal Total Depth:	Formation at Total Depth: Mississippi	
Disastianal Davistad as No	wizantal wallbara?	Yes X No	Water Source for Drilling Operations:	
Directional, Deviated or Ho		1000	Well X Farm Pond Other	
46.56				
If Yes, true vertical depth:			DWR Permit #:	1.
Bottom Hole Location:			(Note: Apply for Permit with DWR	
			(Note: Apply for Permit with DWR Will Cores be taken?	Yes X No
Bottom Hole Location:			(Note: Apply for Permit with DWR	Yes X No
Bottom Hole Location: KCC DKT #:		AF	Will Cores be taken? If Yes, proposed zone: FIDAVIT	Yes X No
Bottom Hole Location: KCC DKT #:		AF	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone:	Yes X No
Bottom Hole Location: KCC DKT #: The undersigned hereby a It is agreed that the follow	affirms that the drilling, ring minimum requirem	AF completion and eventual lents will be met:	Will Cores be taken? If Yes, proposed zone: FIDAVIT	Yes X No
Bottom Hole Location: KCC DKT #: The undersigned hereby a It is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appropriate dest must be completed	affirms that the drilling, thing minimum requirem the district office prior to the surface pipe as a side an agreement between the thing to the surface will be notified to the surface office will be notified to the surface of the	AF completion and eventual tents will be met: to spudding of well; drill shall be posted on a specified below shall be a minimum of 20 feet into teen the operator and the ed before well is either pl uction pipe shall be ceme ansas surface casing ord spud date or the well shall	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface portion the underlying formation. It district office on plug length and placement is necessary ugged or production casing is cemented in; anted from below any usable water to surface within 120 der #133,891-C, which applies to the KCC District 3 area, all be plugged. In all cases, NOTIFY district office prior	Yes X No Yes X No Prior to plugging; Yes Y No
Bottom Hole Location: KCC DKT #: The undersigned hereby a It is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appropriate dest must be completed	affirms that the drilling, thing minimum requirem the district office prior to the district office of intent to the district office of the district office will be notifice to the district office will be notifice will be notificated in the district office will be notificated in the district office will be notificated in the district office will be notificated in the district of the distri	completion and eventual tents will be met: to spudding of well; drill shall be posted on a specified below shall be a minimum of 20 feet into teen the operator and the ed before well is either pluction pipe shall be cemeansas surface casing ordespud date or the well shall are true and to the best	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. set by circulating cement to the top; in all cases surface positive underlying formation. district office on plug length and placement is necessary ugged or production casing is cemented in; anted from below any usable water to surface within 120 der #133,891-C, which applies to the KCC District 3 area, a	Yes X No No Yes X No Prior to plugging; Yes X No Prior to plugging; Yes X No Prior to plugging; Yes X No
Bottom Hole Location: KCC DKT #: The undersigned hereby a It is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appropriate dist I hereby certify that the st	affirms that the drilling, thing minimum requirem the district office prior to eved notice of intent to surface pipe as a slidated materials plus ale, an agreement betworth office will be notified (COMPLETION, produendix "B" - Eastern Kawithin 30 days of the slatements made herein	completion and eventual tents will be met: to spudding of well; drill shall be posted on a specified below shall be a minimum of 20 feet into teen the operator and the ed before well is either pluction pipe shall be cemeansas surface casing ordespud date or the well shall are true and to the best	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface portion the underlying formation. district office on plug length and placement is necessary ugged or production casing is cemented in; and the form below any usable water to surface within 120 deer #133,891-C, which applies to the KCC District 3 area. All be plugged. In all cases, NOTIFY district office prior of my knowledge and belief.	Yes X No No Yes X No Prior to plugging; Yes X No Prior to plugging; Yes X No Prior to plugging; Yes X No
Bottom Hole Location: KCC DKT #: The undersigned hereby a It is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appropriate dist in the completed I hereby certify that the st	affirms that the drilling, fing minimum requirem the district office prior to the prior of the district office of intent to the district office will be notified to COMPLETION, producendix "B" - Eastern Kawithin 30 days of the statements made herein Signature of Operation 19531-0000	completion and eventual tents will be met: to spudding of well; drill shall be posted on a specified below shall be a minimum of 20 feet into teen the operator and the ed before well is either pluction pipe shall be cemeansas surface casing ordespud date or the well shall are true and to the best	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface positive underlying formation. district office on plug length and placement is necessary ugged or production casing is cemented in; anted from below any usable water to surface within 120 der #133,891-C, which applies to the KCC District 3 area, all be plugged. In all cases, NOTIFY district office prior of my knowledge and belief.	Yes X No
Bottom Hole Location: KCC DKT #: The undersigned hereby a it is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appropriate to a pursuant to appropriate dist be completed 1 hereby certify that the st Date: 10/23/2006 For KCC Use ONLY API # 15 - OPI - 2 Conductor pipe required Minimum surface pipe re	affirms that the drilling, fing minimum requirem ate district office <i>prior</i> to the surface pipe as a sidil dated materials plus at the surface will be notified to the surface will be notified to the surface of the surface within 30 days of the surface made herein at the surface of the surf	completion and eventual tents will be met: to spudding of well; drill shall be posted on a specified below shall be a minimum of 20 feet into the ed before well is either pluction pipe shall be cemeans as surface casing ordispud date or the well shall are true and to the best attor or Agent:	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface points underlying formation. district office on plug length and placement is necessary ugged or production casing is cemented in; anted from below any usable water to surface within 120 deer #133,891-C, which applies to the KCC District 3 area; all be plugged. In all cases, NOTIFY district office prior of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Die File Completion Form ACO-1 within 120 days of spurence in a case and the completion form ACO-1 within 120 days of spurence in the careage attribution plat according to field proration.	Yes X No No Prior to plugging; Prior to plu
The undersigned hereby a it is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appropriate be completed I hereby certify that the st Date: 10/23/2006 For KCC Use ONLY API # 15 - ONLY Conductor pipe required Minimum surface pipe rec Approved by: Patilonia	affirms that the drilling, fing minimum requirem ate district office prior to eved notice of intent to find the surface pipe as sufficient of surface pipe as sufficient of surface will be notified (COMPLETION, production of the sufficient of the	completion and eventual tents will be met: to spudding of well; drill shall be posted on a specified below shall be a minimum of 20 feet into the seen the operator and the sed before well is either pluction pipe shall be cemeans as surface casing ordespud date or the well shall are true and to the best stator or Agent:	Will Cores be taken? If Yes, proposed zone: Pripavit Plugging of this well will comply with K.S.A. 55 et. seq. Beach drilling rig; Set by circulating cement to the top; in all cases surface poor the underlying formation. If district office on plug length and placement is necessary ugged or production casing is cemented in; and from below any usable water to surface within 120 deer #133,891-C, which applies to the KCC District 3 area; all be plugged. In all cases, NOTIFY district office prior of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Die File Completion Form ACO-1 within 120 days of spure in the case and plugging to the completion of the control of of the contro	Yes X No No Prior to plugging; Prior to plu
The undersigned hereby a it is agreed that the follow 1. Notify the appropria 2. A copy of the appro- 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appropriate dist 6. If an ALTERNATE II Or pursuant to Appropriate dist 1 hereby certify that the st Date: 10/23/2006 For KCC Use ONLY API # 15 - 201 - 2 Conductor pipe required Minimum surface pipe re- Approved by: 44/0-6 This authorization expires	affirms that the drilling, fing minimum requirem ate district office prior to eved notice of intent to eved notice of intent to eved materials plus a lie, an agreement between the event office will be notified (COMPLETION, producted "B" - Eastern Kawithin 30 days of the statements made herein attempts made herein Signature of Operation of Signature of Op	completion and eventual tents will be met: to spudding of well; drill shall be posted on a specified below shall be a minimum of 20 feet into the seen the operator and the sed before well is either pluction pipe shall be cemeans as surface casing ordespud date or the well shall are true and to the best stator or Agent:	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig: set by circulating cement to the top; in all cases surface positive underlying formation. district office on plug length and placement is necessary ugged or production casing is cemented in; anted from below any usable water to surface within 120 der #133,891-C, which applies to the KCC District 3 area, all be plugged. In all cases, NOTIFY district office prior of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Die File Completion Form ACO-1 within 120 days of spure. Notify appropriate district office 48 hours prior to word. Submit plugging report (CP-4) after plugging is completion written approval before disposing or injecting	yes X No lipe shall be set prior to plugging; lays of spud date. alternate II cementing to any cementing. anager fill; d date; on orders; kover or re-entry; bleted; salt water. date) please


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 -	001-29531-0000	Location of Well: County: Allan
Operator:	Carroll Energy, LLC	S Line of Section
Lease:		990 feet from X E / W Line of Section
Well Number: _		Sec. 9 Twp. 26S S. R. 20E X East Wes
Field:	SEIBERT	
	es attributable to well:	Is Section: X Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section comer used: X NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 REPORTED)

 CG-8 for gas wells).

OCT 2 5 2009

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Carroll Energy, LLC		License Number: 32912			
Operator Address: 2198 Valley High Dr, Independence, KS 67301					
Contact Person: Terry Carroll Jr.		Phone Number: (620) 330-7213			
Lease Name & Well No.: FEWINS 9-D2			Pit Location (QQQQ):		
Type of Pit:	Pit is:		_C <u>SW</u> - <u>SE</u> - <u>NE</u>		
Ernergency Pit Burn Pit	Proposed	Existing	Sec. 9 Twp. 26S R. 20E X East West		
Settling Pit X Drilling Pit	If Existing, date constructed:		2280_ Feet from 🔀 North / 🗌 South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		990 Feet from X East / West Line of Section		
(If WP Supply API No. or Year Drilled)	300	(bbls)	Allan County		
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: NA mg/l		
Is the bettern below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?		
Is the bottom below ground level? X Yes No	Yes X	No	CLAY		
Pit dimensions (all but working pits):	20 Length (fe	et)8	Width (feet) N/A: Steel Pits		
	om ground level to de				
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.					
material, trickiness and installation procedure		inioi integray, a	rotating any special memoring.		
		Depth to shallo Source of infor	west fresh waterfeet.		
N/A feet Depth of water well feet			redwell owner electric logKDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover: FRESH WATER			
Number of producing wells on lease:		Number of working pits to be utilized:			
Barrels of fluid produced daily:		Abandonment procedure: AIR DRY			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
10/23/2006			Ignature of Applicant or Agent		
Date Signature of Applicant or Agent					
KCC OFFICE USE ONLY					
Date Received: 10/25/01- Permit Num	ber:	Permi	t Date: パロタンクト Lease Inspection: Yes 収 No		

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

RECEIVED