For KCC Use:	10-30-06
Effective Date:	10 3000
District #	<u> </u>
SCA2 TVes	X No

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

## NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date	Spot X East SW Sec. 19 Twp. 32S S. R. 11E West
OPERATOR: License#	360 feet from N / X S Line of Section 360 feet from E / X W Line of Section
Name: Carroll Energy, LLC	Is SECTION Regular X Irregular?
Address: 2198 Valley High Dr	•
City/State/Zip: Independence, KS 67301	(Note: Locate well on the Section Plat on reverse side) Chautaqua
Contact Person: Terry Carroll Jr. (620) 330-7213	KEMPTON 19-A4
Phone: (620) 330-7213	I ANDONIEI OVO
CONTRACTOR: License# 33374	ried Name.
Name: L & S Well Service, LLC	Target Formation(s): Mississippi
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 360'
	Ground Surface Elevation: 1100 feet MSL
	Water well within one-quarter mile:
	Public water supply well within one mile:
[]	Depth to bottom of fresh water:
Seismic; # of Holes Other	Depth to bottom of usable water:300'+
Other	Surface Pipe by Alternate: 1 x 2  Length of Surface Pipe Planned to be set: 26 40 Minimum
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 70 MINIMUM
Operator:	Length of Conductor Pipe required:
Well Name:	Projected Total Depth: 2300'
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippi
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well X Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
	(Note: Apply for Permit with DWR)  Will Cores be taken?YesX No
Bottom Hole Location:	(Note: Apply for Permit with DWR
Bottom Hole Location:	(Note: Apply for Permit with DWR)  Will Cores be taken?YesX No  If Yes, proposed zone:
Bottom Hole Location:	(Note: Apply for Permit with DWR [])  Will Cores be taken?  If Yes, proposed zone:  **IDAVIT**
Bottom Hole Location:  KCC DKT #:  AFF  The undersigned hereby affirms that the drilling, completion and eventual p	(Note: Apply for Permit with DWR [])  Will Cores be taken?  If Yes, proposed zone:  **IDAVIT**
Bottom Hole Location:  KCC DKT #:  AFF  The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:	(Note: Apply for Permit with DWR [])  Will Cores be taken?  If Yes, proposed zone:  **IDAVIT**
AFF  The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be sufficiently the properties of the well is dry hole, an agreement between the operator and the content of the surface pipe in the properties of the surface pipe in the properties of the well is dry hole, an agreement between the operator and the content of the surface pipe in the pi	(Note: Apply for Permit with DWR ])  Will Cores be taken?
AFF  The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be sufficiently the properties of the surface pipe as specified below shall be sufficient to the sufficien	(Note: Apply for Permit with DWR ])  Will Cores be taken?
AFF  The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials	(Note: Apply for Permit with DWR )  Will Cores be taken? Yes X No If Yes, proposed zone:  IDAVIT  Sugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Clistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
AFF  The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be setherough all unconsolidated materials plus a minimum of 20 feet into to 4. If the well is dry hole, an agreement between the operator and the construction of the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolid	(Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  **IDAVIT**  Sugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  **#133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
AFF  The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be sufficient to drill shall be posted on ea. 4. If the well is dry hole, an agreement between the operator and the continuous statements of the surface will be notified before well is either plugible. 5. The appropriate district office will be notified before well is either plugible. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall.  I hereby certify that the statements made herein are true and to the best of the statements.	(Note: Apply for Permit with DWR )  Will Cores be taken? Yes X No If Yes, proposed zone:  FIDAVIT  Sugging of this well will comply with K.S.A. 55 et. seq.  Sich drilling rig;  Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Signification of the state of the state of the underlying formation.  Signification of the state of the state of the underlying formation casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  File Drill Pit Application (form CDP-1) with Intent to Drill;
Bottom Hole Location:  KCC DKT #:  AFF  The undersigned hereby affirms that the drilling, completion and eventual p it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be setherough all unconsolidated materials plus a minimum of 20 feet into to 4. If the well is dry hole, an agreement between the operator and the construction of the set o	(Note: Apply for Permit with DWR )  Will Cores be taken? Yes X No If Yes, proposed zone:  FIDAVIT  Sugging of this well will comply with K.S.A. 55 et. seq.  Sich drilling rig;  Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Signification of the state of the state of the underlying formation.  Signification of the state of the state of the underlying formation casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  File Drill Pit Application (form CDP-1) with Intent to Drill;
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be setherough all unconsolidated materials plus a minimum of 20 feet into to the well is dry hole, an agreement between the operator and the construction of the surface pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of the construction of the spud date or the well shall.  For KCC Use ONLY API # 15 - 019-26-774-0000	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Sugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  In the underlying formation.  Idistrict office on plug length and placement is necessary prior to plugging;  Igged or production casing is cemented in;  Ited from below any usable water to surface within 120 days of spud date.  If #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If the Land Manager  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;
AFF  The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eason through all unconsolidated materials plus a minimum of 20 feet into the second to the	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Sugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  In the underlying formation.  Idistrict office on plug length and placement is necessary prior to plugging;  Igged or production casing is cemented in;  Ited from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If the interval is necessary prior to plugging;  If the completion form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be setherough all unconsolidated materials plus a minimum of 20 feet into to the setherough all unconsolidated materials plus a minimum of 20 feet into to the setherough all unconsolidated materials plus a minimum of 20 feet into to the setherough all unconsolidated materials plus a minimum of 20 feet into to the setherough all unconsolidated materials plus a minimum of 20 feet into to the set in the setherough all unconsolidated materials plus a minimum of 20 feet into to the set in the setherough all unconsolidated materials plus a minimum of 20 feet into to the set into the setherough all unconsolidated materials plus a minimum of 20 feet into to the set into the setherough all the setherough	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Sugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Clistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  If 133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If the Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into the drill the well is dry hole, an agreement between the operator and the construction of the surface of	Will Cores be taken?  If Yes, proposed zone:  White the proposed zone:  White the proposed zone is the proposed zone in the proposed zone is the proposed zo
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be setherough all unconsolidated materials plus a minimum of 20 feet into to the setherough all unconsolidated materials plus a minimum of 20 feet into to the setherough all unconsolidated materials plus a minimum of 20 feet into to the setherough all unconsolidated materials plus a minimum of 20 feet into to the setherough all unconsolidated materials plus a minimum of 20 feet into to the set in the setherough all unconsolidated materials plus a minimum of 20 feet into to the set in the setherough all unconsolidated materials plus a minimum of 20 feet into to the set into the setherough all unconsolidated materials plus a minimum of 20 feet into to the set into the setherough all the setherough	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Sugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Idistrict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  If the prill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second of the secon	Will Cores be taken?  If Yes, proposed zone:  It Yes,
AFF The undersigned hereby affirms that the drilling, completion and eventual p it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second shall be sufficed before well is either plus for the appropriate district office will be notified before well is either plus for fur ALTERNATE II COMPLETION, production pipe shall be comen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the plus of the spud date or the well shall be completed.  I hereby certify that the statements made herein are true and to the best of the conductor pipe required.  For KCC Use ONLY API # 15 - 019 - 26 774 - 0000 Conductor pipe required.  Minimum surface pipe required.  Approved by: 44 10 - 25 000 This authorization expires: 4-25 07	(Note: Apply for Permit with DWR  Yes  No If Yes, proposed zone:    Yes

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field


If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 019-26774-0000	Location of Well: County: Chautaqua
Operator: Carroll Energy, LLC	
Lease: KEMPTON	360 feet from E / X W Line of Section
Well Number: 19-A4	Sec. 19 Twp. 32S S. R. 11E X East West
Field: LANDON-FLOYD	النب السبا
Number of Acres attributable to well:	ls Section: Regular or X Irregular
QTR / QTR / QTR of acreage:SWSWSW	If Section is irregular, locate well from nearest corner boundary.  Section comer used: NE NW SE XSW

# **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)





In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- The distance to the nearest lease or unit boundary mile.
   If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for cityells: RECEIVED

OCT 2 5 2008

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Out in Duplicate					
Operator Name: Carroll Energy,	LLC		License Number: 32912		
Operator Address: 2198 Valley High Dr, Independence, KS 67301					
Contact Person: Terry Carroll Jr.			Phone Number: ( 620 ) 330-7213		
Lease Name & Well No.: KEMPTON 19-A4		Pit Location (QQQQ):			
Type of Pit:	Pit is:		C <u>SWSW_</u> - <u>_SW</u>		
Emergency Pit Burn Pit	Proposed Existing		Sec. 19 Twp. 32S R. 11E X East West		
Settling Pit X Drilling Pit	If Existing, date constructed:		360 Feet from North / North Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		360_ Feet from East / [X] West Line of Section		
(If WP Supply API No. or Year Drilled)	300	(bbls)	Chautaqua County		
Is the pit located in a Sensitive Ground Water Area? Yes No		Chloride concentration: NA mg/l  (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?  X Yes No	Artificial Liner?		How is the pit lined if a plastic liner is not used? CLAY		
Pit dimensions (all but working pits):	but working pits): 20 Length (feet) 8				
Depth fr	om ground level to de	eepest point:	(feet)		
If the pit is lined give a brief description of the material, thickness and installation procedure	edures for periodic maintenance and determining neluding any special monitoring.				
			Depth to shallowest fresh water		
N/Afeet Depth of water wellfeet		Source of information: measuredwell owner electric logKDWR			
Emergency, Settling and Burn Pits ONLY:  Drilling, Workover and Haul-Off Pits ONLY:					
		Type of materia	Type of material utilized in drilling/workover: FRESH WATER		
		Number of working pits to be utilized: 1			
Barrels of fluid produced daily:A		Abandonment procedure: AIR DRY			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
10/23/2006					
Date Signature of Applicant or Agent					
KCC OFFICE USE ONLY					

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

<u>/0/25/0</u>ς Permit Number: 10/35/06 Lease Inspection: Yes V No

OCT 2 5 2006