| For KCC Use | - | ما <i>0-30-0</i> 0 |
|-------------|-------|--------------------|
| District # | | |
| SGA? | Yes 🛭 | No No |

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

| Expected Spud Date November 20 2006 month day year | Spot |
|--|--|
| OPERATOR: License#_5144 V Name: Mull Drilling Company, Inc. | feet from N / S Line of Section 1961 |
| A.J. P.O. Box 2758 | Is SECTION RegularIrregular? |
| City/State/Zip: Wichita KS 67201-2758 | |
| Contact Person: Mark Shreve | (Note: Locate well on the Section Plat on reverse side) County: Ness |
| Phone: 316-264-6366 Ext. 13 | Lease Name: Zimmerman-Scott Well #: 1-15 |
| , | Field Name: Wildcat |
| CONTRACTOR: License# 33575 | Is this a Prorated / Spaced Field? |
| Name: WW Drilling, LLC | Target Formation(s): Cherokee Sand |
| Well Drilled For: Well Class: Type Equipment: | Nearest Lease or unit boundary: 426' (Pooled) |
| | Ground Surface Elevation: 2442.9feet MSL |
| | Water well within one-quarter mile: |
| | Public water supply well within one mile: |
| GAWODisposal WildcatCable Seismic;# of Holes Other | Depth to bottom of fresh water: 180' |
| OtherOther | Depth to bottom of usable water: 1150' |
| Other | Surface Pipe by Alternate: 1 2 |
| If OWWO: old well information as follows: | Length of Surface Pipe Planned to be set: 200' |
| Operator: | Length of Conductor Pipe required: None |
| Well Name: | Projected Total Depth: 4650' Formation at Total Depth: Mississippian |
| Original Completion Date:Original Total Depth: | Tormation at Total Boptin |
| | Water Source for Drilling Operations: |
| Dispetional Daviated or Harizantal wallbard? | |
| | Well Farm Pond Other X |
| If Yes, true vertical depth: | DWR Permit #: Contractor will apply |
| If Yes, true vertical depth: | DWR Permit #: Contractor will apply (Note: Apply for Permit with DWR) |
| If Yes, true vertical depth: Bottom Hole Location: KCC DKT #* | DWR Permit #: Contractor will apply (Note: Apply for Permit with DWR) Will Cores be taken? Yes No |
| If Yes, true vertical depth: Bottom Hole Location: KCC DKT #* | DWR Permit #: Contractor will apply (Note: Apply for Permit with DWR) |
| If Yes, true vertical depth: | DWR Permit #: Contractor will apply (Note: Apply for Permit with DWR) Will Cores be taken? Yes No |
| If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: Dil i bas Lectes w/ pooling clauses attached | DWR Permit #: Contractor will apply (Note: Apply for Permit with DWR) Will Cores be taken? Yes No If Yes, proposed zone: |
| If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: Cit is bas Leaves w/ pooling clauses a blacked AF The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e. 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order. | DWR Permit #: Contractor will apply (Note: Apply for Permit with DWR) Will Cores be taken? Yes No If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; |
| If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: Oil is bas Leaves w/ pooling clauses a backed AF The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e. 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed. | Will Cores be taken? Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; usged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing. |
| If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: Cit is bas Leaves w/ pooling clauses a blacked AF The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e. 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best | Will Cores be taken? (Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing. |
| If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e. 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best | Will Cores be taken? Will Cores be taken? Yes No If Yes, proposed zone: Yes No If Yes, proposed zone: Yes No If Yes, proposed zone: Yes Yes No If Yes, proposed zone: Yes Yes Yes Yes If Yes, proposed zone: Yes Ye |
| If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: Cit is bas Leaves w/ pooling clauses at tacked AF The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on a copy of the approved notice of intent to drill shall be posted on a copy of the approved notice of intent to drill shall be posted on a copy of the approved notice of intent to drill shall be posted on a copy of the approved notice of intent to drill shall be posted on a copy of the approved notice of intent to drill shall be posted on a copy of the well is dry hole, an agreement between the operator and the statements of the population of the specific population of the well shall be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: 10/24/06 | Will Cores be taken? Will Cores be taken? Yes No If Yes, proposed zone: Yes No If Yes, proposed zone: Yes No If Yes, proposed zone: Yes Yes No If Yes, proposed zone: Yes Yes Yes Yes If Yes, proposed zone: Yes Ye |
| If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: Cit is bas Lectes w/ pooling clauses attached AF The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on a strong that unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into the united that the statement between the operator and the strong to the propriate district office will be notified before well is either please. If an ALTERNATE II COMPLETION, production pipe shall be come or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: 10/24/06 | Will Cores be taken? Will Cores be taken? Yes No If Yes, proposed zone: Yes No If Yes, proposed zone: Yes No If Yes, proposed zone: Yes Yes No If Yes, proposed zone: Yes Yes Yes Yes If Yes, proposed zone: Yes Ye |
| If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: Cit is bas Leaves w/ pooling clauses a blacked AF The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e. 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: Date: 10/24/06 Signature of Operator or Agent: For KCC Use ONLY API # 15 - /35 - 24/562 - 0000 Conductor pipe required None feet | Will Cores be taken? Will Cores be taken? Yes No If Yes, proposed zone: Yes No If Yes, proposed zone: Yes No If Yes, proposed zone: Yes Yes No If Yes, proposed zone: Yes Yes Yes Yes If Yes, proposed zone: Yes Ye |
| If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: Cit is bas Lectes w/ pooling clauses attached AF The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on a strong all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong all uncon | Will Cores be taken? Will Cores be taken? Yes No If Yes, proposed zone: Yes No If Yes, proposed zone: Yes No If Yes, proposed zone: Yes Yes No If Yes, proposed zone: Yes Yes Yes Yes If Yes, proposed zone: Yes Ye |
| If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: Cit is bas Leases w/ pooling clauses at backed AF The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on a copy of the approved notice of intent to drill shall be posted on a copy of the approved notice of intent to drill shall be posted on a copy of the approved notice of intent to drill shall be posted on a copy of the appropriate district office will be notified before well is either plother of the well is dry hole, an agreement between the operator and the copy of the appropriate district office will be notified before well is either plother of the well is dry hole, an agreement between the operator and the copy of the appropriate district office will be notified before well is either plother of the well is dry hole, an agreement between the operator and the portion of the spundate of the well shall be come or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spundate or the well shall be completed within 30 days of the spundate or the well shall be completed within 30 days of the spundate or the well shall be completed within 30 days of the spundate or the well shall be completed within 30 days of the spundate or the well shall be completed within 30 days of the spundate or the well shall be completed within 30 days of the spundate or the well shall be completed within 30 days of the spundate or the well shall be completed within 30 days of the spundate or the well shall be completed within 30 days of the spundate or the well shall be completed within 30 days of the spundate or the well shall be completed within 30 days of the spundate or the well shall be completed within 30 days of the spundate or the well shall be completed within 30 days of the spundate or the w | Will Cores be taken? Will Cores be taken? Yes No |
| If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: Dil \$ bas Leaves w/ pooling clauses at backed AF The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on a strongh all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either ple 6. If an ALTERNATE II COMPLETION, production pipe shall be come Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: 10/24/06 | Will Cores be taken? Will Cores be taken? Will Cores be taken? If Yes, proposed zone: Plugging of this well will comply with K.S.A. 55 et. seq. Water drilling rig; Set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; sugged or production casing is cemented in; nited from below any usable water to surface within 120 days of spud date. First #133,891-C, which applies to the KCC District 3 area, alternate II cementing III be plugged. In all cases, NOTIFY district office prior to any cementing. First President/COO Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; |
| If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: Cit is bas Leases w/ pooling clauses at backed AF The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on a copy of the approved notice of intent to drill shall be posted on a copy of the approved notice of intent to drill shall be posted on a copy of the approved notice of intent to drill shall be posted on a copy of the appropriate district office will be notified before well is either plother of the well is dry hole, an agreement between the operator and the copy of the appropriate district office will be notified before well is either plother of the well is dry hole, an agreement between the operator and the copy of the appropriate district office will be notified before well is either plother of the well is dry hole, an agreement between the operator and the portion of the spundate of the well shall be come or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spundate or the well shall be completed within 30 days of the spundate or the well shall be completed within 30 days of the spundate or the well shall be completed within 30 days of the spundate or the well shall be completed within 30 days of the spundate or the well shall be completed within 30 days of the spundate or the well shall be completed within 30 days of the spundate or the well shall be completed within 30 days of the spundate or the well shall be completed within 30 days of the spundate or the well shall be completed within 30 days of the spundate or the well shall be completed within 30 days of the spundate or the well shall be completed within 30 days of the spundate or the well shall be completed within 30 days of the spundate or the well shall be completed within 30 days of the spundate or the w | Note: Apply for Permit with DWR □) Will Cores be taken? □ Yes ✓ No If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. Pach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; Inted from below any usable water to surface within 120 days of spud date. File 33,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing. File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please |

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

| API No. 15 - 135-24562-0000 | Location of Well: County: Ness |
|--|--|
| Operator: Mull Drilling Company, Inc. | feet from N / S Line of Section |
| Lease: Zimmerman-Scott | 1961 feet from 🗸 E / 🔲 W Line of Section |
| Well Number: 1-15 Field: Wildcat | Sec15 Twp16 S. R23 |
| Number of Acres attributable to well: 40 QTR / QTR / QTR of acreage: NE - NW - NE | Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW |


PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



Pooling: S/2 SE SE 10-16S-23W and N/2 NE NE 15-16S-23W



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.

RECEIVED

- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (4) Tor 2 if y 2 if 5 CG-8 for gas wells).

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Operator Name: Mull Drilling Compa | iny Inc | License Number: 5144 | | | |
|---|-----------------------|---|--|--|--|
| Operator Address: P.O. Box 2758 | | | | | |
| | Wichita NO 0 | | | | |
| Contact Person: Mark Shreve | | Phone Number: (316) 264 - 6366 | | | |
| Lease Name & Well No.: Zimmerman-Scott #1-15 | | | Pit Location (QQQQ): | | |
| Type of Pit: | Pit is: | | <u>_NWNENWNE</u> | | |
| Emergency Pit Burn Pit | ✓ Proposed | Existing | Sec. 15 Twp. 16S R. 23 ☐ East ✓ West | | |
| Settling Pit | If Existing, date co | onstructed: | Feet from 🗸 North / 🗌 South Line of Section | | |
| Workover Pit Haul-Off Pit | Pit capacity: | | Feet from ✓ East / West Line of Section | | |
| (If WP Supply API No. or Year Drilled) | | (bbls) | Ness County | | |
| Is the pit located in a Sensitive Ground Water Area? Yes V No | | | Chloride concentration: mg/l | | |
| · | | - | (For Emergency Pits and Settling Pits only) | | |
| Is the bottom below ground level? | Artificial Liner? | | How is the pit lined if a plastic liner is not used? | | |
| Yes No | Yes ✓ | No | Drilling Mud | | |
| Pit dimensions (all but working pits): 80 Length (feet) 80 Width (feet) N/A: Steel Pits | | | | | |
| Depth fr | om ground level to de | eepest point: 4 | (feet) | | |
| If the pit is lined give a brief description of the material, thickness and installation procedure | | | edures for periodic maintenance and determining ncluding any special monitoring. | | |
| Distance to nearest water well within one-mile of pit | | Depth to shallowest fresh water | | | |
| feet Depth of water well 42 feet | | | rredwell owner electric logKDWR | | |
| Emergency, Settling and Burn Pits ONLY: | | Drilling, Workover and Haul-Off Pits ONLY: | | | |
| Producing Formation: | | Type of material utilized in drilling/workover: Drilling Mud | | | |
| Number of producing wells on lease: | | Number of working pits to be utilized: 3 | | | |
| Barrels of fluid produced daily: | | Abandonment | procedure: Allow to evaporate and backfill with | | |
| Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No | | original soil. Drill pits must be closed within 365 days of spud date. | | | |
| I hereby certify that the above statements are true and correct to the best of my knowledge and belief. | | | | | |
| 10/24/06 | | / 16 | ignature of Applicant or Agent | | |
| KCC OFFICE USE ONLY | | | | | |
| Date Received: 10/25/c/c Permit Number: Permit Date: 10/25/c/c Lease Inspections of No. | | | | | |

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

OCT 2 5 2006