For KCC Use:	11 1 00
Effective Date:	11-1-06
District #4	<u>/</u>
CCA2 TVan	₩ No.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed

	Spot Eas
pected Spud Date November 3, 2006 month day year	NW - NW - SE Sec. 36 Twp. 4S S. R. 30 V Wes
ERATOR: License# 33629	2370'feet from N / ✓ S Line of Section
ne: Great Plains Energy, Inc. a NE Gorp!	2305' Feet from F E / W Line of Section
. 429 N Linden PO Box 292	is SECTION ✓ _Regularirregular?
//State/Zip: Wahoo, NE 68066	(Note: Locate well on the Section Plat on reverse side)
ntact Person: Dan Biankenau	County: Decatur
one: 402-277-5336	Lease Name: Wasson Brothers Farms Well #: 6
/	Field Name: Swede Hollow
NTRACTOR: License# 33575 V	Is this a Prorated / Spaced Field? Yes ✓ N
ne: **** Drining, EEO	Target Formation(s): LKC
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 335'
✓ Oil Enh Rec Infield ✓ Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage ✓ Pool Ext. Air Rotary	Water well within one-quarter mile: Yes ✓ N
OWWO Disposal Wildcat Cable	Public water supply well within one mile: Yes ✓ N
Seismic;# of Holes Other	Depth to bottom of fresh water: 210'
Other	Depth to bottom of usable water: ²¹⁰ Surface Pipe by Alternate: ✓ 1 2
MANO: old wall information on fallows:	Length of Surface Pipe Planned to be set:
WWO: old well information as follows: Operator:	Length of Conductor Pipe required: None
Operator:	Projected Total Depth: 4220'
Original Completion Date:Original Total Depth:	Formation at Total Depth: Marmaton
	Water Source for Drilling Operations:
ectional, Deviated or Horizontal wellbore?	✓ Well Farm Pond Other
es, true vertical depth:	DWR Permit #:
tom Hole Location:	(Note: Apply for Permit with DWR 🖳)
C DKT #:	Will Cores be taken?
	If Yes, proposed zone:
	IDAVIT
undersigned hereby affirms that the drilling, completion and eventual p	
e undersigned hereby affirms that the drilling, completion and eventual p agreed that the following minimum requirements will be met:	
e undersigned hereby affirms that the drilling, completion and eventual p agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	llugging of this well will comply with K.S.A. 55 et. seq.
e undersigned hereby affirms that the drilling, completion and eventual p agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea	och drilling rig;
e undersigned hereby affirms that the drilling, completion and eventual p agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea	olugging of this well will comply with K.S.A. 55 et. seq. set drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set
e undersigned hereby affirms that the drilling, completion and eventual properties agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead in the second of the proved of the second of	olugging of this well will comply with K.S.A. 55 et. seq. set drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging;
e undersigned hereby affirms that the drilling, completion and eventual per agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on east an amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the first the well is dry hole, an agreement between the operator and the construction of t	olugging of this well will comply with K.S.A. 55 et. seq. set drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in;
a undersigned hereby affirms that the drilling, completion and eventual properties agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead in the standard of the surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the standard of the surface pipe as specified before and the constant of the surface will be notified before well is either plus that an ALTERNATE II COMPLETION, production pipe shall be cement.	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.
e undersigned hereby affirms that the drilling, completion and eventual paragreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the first than the description of the district office will be notified before well is either plugible. The appropriate district office will be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.
e undersigned hereby affirms that the drilling, completion and eventual per agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on east through all unconsolidated materials plus a minimum of 20 feet into the first than the description of the well is dry hole, an agreement between the operator and the constitution of the district office will be notified before well is either pluging. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order	ch drilling rig; st by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementii be plugged. In all cases, NOTIFY district office prior to any cementing.
a undersigned hereby affirms that the drilling, completion and eventual progression of agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ease. 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the district office will be notified before well is either plugible. 5. The appropriate district office will be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall easeby certify that the statements made herein are true and to the best of	ch drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementin be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief.
a undersigned hereby affirms that the drilling, completion and eventual progression of agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ease. 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the district office will be notified before well is either plugible. 5. The appropriate district office will be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall easeby certify that the statements made herein are true and to the best of	ch drilling rig: set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementic be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief.
a undersigned hereby affirms that the drilling, completion and eventual progression of agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> as through all unconsolidated materials plus a minimum of 20 feet into the vell is dry hole, an agreement between the operator and the complete district office will be notified before well is either plugible. 5. The appropriate district office will be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be early certify that the statements made herein are true and to the best of the complete of the statements of the operator of Agent: 1. October 25, 2006 2. Signature of Operator or Agent:	ch drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Secretary Remember to:
a undersigned hereby affirms that the drilling, completion and eventual progression of agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be sethorough all unconsolidated materials plus a minimum of 20 feet into the sethorough all unconsolidated materials plus a minimum of 20 feet into the sethorough all unconsolidated materials plus a minimum of 20 feet into the sethorough all unconsolidated materials plus a minimum of 20 feet into the sethorough all unconsolidated materials plus a minimum of 20 feet into the sethorough and the sethorough an</i>	ch drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementin be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: Secretary Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
a undersigned hereby affirms that the drilling, completion and eventual progression of agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the composition of the specific will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the spund date or the well shall be completed within 30 days of the spund date or the well shall be observed by certify that the statements made herein are true and to the best of the complete of the plus of the p	ch drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Secretary Remember to:
a undersigned hereby affirms that the drilling, completion and eventual progression of agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the specified district office will be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall except certify that the statements made herein are true and to the best of the complete of the specific of the spud date or the well shall except certify that the statements made herein are true and to the best of the complete of the spud date or the well shall except certify that the statements made herein are true and to the best of the complete of the spud date or the well shall except certify that the statements made herein are true and to the best of the complete of the spud date or the well shall except certify that the statements made herein are true and to the best of the complete of the spud date or the well shall except certify that the statements made herein are true and to the best of the complete of the spud date or the well shall except certify that the statements made herein are true and to the best of the spud date or the well shall except certify that the statements made herein are true and to the best of the spud date or the well shall except certify the statement of the spud date or the well shall except certified the specified before the spud date or the spud date or the well shall except certified the spud date or the spud date	ch drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementin be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: Secretary Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
a undersigned hereby affirms that the drilling, completion and eventual progression of agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead in the state of the well is dry hole, an agreement between the operator and the composition of the state of the well be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be comen or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be proby certify that the statements made herein are true and to the best of the complete of the state of the	ch drilling rig; at by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate il cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Secretary Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
a undersigned hereby affirms that the drilling, completion and eventual progression of agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be such through all unconsolidated materials plus a minimum of 20 feet into the vell is dry hole, an agreement between the operator and the complete district office will be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be reby certify that the statements made herein are true and to the best of the complete of the spudiction o	ch drilling rig: at by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementin be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Secretary Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
a undersigned hereby affirms that the drilling, completion and eventual progression of agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead in the state of the well is dry hole, an agreement between the operator and the composition of the state of the well be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be comen or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be proby certify that the statements made herein are true and to the best of the complete of the state of the	ch drilling rig; at by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementic be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Secretary Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
a undersigned hereby affirms that the drilling, completion and eventual progression of agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea and through all unconsolidated materials plus a minimum of 20 feet into the following state of the well is dry hole, an agreement between the operator and the construction of the shall be composed to the well shall be composed to the well shall be composed to the shall be composed to the well shall be composed to the well shall be composed to the shall	ch drilling rig; In the property of this well will comply with K.S.A. 55 et. seq. In the underlying cement to the top; in all cases surface pipe shall be set the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Secretary Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
a undersigned hereby affirms that the drilling, completion and eventual progression of agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea and a copy of the approved notice of intent to drill shall be posted on ea and a copy of the approved notice of intent to drill shall be posted on ea and through all unconsolidated materials plus a minimum of 20 feet into the determinant of the copy of the appropriate district office will be notified before well is either plus and a copy of the appropriate district office will be notified before well is either plus and a copy of the appropriate district office will be notified before well is either plus and a copy of the appropriate district office will be notified before well is either plus and a copy of the appropriate district office will be notified before well is either plus and a copy of the appropriate district office will be notified before well is either plus and a copy of the appropriate district office will be notified before well is either plus and a copy of the appropriate district office will be notified before well is either plus and a copy of the appropriate district office will be notified before well is either plus and a copy of the appropriate district office will be notified before well is either plus and a copy of the appropriate district office will be notified before well is either plus and a copy of the appropriate district office will be notified before well is either plus and a copy of the appropriate district office will be notified before well is either plus and a copy of the appropriate district office will be notified before well is either plus and a copy of the appropriate district office will be notified before well is either plus and a copy of the appropriate district office will be notified before well as a copy of the appropriate district office will be notified before well as a copy of the	ch drilling rig; If the price of this well will comply with K.S.A. 55 et. seq. In the underlying formation. In the underlying formation is cemented in; In the underlyi
a undersigned hereby affirms that the drilling, completion and eventual progression is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea and the intent of the intent of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the intention of the well is dry hole, an agreement between the operator and the constitution of the intention of the well is dry hole, an agreement between the operator and the constitution of the well is either plus of the intention of the well is either plus of the intention of the well is either plus of the intention of the well is either plus of the intention of the well is either plus of the intention of the well is either plus of the intention of the well shall be completed within 30 days of the spud date or the well shall be reby certify that the statements made herein are true and to the best of the intention of the well shall be considered. Signature of Operator or Agent: Conductor pipe required Approved by: Put 15 - 039 - 20993 - 0000 Approved by: Put 10 - 27 - 06 Conductor pipe required Approved by: Put 10 - 27 - 06 Conductor pipe required Approved by: Put 10 - 27 - 07	ch drilling rig; In the price of this well will comply with K.S.A. 55 et. seq. In the underlying formation. In the underlying formation is cemented in; In the underlyi

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the Intended well is In a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 039-20993-0000	Location of Well: County: Decatur
Operator: Great Plains Energy, Inc. a NE Gorp.	2370' feet from N / S Line of Section
Lease: Wasson Brothers Farms	2305' feet from VE / W Line of Section
Well Number: 6 Field: Swede Hollow	Sec. 36
Number of Acres attributable to well:	Is Section: ✓ Regular or Irregular
QTR / QTR / QTR of acreage: NW - NW - SE	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

RECEIVED

OCT 2 8 2006

KCC WICHITA

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1
April 2004
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Great Plains Energy, Inc. a NE Corp.			License Number: 33629	
Operator Address: 429 N Linden, F	PO Box 292, \	Wahoo, NE	68066	
Contact Person: Dan Blankenau		Phone Number: (402) 277 -5336		
Lease Name & Well No.: Wasson #6			Pit Location (QQQQ):	
Type of Pit:	Pit is:		<u>NW . NW . SE</u>	
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 36 _{Twp. 4S R. 30}	
Settling Pit	If Existing, date constructed:		2370' Feet from North / 🗸 South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		2305' Feet from ✓ East / West Line of Section	
(If WP Supply API No. or Year Drilled)	600	(bbls)	Decatur County	
Is the pit located in a Sensitive Ground Water Area? ☐ Yes ✓ No			Chloride concentration: mg/l	
1.00			(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? ✓ Yes No	Artificial Liner? Yes ✓	No	How is the pit lined if a plastic liner is not used?	
			Bentonite & Drilling Solids for Self Seal	
Pit dimensions (all but working pits):8	Length (fe	et)60	Width (feet) N/A: Steel Pits	
Depth fr	om ground level to de	epest point: 4S_	(feet)	
If the pit is lined give a brief description of the	liner	Describe proce	dures for periodic maintenance and determining	
material, thickness and installation procedure		liner integrity, in	ncluding any special monitoring.	
Distance to nearest water well within one-mile of pit Depth to shallo		west fresh water96feet.		
3279	رع اه را مي ا	Source of infor		
269 feet Depth of water well	409 feet	measu	redwell owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:	
Producing Formation:		Type of materia	l utilized in drilling/workover: Bentonite	
		Number of wor	king pits to be utilized: 4	
		Abandonment	procedure: Allow to evaporate then cover for farming	
Does the slope from the tank battery allow all	spilled fluids to			
		Drill pits must l	pe closed within 365 days of spud date.	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
October 25, 2006		arolm	eduna	
Date		s	ignature of Applicant or Agent	
KCC OFFICE USE ONLY				
Date Received: 10/36/03	.	_	t Date: 10/26/05 Lease Inspection: Yes 1 No	
Date Received: 10/0/6/0/5 Permit Num	per:	Permi	t Date: 10/26/06 Lease Inspection: Yes 1 No	

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

RECEIVED

OCT 2 5 2018

KCC WICHITA