

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION  
**WELL PLUGGING APPLICATION**  
Please TYPE Form and File ONE Copy

Form CP-1  
September 2003  
This Form must be Typed  
Form must be Signed  
All blanks must be Filled

API # 15 - 05106596 - 00 - 00 (Identifier Number of this well). This must be listed for wells drilled since 1967; if no API # was issued, indicate original spud or completion date 5/17/1937 (Spud Date).

Well Operator: Elysium Energy, LLC KCC License #: 32754  
(Owner / Company Name) (Operator's)

Address: 1016 E. Highway 40 Bypass City: Hays

State: Kansas Zip Code: 67601 Contact Phone: ( 785 ) 625 - 4052

Lease: Shutts B Well #: 3 Sec. 5 Twp. 12 S. R. 17  East  West

SE - SE - NE - Spot Location / QQQQ County: Ellis

260 3000 Feet (in exact footage) From  North /  South (from nearest outside section corner) Line of Section (Not Lease Line)

318 318 Feet (in exact footage) From  East /  West (from nearest outside section corner) Line of Section (Not Lease Line)  
per GPS - KCC-DIG

Check One:  Oil Well  Gas Well  D&A  Cathodic  Water Supply Well  
 SWD Docket # \_\_\_\_\_  ENHR Docket # \_\_\_\_\_  Other: \_\_\_\_\_

Conductor Casing Size: N/A Set at: \_\_\_\_\_ Cemented with: \_\_\_\_\_ Sacks

Surface Casing Size: 10-3/4" Set at: 1112' Cemented with: 400 Sacks

Production Casing Size: 7" Set at: 3490.5' Cemented with: 200 Sacks

List (ALL) Perforations and Bridgeplug Sets: Arbuckle open-hole 3490.5'-93'; LKC perms 3275'-79', 3334'-38', 3388'-95', 3410'-14', 3432'-35'.

Cast-iron bridge plug pushed to 3480', milled to 3481.5', left in hole.

Elevation: 2033 ( G.L. /  K.B.) T.D.: 3522' PBDT: 3493.5' Anhydrite Depth: 1330'-1400'  
(Stone Corral Formation)

Condition of Well:  Good  Poor  Casing Leak  Junk in Hole

Proposed Method of Plugging (attach a separate page if additional space is needed): Plugging procedure attached

RECEIVED  
SEP 21 2006  
KCC WICHITA

Is Well Log attached to this application as required?  Yes  No Is ACO-1 filed?  Yes  No

If not explain why? \_\_\_\_\_

Plugging of this Well will be done in accordance with K.S.A. 55-101 et. seq. and the Rules and Regulations of the State Corporation Commission.

List Name of Company Representative authorized to be in charge of plugging operations: Mr. Chris Gottschalk

Phone: ( 785 ) 625 - 4052

Address: 1016 E. Highway 40 Bypass City / State: Hays, KS 67601

Plugging Contractor: Allied Cementing Company Tools KCC License #: 99998  
(Company Name) (Contractor's)

Address: \_\_\_\_\_ Phone: ( ) -

Proposed Date and Hour of Plugging (if known?): N/A 9/26/06 8:00AM

Payment of the Plugging Fee (K.A.R. 82-3-118) will be guaranteed by Operator or Agent

Date: 9/6/06 Authorized Operator / Agent: Danny Spurr (Signature)

\* Well already plugged - KCC-DIG  
Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

DIST  
04

**SHUTTS #3**

SESENE Section 5, T12S-R17W

Bemis-Shutts Field

Ellis County, KS

GL: 2033'

KB: ?

Datum: 2033'

PLUGGING

**Workover Procedure**

1. MIRU cementing company
2. RIH with open ending 2-7/8" work string
3. Cement well according to the following schedule using 300 sks total cement (100% excess):  
\*Schlumberger log dated 7/29/86 attached for depth control.
  - a) Spot 50 sk balanced plug over LKC/Arbuckle perms from PBTD to approximately 3170'.
  - b) Pull-up and reverse circulate clean
  - c) Move uphole and spot 50 sk balanced plug on Anhydrite from 1450' to 1100'.
  - d) Pull-up and reverse circulate clean
  - e) Pull tubing to surface and set surface plug.

RECEIVED  
SEP 21 2006  
KCC WICHITA