

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 33344
Name: Quest Cherokee, LLC
Address: 211 W. 14th Street
City/State/Zip: Chanute, KS 66720
Purchaser: Bluestem Pipeline, LLC
Operator Contact Person: Gary Laswell
Phone: (620) 431-9500
Contractor: Name: Michaels Drilling
License: _____

RECEIVED
KANSAS CORPORATION COMMISSION
APR 19 2006
CONSERVATION DIVISION
WICHITA, KS

Wellsite Geologist: _____
Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SIOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____

<u>12/16/05</u>	<u>12/19/05</u>	<u>12/22/05</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 099-23822-00-00
County: Labette
E2 - W2 sw - nw Sec. 26 Twp. 31 S. R. 18 East West
1980 feet from S / (N) (circle one) Line of Section
550 feet from E / (W) (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE NW SW
Lease Name: Bowen Rev Trust Well #: 26-1
Field Name: Cherokee Basin CBM

Producing Formation: _____
Elevation: Ground: 982 Kelly Bushing: n/a
Total Depth: 1088 Plug Back Total Depth: 1081.94
Amount of Surface Pipe Set and Cemented at _____ Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set _____ Feet
If Alternate II completion, cement circulated from 1081.94
feet depth to surface w/ 181 sx cmt.
ALT II WITHIN 9-19-06

Drilling Fluid Management Plan
(Data must be collected from the Reserve Pit)
Chloride content _____ ppm Fluid volume _____ bbls
Dewatering method used _____
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]
Title: Head of Operations Date: 4/8/06
Subscribed and sworn to before me this 8th day of (April),
20 06.
Notary Public: [Signature]
Date Commission Expires: 7/30/09

KCC Office Use ONLY
 Letter of Confidentiality Received
If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

JENNIFER R. AMMANN
Notary Public - State of Kansas
My Appt. Expires 7/30/09

Operator Name: Quest Cherokee, LLC Lease Name: Bowen Rev Trust Well #: 26-1
 Sec. 26 Twp. 31 S. R. 18 East West County: Labette

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken Yes No
 (Attach Additional Sheets)
 Samples Sent to Geological Survey Yes No
 Cores Taken Yes No
 Electric Log Run Yes No
 (Submit Copy)

Log Formation (Top), Depth and Datum Sample
 Name Top Datum
 See attached

List All E. Logs Run:

RECEIVED
 KANSAS CORPORATION COMMISSION
 APR 19 2006
 CONSERVATION DIVISION
 WICHITA, KS

Comp. Density/Neutron Log
 Dual Induction Log
 Gamma Ray/Neutron Log

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface		8-5/8"	20#	21.5'	"A"		
Production	6-3/4"	4-1/2"	10.5#	1081.94	"A"	181	

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
4	980-983/911-913	400gal 15%HCLw/ 42 bbls 2%kcl water, 444 bbls water w/ 2%KCL, Biocide, 5800 20/40 sand	
	700-703/666-670/636-638	400gal 15%HCLw/ 46 bbls 2%kcl water, 569bbls water w/ 2%KCL, Biocide, 6700 20/40 sand	
	579-585/552-556	400gal 15%HCLw/ 29 bbls 2%kcl water, 494bbls water w/ 2%KCL, Biocide, 9200 20/40 sand	

TUBING RECORD	Size	Set At	Packer At	Liner Run
	2-3/8"	1006.75	n/a	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr.	Producing Method			
1/28/06	<input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio Gravity
	n/a	48 mcf	37.4 bbls	

Disposition of Gas Vented Sold Used on Lease (If vented, Submit ACO-18.)
 METHOD OF COMPLETION Open Hole Perf. Dually Comp. Commingled
 Production Interval Other (Specify) _____

QUEST

Resource Corporation

211 W. 14TH STREET,
CHANUTE, KS 66720
620-431-9500

TICKET NUMBER **1153**

FIELD TICKET REF # _____

FOREMAN Jac

TREATMENT REPORT & FIELD TICKET CEMENT

DATE	WELL NAME & NUMBER		SECTION	TOWNSHIP	RANGE	COUNTY	
12-22-05	Bowen Rev. Trust 26-1		26	31	18	Labette	
FOREMAN / OPERATOR	TIME IN	TIME OUT	LESS LUNCH	TRUCK #	TRAILER #	TRUCK HOURS	EMPLOYEE SIGNATURE
Jac	4:15	7:45		903388		3.50	Jac
Wes	4:15	6:45		903255		2.5	Wes
David	4:15	7:30		903296	T33	3.25	David
Michael	2:30	7:15		903230		4.75	Michael

JOB TYPE Longstring HOLE SIZE 6 3/4 HOLE DEPTH 1088 CASING SIZE & WEIGHT 4 @ 10.5
 CASING DEPTH 1080.94 DRILL PIPE _____ TUBING _____ OTHER _____
 SLURRY WEIGHT 14.5 SLURRY VOL _____ WATER gal/sk _____ CEMENT LEFT in CASING 2
 DISPLACEMENT 17.23 DISPLACEMENT PSI _____ MIX PSI _____ RATE 4 bpm

REMARKS:

Installed cement head Pump 2 hrs Prem gel followed by
 1 minute H₂O spacer 10 bbl dye followed by 181 sacks
 of cement to get dye to surface Flushed Pump
 Pump wiper Plug to bottom & set float shoe

RECEIVED

KANSAS CORPORATION COMMISSION

SEP 12 2006

CONSERVATION DIVISION
WICHITA, KS

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION OF SERVICES OR PRODUCT	TOTAL AMOUNT
	1080.94	ft 4 1/2 casing	
	4	Centralizer	
903140	2 hr	Casing tractor	
T20	2 hr	Casing trailer	
903388	3.5 hr	Foreman Pickup	
903255	2.5 hr	Cement Pump Truck	
903230	4.75 hr	Bulk Truck	
1104	169 SK	Portland Cement	
1124	2	50/50 POZ Blend Cement <u>Evac Baffles 3 1/2" AL 3"</u>	
1126		OWC - Blend Cement	
1110	18 SK	Gilsonite	
1107	1 1/2 SK	Flo-Seal	
1118	2 SK	Premium Gel	
1215A	1 Gal	KCL	
1111B	3 SK	Sodium Silicate <u>cal chloride</u>	
1123	7000 Gal	City Water	
903296	3.25 hr	Transport Truck	
T33	3.25 hr	Transport Trailer	
	NO TRUCK	80 Vac	
Ravin 4513	1	2 1/2 Float shoe	