For KCC Use: __

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed

Evenated Spuid Data DECEMBER 7 0000	450004 (050050
Expected Spud Date DECEMBER 7 2006 month day year	150' W of CENTER East
, , , , , , , , , , , , , , , , , , , ,	SBNW_ Sec. 26 Twp. 18 S. R. 10 ⊠ West 2310
OPERATOR: License # 3882	1500 feet from \square E / \square W Line of Section
Name: SAMUEL GARY JR. & ASSOCIATES, INC.	Is SECTION x Regular Irregular?
Address: 1670 BROADWAY, SUITE 3300	
City/State/Zip: DENVER, CO 80202	(Note: Locate well on the Section Plat on Reverse Side)
Contact Person: TOM FERTAL	County:RICE
Phone: (303) 831-4673	Lease Name: DOHRMAN Well #: 1-26
CONTRACTOR: License	Field Name: WILDCAT
CONTRACTOR: License 8273 V	Is this a Prorated / Spaced Field?
Name: EXCELL SERVICES, INC	Target Formation(s): ARBUCKLE
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 330'
Well Drilled For: Well Class: Type Equipment: ☑ Oil ☐ Enh Rec ☐ Infield ☑ Mud Rotary	Ground Surface Elevation: Est. 1750 feet MSL
☐ Gas ☐ Storage ☐ Pool Ext. ✓ ☐ Air Rotary	Water well within one-quarter mile: Public water supply well within one mile: □ Yes □ No
☐ OWWO ☐ Disposal ☐ Wildcat ☐ Cable	Public water supply well within one mile:
Seismic; # of Holes Other	Depth to bottom of usable water:
Other	Surface Pipe by Alternate: 🛛 1 🔲 2
	Length of Surface Pipe Planned to be set: 320'
If OWWO: old well information as follows:	Length of Conductor pipe required: NONE
Operator:	Projected Total Depth: 3500'
Well Name:	Formation at Total Depth: ARBUCKLE
Original Completion Date: Original Total Depth:	Water Source for Drilling Operations:
	☐ Well ☐ Farm Pond OtherX
Directional, Deviated or Horizontal wellbore? ☐ Yes ☐ No	DWR Permit #: N/A
If yes, true vertical depth:	(Note: Apply for Permit with DWR)
Bottom Hole Location:	Will Cores Be Taken? ☐ Yes ☑ No
KCC DKT#:	If yes, proposed zone: N/A
AC	PID ALUT
The understand hereby effirms that the drilling appropriate and second allowing	FIDAVII
The undersigned hereby affirms that the drilling, completion and eventual plugging	of this well will comply with K.S.A. 55-101, et. seq. KANSAS CORPORATE
The undersigned hereby affirms that the drilling, completion and eventual plugging It is agreed that the following minimum requirements will be meta-series. 1. Notify the appropriate district office prior to spudding of well:	of this well will comply with K.S.A. 55-101, et. seq. KANSAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plugging It is agreed that the following minimum requirements will be meta	of this well will comply with K.S.A. 55-101, et. seq. KANSAS CORPORATION COMMISSION NOV 0 1 200c
The undersigned hereby affirms that the drilling, completion and eventual plugging It is agreed that the following minimum requirements will be meta- 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved Notice of Intent to Drill <i>shall be</i> posted on each drill 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circ	of this well will comply with K.S.A. 55-101, et. seq. KANSAS CORPORATION COMMISSION ing rig; culating cement to the top; in all cases surface pipe shallbaset.
3. The minimum amount of surface pipe as specified below <i>shall be set</i> by cir. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by cir.	culating cement to the top; in all cases surface pipe shall tases
 3. The minimum amount of surface pipe as specified below shall be set by cir through all unconsolidated materials plus a minimum of 20 feet into the und 4. If the well is a dry hole, an agreement between the operator and the district 	culating cement to the top; in all cases surface pipe shares (ATION DIVISION) office on plug length and placement is necessary prior to plugginitia.
 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by cire through all unconsolidated materials plus a minimum of 20 feet into the und 4. If the well is a dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged or 	culating cement to the top; in all cases surface pipe shares (ATION DIVISION office on plug length and placement is necessary prior to plugging KS) production casing is cemented in;
 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by cire through all unconsolidated materials plus a minimum of 20 feet into the und 4. If the well is a dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged or 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from 	culating cement to the top; in all cases surface pipe shares (ATION DIVISION office on plug length and placement is necessary prior to plugging KS) production casing is cemented in; in below any usable water to surface within 120 days of spud date.
 A copy of the approved Notice of Intent to Drift shall be posted of each office. The minimum amount of surface pipe as specified below shall be set by cirrical through all unconsolidated materials plus a minimum of 20 feet into the und. If the well is a dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged or. If an ALTERNATE II COMPLETION, production pipe shall be cemented from Or pursuant to Appendix "B" – Eastern Kansas surface casing order #133,8 	culating cement to the top; in all cases surface pipe shares (ATION DIVISION office on plug length and placement is necessary prior to plugging (A, KS) production casing is cemented in; in below any usable water to surface within 120 days of spud date.
 A copy of the approved Notice of them to Specified below shall be set by cire through all unconsolidated materials plus a minimum of 20 feet into the und If the well is a dry hole, an agreement between the operator and the district The appropriate district office will be notified before well is either plugged or If an ALTERNATE II COMPLETION, production pipe shall be cemented from Or pursuant to Appendix "B" – Eastern Kansas surface casing order #133,8 must be completed within 30 days of spud date or the well shall be plugged 	culating cement to the top; in all cases surface pipe sharps (ATION DIVISION production casing is cemented in; in below any usable water to surface within 120 days of spud date. 21-C, which applies to the KCC District 3 area, alternate II cementing In all cases, NOTIFY district office prior to any cementing.
 A copy of the approved Notice of Intent to Drift shall be posted of each office. The minimum amount of surface pipe as specified below shall be set by cirrical through all unconsolidated materials plus a minimum of 20 feet into the und. If the well is a dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged or. If an ALTERNATE II COMPLETION, production pipe shall be cemented from Or pursuant to Appendix "B" – Eastern Kansas surface casing order #133,8 	culating cement to the top; in all cases surface pipe sharps (ATION DIVISION production casing is cemented in; in below any usable water to surface within 120 days of spud date. 21-C, which applies to the KCC District 3 area, alternate II cementing In all cases, NOTIFY district office prior to any cementing.
3. The minimum amount of surface pipe as specified below <i>shall be set</i> by cir through all unconsolidated materials plus a minimum of 20 feet into the und 4. If the well is a dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged or 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from Or pursuant to Appendix "B" — Eastern Kansas surface casing order #133,8 must be completed within 30 days of spud date or the well shall be plugged. I hereby certify that the statements made herein are true and to the best of my known through the complete statements made herein are true and to the best of my known through the complete statements made herein are true and to the best of my known through the complete statements made herein are true and to the best of my known through the complete statements made herein are true and to the best of my known through the complete statements made herein are true and to the best of my known through the complete statements made herein are true and to the best of my known through the complete statements made herein are true and to the best of my known through the complete statements made herein are true and to the best of my known through the complete statements made herein are true and to the best of my known through the complete statements made herein are true and to the best of my known through the complete statements are true and to the best of the complete statements are true and the complete statements are	culating cement to the top; in all cases surface pipe sharous (VATION DIVISION office on plug length and placement is necessary prior to plugging K. K. production casing is cemented in; in below any usable water to surface within 120 days of spud date. 21-C, which applies to the KCC District 3 area, alternate II cementing in all cases, NOTIFY district office prior to any cementing.
3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circle through all unconsolidated materials plus a minimum of 20 feet into the und 4. If the well is a dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged or 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from Or pursuant to Appendix "B" — Eastern Kansas surface casing order #133,8 must be completed within 30 days of spud date or the well shall be plugged. I hereby certify that the statements made herein are true and to the best of my keep Date: OCTOBER 31, 2006 Signature of Operator or Agent:	conditing cement to the top; in all cases surface pipe shallow service of the condition of
3. The minimum amount of surface pipe as specified below shall be set by cir through all unconsolidated materials plus a minimum of 20 feet into the und 4. If the well is a dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged or 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from Or pursuant to Appendix "B" — Eastern Kansas surface casing order #133,8 must be completed within 30 days of spud date or the well shall be plugged. I hereby certify that the statements made herein are true and to the best of my known and the complete of the statements of Operator or Agent: OCTOBER 31, 2006 Signature of Operator or Agent: Application of the statements of the statements.	culating cement to the top; in all cases surface pipe sharps (ATION DIVISION profice on plug length and placement is necessary prior to plugging (ATION DIVISION production casing is cemented in; in below any usable water to surface within 120 days of spud date. 21-C, which applies to the KCC District 3 area, alternate II cementing in all cases, NOTIFY district office prior to any cementing. Medge and belief. Title: SR. GEOLOGIST emember to:
3. The minimum amount of surface pipe as specified below <i>shall be set</i> by cir through all unconsolidated materials plus a minimum of 20 feet into the und 4. If the well is a dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged or 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from Or pursuant to Appendix "B" — Eastern Kansas surface casing order #133,8 must be completed within 30 days of spud date or the well shall be plugged. I hereby certify that the statements made herein are true and to the best of my known between the complete statements and the plugged. For KCC use ONLY	culating cement to the top; in all cases surface pipe sharps (ATION DIVISION office on plug length and placement is necessary prior to plugging (Argon Division) production casing is cemented in; no below any usable water to surface within 120 days of spud date. 21-C, which applies to the KCC District 3 area, alternate II cementing in all cases, NOTIFY district office prior to any cementing. Wedge and belief. Title: SR. GEOLOGIST Emember to: - File Drill Pit Application (Form CDP-1) with Intent to Drill;
3. The minimum amount of surface pipe as specified below <i>shall be set</i> by cir through all unconsolidated materials plus a minimum of 20 feet into the und 4. If the well is a dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged or 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from Or pursuant to Appendix "B" – Eastern Kansas surface casing order #133,8 must be completed within 30 days of spud date or the well shall be plugged. I hereby certify that the statements made herein are true and to the best of my known between the complete statements and the plugged. For KCC use ONLY API # 15 - 159 - 22516-0000	culating cement to the top; in all cases surface pipe sharous and placement to the top; in all cases surface pipe sharous and placement is necessary prior to plugging A KS office on plug length and placement is necessary prior to plugging A KS office on plug length and placement is necessary prior to plugging A KS of spud date. 21-C, which applies to the KCC District 3 area, alternate II cementing in all cases, NOTIFY district office prior to any cementing. Wedge and belief Title: SR. GEOLOGIST File Drill Pit Application (Form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circle through all unconsolidated materials plus a minimum of 20 feet into the und 4. If the well is a dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged or 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from Or pursuant to Appendix "B" – Eastern Kansas surface casing order #133,8 must be completed within 30 days of spud date or the well shall be plugged. I hereby certify that the statements made herein are true and to the best of my known between the complete of the well shall be plugged. For KCC use ONLY API # 15	culating cement to the top; in all cases surface pipe sharous and placement to the top; in all cases surface pipe sharous and placement to the top; in all cases surface pipe sharous and placement to necessary prior to plugging a key production casing is cemented in; in below any usable water to surface within 120 days of spud date. 21-C, which applies to the KCC District 3 area, alternate II cementing in all cases, NOTIFY district office prior to any cementing. Wedge and belief Title: SR. GEOLOGIST File Drill Pit Application (Form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
3. The minimum amount of surface pipe as specified below shall be set by circ through all unconsolidated materials plus a minimum of 20 feet into the und 4. If the well is a dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged or 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from Or pursuant to Appendix "B" – Eastern Kansas surface casing order #133,8 must be completed within 30 days of spud date or the well shall be plugged. I hereby certify that the statements made herein are true and to the best of my known between the complete of the well shall be plugged. Date: OCTOBER 31, 2006 Signature of Operator or Agent: For KCC use ONLY API # 15 - 159 - 22516-0220 Conductor pipe required 1920 feet per Alt 1934	culating cement to the top; in all cases surface pipe sharous and placement to the top; in all cases surface pipe sharous and placement is necessary prior to plugginity. KS production casing is cemented in; no below any usable water to surface within 120 days of spud date. 21-C, which applies to the KCC District 3 area, alternate II cementing in all cases, NOTIFY district office prior to any cementing. Wedge and belief Title: SR. GEOLOGIST Title: File Drill Pit Application (Form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
3. The minimum amount of surface pipe as specified below shall be set by circ through all unconsolidated materials plus a minimum of 20 feet into the und 4. If the well is a dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged or 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from Or pursuant to Appendix "B" – Eastern Kansas surface casing order #133,8 must be completed within 30 days of spud date or the well shall be plugged. I hereby certify that the statements made herein are true and to the best of my known between the complete of the well shall be plugged. Date: OCTOBER 31, 2006 Signature of Operator or Agent: For KCC use ONLY API # 15 - 159 - 22516-0220 Conductor pipe required 1920 feet per Alt 1934	culating cement to the top; in all cases surface pipe sharps (VATION DIVISION office on plug length and placement is necessary prior to plugginity. KS production casing is cemented in; no below any usable water to surface within 120 days of spud date. P1-C, which applies to the KCC District 3 area, alternate II cementing in all cases, NOTIFY district office prior to any cementing. Wedge and belief. Title: SR. GEOLOGIST File Drill Pit Application (Form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
3. The minimum amount of surface pipe as specified below shall be set by cir through all unconsolidated materials plus a minimum of 20 feet into the und 4. If the well is a dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged or 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from Or pursuant to Appendix "B" – Eastern Kansas surface casing order #133,8 must be completed within 30 days of spud date or the well shall be plugged. I hereby certify that the statements made herein are true and to the best of my kgo. Date: OCTOBER 31, 2006 Signature of Operator or Agent: For KCC use ONLY API # 15	culating cement to the top; in all cases surface pipe sharous and placement to the top; in all cases surface pipe sharous and placement is necessary prior to plugginity. KS production casing is cemented in; no below any usable water to surface within 120 days of spud date. 21-C, which applies to the KCC District 3 area, alternate II cementing in all cases, NOTIFY district office prior to any cementing. Wedge and belief Title: SR. GEOLOGIST Title: File Drill Pit Application (Form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
3. The minimum amount of surface pipe as specified below shall be set by cirric through all unconsolidated materials plus a minimum of 20 feet into the und 4. If the well is a dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged or 6. If an ALTERNATE II COMPLETION, production pipe shall be comented from Or pursuant to Appendix "B" – Eastern Kansas surface casing order #133,8 must be completed within 30 days of spud date or the well shall be plugged. I hereby certify that the statements made herein are true and to the best of my known between the complete of the well shall be plugged. Date: OCTOBER 31, 2006 Signature of Operator or Agent: For KCC use ONLY API # 15 - 159 - 22516-0222 Conductor pipe required 1920 feet per Alt 1932 feet per	conditing cement to the top; in all cases surface pipe sharps (WCATION DIVISION office on plug length and placement is necessary prior to plugginitia. Ks production casing is cemented in; no below any usable water to surface within 120 days of spud date. 21-C, which applies to the KCC District 3 area, alternate II cementing In all cases, NOTIFY district office prior to any cementing. Wedge and belief Title: SR. GEOLOGIST File Drill Pit Application (Form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
3. The minimum amount of surface pipe as specified below shall be set by cir through all unconsolidated materials plus a minimum of 20 feet into the und 4. If the well is a dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged or 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from Or pursuant to Appendix "B" – Eastern Kansas surface casing order #133,8 must be completed within 30 days of spud date or the well shall be plugged. I hereby certify that the statements made herein are true and to the best of my kgo. Date: OCTOBER 31, 2006 Signature of Operator or Agent: For KCC use ONLY API # 15	culating cement to the top; in all cases surface pipe shallow and placement is necessary prior to plugginish. Ks production casing is cemented in; in below any usable water to surface within 120 days of spud date. 21-C, which applies to the KCC District 3 area, alternate II cementing In all cases, NOTIFY district office prior to any cementing. Wedge and belief. Title: SR. GEOLOGIST File Drill Pit Application (Form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
3. The minimum amount of surface pipe as specified below shall be set by cir through all unconsolidated materials plus a minimum of 20 feet into the und 4. If the well is a dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged or 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from Or pursuant to Appendix "B" – Eastern Kansas surface casing order #133,8 must be completed within 30 days of spud date or the well shall be plugged I hereby certify that the statements made herein are true and to the best of my known and the statements made herein are true and to the best of my known and the statements of Operator or Agent: Date: OCTOBER 31, 2006 Signature of Operator or Agent: Signature of Operator or	containing cement to the top; in all cases surface pipe sharps and placement to the top; in all cases surface pipe sharps and placement to relying formation; office on plug length and placement is necessary prior to plugginish. Ks production casing is cemented in; in below any usable water to surface within 120 days of spud date. 201-C, which applies to the KCC District 3 area, alternate II cementing in all cases, NOTIFY district office prior to any cementing. Wedge and belief. Title: SR. GEOLOGIST File Drill Pit Application (Form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
3. The minimum amount of surface pipe as specified below shall be set by cirric through all unconsolidated materials plus a minimum of 20 feet into the und 4. If the well is a dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged or 6. If an ALTERNATE II COMPLETION, production pipe shall be comented from Or pursuant to Appendix "B" – Eastern Kansas surface casing order #133,8 must be completed within 30 days of spud date or the well shall be plugged. I hereby certify that the statements made herein are true and to the best of my known between the complete of the well shall be plugged. Date: OCTOBER 31, 2006 Signature of Operator or Agent: For KCC use ONLY API # 15 - 159 - 22516-0222 Conductor pipe required 1920 feet per Alt 1932 feet per	containing cement to the top; in all cases surface pipe sharps (WCATION DIVISION production casing is cemented in; no below any usable water to surface within 120 days of spud date. 201-C, which applies to the KCC District 3 area, alternate II cementing In all cases, NOTIFY district office prior to any cementing. Wedge and belief Title: SR. GEOLOGIST File Drill Pit Application (Form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circ through all unconsolidated materials plus a minimum of 20 feet into the und 4. If the well is a dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged or 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from Or pursuant to Appendix "B" – Eastern Kansas surface casing order #133,8 must be completed within 30 days of spud date or the well shall be plugged I hereby certify that the statements made herein are true and to the best of my keep the complete of the statements made herein are true and to the best of my keep the complete of the complet	erlying formation; office on plug length and placement is necessary prior to plugging A, KS production casing is cemented in; n below any usable water to surface within 120 days of spud date. 11-C, which applies to the KCC District 3 area, alternate II cementing In all cases, NOTIFY district office prior to any cementing. Medge and belief Title: SR. GEOLOGIST emember to: File Drill Pit Application (Form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of Acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within ½ mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 159-22516-0000	Location of Well: County: RICE		
Operator: SAMUEL GARY JR & ASSOCIATES, INC.	feet from N/ S Line of Section		
Lease: DOHRMAN	feet from E / W Line of Section		
Well Number: 1-26	Sec. <u>26</u> Twp. <u>18</u> S. R. <u>10</u> East 🗵 West		
Field:	<u> </u>		
	Is Section: 🛛 Regular or 🔲 Irregular		
Number of Acres attributable to well:	<u></u>		
QTR / QTR / QTR of acreage:	If Section is Irregular, locate well from nearest corner boundary.		
	Section corner used: NE NW SE SW		

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (CO-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: SAMUEL GARY JR. AND ASSOCIATES, INC.		License Number: 3882		
Operator Address: 1670 BROAD	WAY, SUIT	E 3300 D	ENVER, CO 80202-4838	
Contact Person: TOM FERTAL		Phone Number: (303) 831 - 4673		
Lease Name & Well No.: DOHRMAN 1-26		Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>SW</u> . <u>SE</u> . <u>NW</u>	
Emergency Pit Burn Pit	Proposed Existing		Sec. 26 Twp. 18 R. 10 ☐ East	
Settling Pit	If Existing, date constructed:		2310 Feet from 🗸 North / South Line of Section	
Workover Pit Haul-Off Pit			1500 Feet from	
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	RICE	County
Is the pit located in a Sensitive Ground Water			Chloride concentration:	
Is the bottom below ground level?	Artificial Liner?	***	(For Emergency Pits and Settling F	
Yes No	Artificial Liner? Yes V No		How is the pit lined if a plastic liner is not used? NATIVE MUD AND CLAY	
Pit dimensions (all but working pits):	75 Length (fe	not) 75		
· · · · · · · · · · · · · · · · · · ·	rom ground level to de	_		A: Steel Pits
Distance to nearest water well within one-mile of pit Depth to shallo Source of infor		west fresh water 42 feet.		
1045 feet Depth of water well 126 feet mea		measu	red well owner electric log	KDWR
		over and Haul-Off Pits ONLY:		
		al utilized in drilling/workover: FRESH MUD		
		king pits to be utilized: 3 procedure: ALLOW TO DRY, THEN BACKFILL		
Does the slope from the tank battery allow all spilled fluids to				§
I hereby certify that the above state	ements are true and o	correct to the best	of my knowledge and belief.	OV 0 1 2006
OCTOBER 31, 2006 Date		Mors	ras I fertal CONSE	OV 0 1 2006 RVATION DIVISION
	KCC	OFFICE USE OF		
Date Received: / 4 / 1 O L Permit Number: Permit Date: 11 (O Lease Inspection: Yes X No				