For KCC Use:	11-6-06
Effective Date: _	11-0-00
District #	
SGA? Yes	☑ No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date 11/07/2006 month day year	Spot <u>NE NW SE Sec. 14 Twp. 29</u>	East S. R. 32 V West
33036	•	S Line of Section
OPERATOR: License# 33036 Name: Strata Exploration, Inc.	1650feet from ✓ E /	
PO Box 401	Is SECTION RegularIrregular?	_
		numana aida)
City/State/Zip:Contact Person: John R. Kinney	(<i>Note</i> : Locate well on the Section Plat on r County: Haskell	everse side)
Phone: 618-897-2799	Lease Name: F. Stoops	Well #: 2
	Field Name: Unnamed	
CONTRACTOR: License# 30684	Is this a Prorated / Spaced Field?	Yes ✓ No
Name: Abercrombie RTD, Inc.	Target Formation(s): St. Louis	163 V _140
	Nearest Lease or unit boundary: 330'	
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 2896	feet MSL
✓ Oil ✓ Enh Rec Infield ✓ ✓ Mud Rotary	Water well within one-quarter mile:	✓ Yes No
✓ Gas Storage ✓ Pool Ext. Air Rotary	Public water supply well within one mile:	Yes / No
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 640'	
Seismic;# of Holes Other	Depth to bottom of usable water:	
Other	Surface Pipe by Alternate: ✓ 1 2	<u></u>
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 1770'	
	Length of Conductor Pipe required: None	
Operator:	ETOO:	
Well Name:Original Total Depth:	Formation at Total Depth: St. Louis	
Onginal Completion Date:Original Total Deptil	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other X	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR	□ 1
KCC DKT #:		
PRORATED & SOACED HULDTON	Will Cores be taken? If Yes, proposed zone:	Yes ✓ No
PRORATED & SPACED HULDTON	Will Cores be taken? If Yes, proposed zone:	Yes ✓ No
PRORATED & SPACED HULDTON AFFI	Will Cores be taken? If Yes, proposed zone: IDAVIT	Yes ✓ No
PRORATEO 2 SPACEO HVG-OTON AFFI The undersigned hereby affirms that the drilling, completion and eventual pl	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. s	Yes No
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. s	Yes No CEIVED DRATION COMMISSION
PRORATEO 2 SPACEO HVG-OTON AFFI The undersigned hereby affirms that the drilling, completion and eventual pl	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. section of this well will be	Yes No CEIVED DRATION COMMISSION 3 1 2006 Dipe shall be set ATION DIVISION HIPMASSO plugging; days of spud date. alternate II cementing
PRORATEO 2 SPACEO HVG-OTPN AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the decision of the well is dry hole, an agreement between the operator and the decision of the set of the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of the spud shall the statements made herein are true and to the best of the spud shall the statements made herein are true and to the best of the spud shall the statements made herein are true and to the best of the spud shall the statements made herein are true and to the best of the spud shall the statements made herein are true and to the best of the spud shall the statements made herein are true and to the shall the statements made herein are true and to the shall the statements made herein are true and to the shall the statements made herein are true and to the shall the statements made herein are true and to the shall the statements made herein are true and to the shall the statements made herein are true and to the shall the statements made herein are true and to the shall the statements made herein are true and the shall the statements made herein are true and to the shall the shall the shall the statements made herein are true and the shall the	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. section of this well will comply with K.S.A. 55 et. section of this well will comply with K.S.A. 55 et. section of this well will comply with K.S.A. 55 et. section of this well will comply with K.S.A. 55 et. section of this well will comply with K.S.A. 55 et. section of this well will comply with K.S.A. 55 et. section of the complete of this well will comply with K.S.A. 55 et. section of the complete	Yes No CEIVED DRATION COMMISSION 3 1 2006 Dipe shall be set ATION DIVISION HIPMASSO plugging; days of spud date. alternate II cementing
PRORATEO 2 SPACEO HVG-OTON AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the december of the well is dry hole, an agreement between the operator and the december of the surface plug of the surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of the surface casing that the statements made herein are true and to the best of the surface casing the surface casing the surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of the surface casing the surface casing the surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of the surface casing the surface casing the surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of the surface casing the surfa	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. section of this well will comply with K.S.A. 55 et. section of this well will comply with K.S.A. 55 et. section of this well will comply with K.S.A. 55 et. section of this well will comply with K.S.A. 55 et. section of this well will comply with K.S.A. 55 et. section of this well will comply with K.S.A. 55 et. section of this well will comply with K.S.A. 55 et. section of the comply with K.S.A. 55 et. section of the comply with K.S.A. 55 et. section of this well will comply with K.S.A. 55 et. section of the comply with K.S.A. 55 et. section of the comply with K.S.A. 55 et. section of this well will comply with K.S.A. 55 et. section of the comply with K.S.A. 55 et. section of the comply with K.S.A. 55 et. section of this well will comply with K.S.A. 55 et. section of this well will comply with K.S.A. 55 et. section of the comply with K.S.A. 55 et. section of this well will comply with K.S.A. 55 et. section of the kansas comply with K.S.A. 55 et. section of this well will comply with K.S.A. 55 et. section of this well will comply with K.S.A. 55 et. section of this well will comply with K.S.A. 55 et. section of this well will comply with K.S.A. 55 et. section of this well will comply with K.S.A. 55 et. section of this well will comply with K.S.A. 55 et. section of this well will comply with K.S.A. 55 et. section of this well will comply with K.S.A. 55 et. section of this well will comply with K.S.A. 55 et. section of this well will comply with K.S.A. 55 et. section of this well will comply with K.S.A. 55 et. section of this well will comply with K.S.A. 55 et. section of this well will comply with K.S.A. 55 et. section of this well will comply with K.S.A. 55 et. section of this well will comply with K.S.A. 55 et. section of this well will will be will will be wi	Yes No CEIVED DRATION COMMISSION 3 1 2006 Dippe shall be set ATION DIVISION HIPMANS o plugging; days of spud date. The shall be set at a s
PRORATEO 2 SPACEO HVG-OTON AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the december of the well is dry hole, an agreement between the operator and the december of the surface plug of the surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of the surface casing that the statements made herein are true and to the best of the surface casing the surface casing the surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of the surface casing the surface casing the surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of the surface casing the surface casing the surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of the surface casing the surfa	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. section of this well will comply with K.S.A. 55 et. section of this well will comply with K.S.A. 55 et. section of this well will comply with K.S.A. 55 et. section of this well will comply with K.S.A. 55 et. section of this well will comply with K.S.A. 55 et. section of this well will comply with K.S.A. 55 et. section of the complete of this well will comply with K.S.A. 55 et. section of the complete	Yes No CEIVED DRATION COMMISSION 3 1 2006 Dipe shall be set ATION DIVISION HIPMASSO plugging; days of spud date. alternate II cementing
PRORATEO 2 SPACEO HVG-OTON AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the droper state of the specified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of Date: 10/31/2006 Signature of Operator or Agent: For KCC Use ONLY	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. section of this well will comply with K.S.A. 55 et. section of this well will comply with K.S.A. 55 et. section of this well will comply with K.S.A. 55 et. section of this well will comply with K.S.A. 55 et. section of this well will comply with K.S.A. 55 et. section of the complete of the c	Pes No CEIVED DRATION COMMISSION 3 1 2006 Dipe shall be set ATION DIVISION days of spud date. , alternate II cementing or to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the set of the set of the well is dry hole, an agreement between the operator and the description of the set of the	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. services of the complex with K.S.A. 55 et. services of the complex will comply with K.S.A. 55 et. services of the complex will complex with the complex of	CEIVED DRATION COMMISSION 3 1 2006 Dippe shall be set ATION DIVISION ATION DIVISION All places of spud date. Atternate II cementing or to any cementing. Drill; bud date;
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the description of the set	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. services to drilling rig; of the drilling rig; of the underlying formation. Instrict office on plug length and placement is necessary and the production casing is cemented in; and from below any usable water to surface within 120 and be plugged. In all cases, NOTIFY district office price in the plugged. In all cases, NOTIFY district office price in the plugged. Remember to: File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of specific acreage attribution plat according to field promise.	CEIVED DRATION COMMISSION 3 1 2006 pipe shall be set ATION DIVISION ATION DIVISION days of spud date. , alternate II cementing or to any cementing. Drill; bud date; ation orders;
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the surface prior well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the plus of the spud date of the well shall thereby certify that the statements made herein are true and to the best of the spud date of the well shall thereby certify that the statements made herein are true and to the best of the spud date of the well shall the statements made herein are true and to the best of the spud date of the well shall the statements made herein are true and to the best of the spud date of the well shall the statements made herein are true and to the best of the spud date of the well shall the statements made herein are true and to the best of the spud date of the well shall the statements made herein are true and to the best of the spud date of the well shall the statements made herein are true and to the best of the spud date of the well shall the statements are true and to the best of the spud date of the well shall the statements are true and to the best of the spud date of the well shall the statements are true and to the best of the spud date of the spud date of the well shall the statements are true and to the spud date of the spud	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. services to drilling rig; of the drilling rig; of the underlying formation. Instrict office on plug length and placement is necessary and the underlying formation. It is from below any usable water to surface within 120 area be plugged. In all cases, NOTIFY district office price in the plugged. In all cases, NOTIFY district office price in the plugged. Remember to: File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of specific acreage attribution plat according to field prome. Notify appropriate district office 48 hours prior to within 120 days of specific acreage attribution plat according to field promessing the properties of the prop	CEIVED DRATION COMMISSION 3 1 2006 pipe shall be set ATION DIVISION ATION DIVISION days of spud date. , alternate II cementing or to any cementing. Drill; bud date; ation orders; orkover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the described of the surface of the surface casing order or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the surface of th	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. services of the complex with K.S.A. 55 et. services of the complex will comply with K.S.A. 55 et. services of the complex will complex with the complex of	CEIVED DRATION COMMISSION 3 1 2006 Dipe shall be set ATION DIVISION days of spud date. , alternate II cementing or to any cementing. Drill; aud date; ation orders; orkover or re-entry; mpleted;
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the described before well is either pluging. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the statements and the described before well is either pluging. For KCC Use ONLY API # 15 - OSI - 21688-0000 Conductor pipe required	Will Cores be taken? If Yes, proposed zone: IDAVIT Iugging of this well will comply with K.S.A. 55 et. services to drilling rig; In by circulating cement to the top; in all cases surface the underlying formation. Idistrict office on plug length and placement is necessary and the underlying formation. It is the underlying is contained in the underlying is contained. It is the underlying in the underlying is contained in the underlying in th	CEIVED DRATION COMMISSION 3 1 2006 Dippe shall be set ATION DIVISION A transfer of spud date. , alternate II cementing or to any cementing. Drill; bud date; ation orders; orkover or re-entry; mpleted; ing salt water.
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the set in the set of th	Will Cores be taken? If Yes, proposed zone: IDAVIT Itugging of this well will comply with K.S.A. 55 et. services to drilling rig; In by circulating cement to the top; in all cases surface the underlying formation. Idistrict office on plug length and placement is necessary and the underlying formation. Itigged or production casing is cemented in; Ited from below any usable water to surface within 120 and the plugged. In all cases, NOTIFY district office prices to the KCC District 3 area to be plugged. In all cases, NOTIFY district office prices to the plugged. In all cases, NOTIFY district office prices to the plugged. In all cases, NOTIFY district office prices to the plugged and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of specific plugging according to field promoved to the plugging is conducted. Submit plugging report (CP-4) after plugging is conducted. If this permit has expired (See: authorized expiration injection	CEIVED CRATION COMMISSION 3 1 2006 pipe shall be set ATION DIVISION days of spud date. , alternate II cementing or to any cementing. Drill; and date; ation orders; orkover or re-entry; mpleted; ag salt water. or date) please
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the described of the surface of the surface casing order or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the surface of th	Will Cores be taken? If Yes, proposed zone: IDAVIT Iugging of this well will comply with K.S.A. 55 et. services to drilling rig; In the underlying coment to the top; in all cases surface with the underlying formation. Idistrict office on plug length and placement is necessed and production casing is comented in; Intelligent the complete water to surface within 120 and the plugged. In all cases, NOTIFY district office prior the plugged. In all cases, NOTIFY district office prior to the completion form ACO-1 within 120 days of sp. File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of sp. Notify appropriate district office 48 hours prior to w. Submit plugging report (CP-4) after plugging is conducted the box below and return to the address be	CEIVED CRATION COMMISSION 3 1 2006 pipe shall be set ATION DIVISION That so plugging; days of spud date. , alternate II cementing or to any cementing. Drill; sud date; ation orders; orkover or re-entry; inpleted; ing salt water. or date) please
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the set in the set of th	Will Cores be taken? If Yes, proposed zone: IDAVIT Itugging of this well will comply with K.S.A. 55 et. services to drilling rig; In by circulating cement to the top; in all cases surface the underlying formation. Idistrict office on plug length and placement is necessary and the underlying formation. Itigged or production casing is cemented in; Ited from below any usable water to surface within 120 and the plugged. In all cases, NOTIFY district office prices to the KCC District 3 area to be plugged. In all cases, NOTIFY district office prices to the plugged. In all cases, NOTIFY district office prices to the plugged. In all cases, NOTIFY district office prices to the plugged and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of specific plugging according to field promoved to the plugging is conducted. Submit plugging report (CP-4) after plugging is conducted. If this permit has expired (See: authorized expiration injection	CEIVED DRATION COMMISSION 3 1 2006 Dippe shall be set ATION DIVISION That So plugging; days of spud date. , alternate II cementing or to any cementing. Drill; bud date; ation orders; orkover or re-entry; mpleted; ng salt water. or date) please low.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 081- 2 1688-0000	Location of Well: County: Haskell
Operator: Strata Exploration, Inc.	2310 feet from N / S Line of Section
Lease: F. Stoops	1650 feet from ✓ E / W Line of Section
Well Number: 2	Sec. 14 Twp. 29 S. R. 32 East ✓ Wes
Field: Unnamed	
Number of Acres attributable to well: 80	Is Section: ✓ Regular or Irregular
QTR / QTR / QTR of acreage: NE - NW - SE	If Section is Irregular, locate well from nearest corner boundary. Section comer used: NE NW SE SW

(Show footage to the nearest lease or unit boundary line.)


PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.)

2310

RECEIVED
KANSAS CORPORATION COMMISSION

OCT 3 1 2006

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Strata Exploration, Inc.		License Number: 33036		
Operator Address: PO Box 401, Fairfield, IL 62837				
Contact Person: John R. Kinney		Phone Number: (618) 897 - 2799		
Lease Name & Well No.: F. Stoops #2		Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>NE NW SE</u>	
Emergency Pit Burn Pit	Proposed Existing		Sec. 14 Twp. 29 R. 32 ☐ East ✓ West	
Settling Pit	If Existing, date constructed:		2310 Feet from North / V South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity: (bbls)		1650 Feet from ✓ East / West Line of Section	
(If WP Supply API No. or Year Drilled)			Haskell County	
Is the pit located in a Sensitive Ground Water Area? Yes No		Chloride concentration:mg/l		
Is the bottom below ground level?	Artificial Liner?	*****	(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?	
Yes No	Yes 🗸	No	now is the pit tilled it a plastic litter is not used?	
Pit dimensions (all but working pits): 12	25 Length (fe	eet) 125	Width (feet) N/A: Steel Pits	
	om ground level to de	-	(feet)	
If the pit is lined give a brief description of the material, thickness and installation procedure			dures for periodic maintenance and determining including any special monitoring. KANSAS CORPORATION COMMISSION OCT 3 1 2006 CONSERVATION DIVISION	
/447 Source		Source of infor	west fresh water 400 feet. mation: red well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover: Fresh Mud		
		Number of working pits to be utilized: 1		
Barrels of fluid produced daily:		Abandonment procedure: Evaporation & Backfill		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.		
hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
10/31/2006 Date Signature of Applicant or Agent				
KCG-OFFICE USE ONLY				
Date Received: 10/31/04 Permit Number	ber:	Permi	t Date: 10/31/04 Lease Inspection: Yes 🖸 No	