For KCC Use:	11 - 1
Effective Date: _	11-1-06
District #	<u></u>
SGA? XYes	□ No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002

Form must be Typed Form must be Signed All blanks must be Filled

November 7 cons	e (5) days prior to commencing well
Expected Spod Date	Spot .✓ East
/	C E/2 _ SE Sec. 9 Twp. 28S _S. R. 04E West
OPERATOR: License# 5030 V	1320' feet from N / V S Line of Section
Name: Vess Oil Corporation	feet from VE / W Line of Section
Address: 8100 E. 22nd St North, Bldg. 300	Is SECTION ✓_RegularIrregular?
City/State/Zip: Wichita, KS 67226	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Casey Coats	County: Butler
Phone: 316-682-1537 X104	Lease Name: Scully A Well #.24
CONTRACTOR: License# 32701	Field Name: Augusta
Name: C & G Drilling Company	Is this a Prorated / Spaced Field?
	Target Information(s): Simpson, Arbuckle
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 660'
✓ Oil ✓ Enh Rec ✓ Infield ✓ Mud Rotary	Ground Surface Elevation: Est. 1220' feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile: Yes ✓ No
O/WO Disposal Wildcat Cable	Public water supply well within one mile:
Seismic; # of Holes Other	Depth to bottom of fresh water: 120'
Other	Depth to bottom of usable water: 200 / 100
	Surface Pipe by Alternate: 🗸 1 📃 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 250'
Operator:	Length of Conductor Pipe required: none
Well Name:	Projected Total Depth: 2500'
Original Completion Date:Original Total Depth:	Formation at Total Depth: Arbuckle
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
If Yes, true vertical depth:	Well Farm Pond Other trucked
Bottom Hole Location:	DWR Permit #:
KCC DKT #:	(Note: Apply for Permit with DWR)
	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone: RECEIVED
	IDAVIT
The undersigned hereby affirms that the drilling, completion and eventual p	lugging of this well will comply with K.S.A. 55 et. seq. SEP 1 ? 💯 🔻
t is agreed that the following minimum requirements will be met:	
 Notify the appropriate district office prior to spudding of well; 	KCC WICHITA
2. A copy of the approved notice of intent to drill shall be posted on ear	ch drilling rig:
 the minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the 	et by circulating cement to the top; in all cases surface pipe shall be set
4. If the well is dry hole, an agreement between the operator and the c	ne underlying formation. district office on plug length and placement is necessary <i>prior to plugging</i> ;
5. The appropriate district office will be notified before well is either pluc	ined or production casing is demonted in:
 If an ALIEMNALE II COMPLETION, production pipe shall be cement 	ed from helow any usable water to surface within 120 days of could date
Or pursuant to Appendix "B" - Eastern Kansas surface casing order	#133.891-C, which applies to the KCC District 3 area, alternate II competing
thus be completed within 30 days of the spud date or the well shall	be plugged. In all cases, NOTIFY district office prior to any cementing.
hereby certify that the statements made herein are true and to the best of	my knowledge and belief.
Date: 9/8/06 Signature of Operator or Agent:	Operations Engineer
Signature of Operator or Agent:	Title: Operations Engineer
	Remember to:
For KCC Use ONLY	- File Drill Pit Application (form CDP-1) with Intent to Drill;
API # 15 - 015 - 23 709-0000	- File Completion Form ACO-1 within 120 days of spud date;
	The day's of spud date,
Conductor pipe required None feet	- File acreage attribution plat according to field proration orders;
202	 File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
Minimum surface pipe required 200 feet per Alt 1	 File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
Minimum surface pipe required 200 feet per Alt 1 X	 File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
Minimum surface pipe required 200 feet per Alt 1 Approved by: 944 112.06 This authorization expires: 52-07	 File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
Minimum surface pipe required 200 feet per Alt 1 X	 File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
Minimum surface pipe required	 File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired
Minimum surface pipe required 200 feet per Alt 1 Approved by: 944 112.06 This authorization expires: 52-07	 File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 015-23709-000	Location of Well: County: Butler
Operator: Vess Oil Corporation	1320' feet from N / V S Line of Section
Lease: Scully A	
Well Number: 24	Sec. 9 Twp. 28S S. R. 04E
Field: Augusta	
Number of Acres attributable to well: OTR / OTR / OTR of acreage: C F/2 SE	Is Section: ✓ Regular or ☐ Irregular
QTR / QTR / QTR of acreage: C _ E/2 _ SE	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	:					•		
RECEIVED	, .			, , ,		•		
SEP 1 2 3006	· ·		· · · ·		•			
KCC WICHIT					· ·			
EXAMPLE :				' 7 ——	·		•	
1980				·		· · · ·		
3390'	660	.					• •	
		13.						
SEWARD CO.							· · · · · · · · · · · · · · · · · · ·	

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: VESS OIL COR	PORATION	License Number: 5030				
Operator Address: 8100 E. 22nd Street North, Bldg. 300, Wichita, KS 67226						
Contact Person: Casey Coats		Phone Number: (316) 682 - 1537 X103				
Lease Name & Well No.: Scully A #2	24		Pit Location (QQQQ):			
Type of Pit:	Pit is:					
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 9 Twp. 28S R. 04E 🗸 East 🗌 West			
Settling Pit	If Existing, date of	onstructed:	Feet from [North / [South Line of Section			
Workover Pit Haul-Off Pit	Pit capacity:		Feet from 🗸 East / 🗌 West Line of Section			
(If WP Supply API No. or Year Drilled)	2000	(bbls)	Butler County			
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes ☑] No	Chloride concentration: mg/l			
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?			
✓ Yes No	Yes ✓	No	rock, clay soil, bentonite mud			
Pit dimensions (all but working pits): 100 Length (feet) 100 Width (feet)						
	om ground level to de	_	(feet)			
If the pit is lined give a brief description of the material, thickness and installation procedure Distance to nearest water well within one-mile	·.	liner integrity, i	RECEIVED SEP 1 2 2006 West fresh water 120 40 feet.			
3725 feet Depth of water well	9.5_feet	Source of infor	redwell owner electric logKDWR			
Emergency, Settling and Burn Pits ONLY:	•	1	over and Haul-Off Pits ONLY:			
Producing Formation:			al utilized in drilling/workover: fresh water and mud			
Number of producing wells on lease:			king pits to be utilized: 2			
Barrels of fluid produced daily:			procedure: let dry, push rock and clay in, put top			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		soil back on top. Compact Drill pits must be closed within 365 days of spud date.				
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.						
9/8/06 Bay bate Date Signature of Applicant or Agent						
KCC OFFICE USE ONLY RF72 HR						
Date Received: $\frac{9/12/\sigma\zeta}{}$ Permit Num	ber:	Perm	it Date: ///2/06 Lease Inspection: 🗷 Yes 🗌 No			



CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR
BRIAN J. MOLINE, CHAIR
ROBERT E. KREHBIEL, COMMISSIONER
MICHAEL C. MOFFET, COMMISSIONER

November 2, 2006

Mr. Casey Coats Vess Oil Corporation 8100 E. 22nd St North Bldg. 300 Wichita, KS 67226

RE: Drilling Pit Application

Scully A Lease Well No. 24 SE/4 Sec. 09-28S-04E Butler County, Kansas

Dear Mr. Coats:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit within 72 hours of drilling completion.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 630-4000 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely.

Kathy Havnes

Environmental Protection and Remediation Department

cc: File