For KCC Use:	11-7-06
Effective Date:_	77-7-00
District #	
SGA? Yes	🔀 No

NANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

flust be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

	Spot, NEH East
xpected Spud Date	5/2 Ni)4 NW/4 Sec. 9 Twp. 24 S. R. 21 V West
31093	495 feet from N / S Line of Section
Perker Oil Comoration	1650 feet from E / W Line of Section
P.O. Box 1150	Is SECTIONRegularIrregular?
Ponca City, OK, 74602	(Note: Locate well on the Section Plat on reverse side)
city/State/Zip: Clyde M. Becker, Jr.	County: Hodgeman
303_816_2013	Lease Name: Strecker Well #: 1
hone: Joseph To Zo To	Field Name:
ONTRACTOR: License# 33375	Is this a Prorated / Spaced Field?
iame: Cheyenne Drilling, LP	Target Formation(s): Chase Group
Topo Covinnest	Nearest Lease or unit boundary: 495'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 2361/3 feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 280 / \$0
Seismic;# of Holes Other	Depth to bottom of usable water: 600'
Other	Surface Pipe by Alternate: 1 2
f OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 320'
Operator:	Length of Conductor Pipe required:
Well Name:	Projected Total Depth: 2760'
Original Completion Date:Original Total Depth:	Formation at Total Depth: Wreford
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	✓ Well Farm Pond Other
f Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	_ Note: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken?
KCC DKT #:	Will Cores be taken? Yes No If Yes, proposed zone:
KCC DKT #:AF	Will Cores be taken? Yes No If Yes, proposed zone:
AF The undersigned hereby affirms that the dritling, completion and eventua	Will Cores be taken? Yes No If Yes, proposed zone:
AF The undersigned hereby affirms that the dritling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	Will Cores be taken? If Yes, proposed zone: FIDAVIT I plugging of this well will comply with K.S.A. 55 et. seq.
AF The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on: 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet intent to the well is dry hole, an agreement between the operator and the first the well is dry hole, an agreement between the operator and the first the appropriate district office will be notified before well is either poor pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be completed.	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.
AF The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either p. 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order.	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.
Affine undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either p. 6. If an ALTERNATE II COMPLETION, production pipe shall be come or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to the best	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.
Affine undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either p. 6. If an ALTERNATE II COMPLETION, production pipe shall be come or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to the best	Will Cores be taken? If Yes, proposed zone: FIDAVIT I plugging of this well will comply with K.S.A. 55 et. seq. Beach drilling rig; Set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. I district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. Beach drilling rig; Set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. Beach drilling rig; Set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. Beach drilling rig; Set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. Beach drilling rig; Set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. Beach drilling rig; Set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. Beach drilling rig; Set by circulating rig; Set by circulatin
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either p 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the bes Date: 10/30/06 Signature of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: FIDAVIT I plugging of this well will comply with K.S.A. 55 et. seq. Beach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. In district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; lented from below any usable water to surface within 120 days of spud date. Ler #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Title: President
AF The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on: 3. The minimum amount of surface pipe as specified below <i>shall</i> be through all unconsolidated materials plus a minimum of 20 feet intention. 4. If the well is dry hole, an agreement between the operator and the first the appropriate district office will be notified before well is either point of the properties of the spund of the second of the spund	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Title: President Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either p 6. If an ALTERNATE II COMPLETION, production pipe shall be come Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best pages 10/30/06 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 083 - 215 22 - 0000	Will Cores be taken? If Yes, proposed zone: FIDAVIT I plugging of this well will comply with K.S.A. 55 et. seq. Beach drilling rig; Set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. I district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Title: President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either p 6. If an ALTERNATE II COMPLETION, production pipe shall be come Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best pages 10/30/06 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 083 - 215 22 - 0000	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Title: President Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;
AF The undersigned hereby affirms that the drilling, completion and eventual tis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either p 6. If an ALTERNATE II COMPLETION, production pipe shall be come Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. Signature of Operator or Agent: For KCC Use ONLY API # 15	Will Cores be taken? If Yes, proposed zone: PEIDAVIT I plugging of this well will comply with K.S.A. 55 et. seq. Beach drilling rig; Beach drilling rig
AF The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on: 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet intention. 4. If the well is dry hole, an agreement between the operator and the foundation of the surface will be notified before well is either performed in an ALTERNATE II COMPLETION, production pipe shall be come or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be represented that the statements made herein are true and to the best poate: 10/30/06	Will Cores be taken? If Yes, proposed zone: Plugging of this well will comply with K.S.A. 55 et. seq. Beach drilling rig; Beach dri
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either p 6. If an ALTERNATE II COMPLETION, production pipe shall be come Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best parts: Date: 10/30/06	Will Cores be taken? If Yes, proposed zone: PlayIT I plugging of this well will comply with K.S.A. 55 et. seq. Beach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. It district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; Bented from below any usable water to surface within 120 days of spud date. Bented from below any usable water to surface within 120 days of spud date. Bented from below any usable water to surface within 120 days of spud date. Bented from below any usable water to surface within 120 days of spud date. Bented from below any usable water to surface within 120 days of spud date. Title: President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on 3. The minimum amount of surface pipe as specified below <i>shall</i> be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either por pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to file best Date: 10/30/06 Signature of Operator or Agent: 10/30/06 For KCC Use ONLY API # 15 - 083 - 2/5/22 - 0000 Conductor pipe required feet feet Minimum surface pipe required feet per Alt. 1/2	Will Cores be taken? If Yes, proposed zone: PIDAVIT I plugging of this well will comply with K.S.A. 55 et. seq. Beach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. It district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; Ented from below any usable water to surface within 120 days of spud date. Bernet #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Title: President Remember to: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the dritling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int. 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either p. 6. If an ALTERNATE II COMPLETION, production pipe shall be come Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be removed by that the statements made herein are true and to the best poate: 10/30/06 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O83 - 215 22 - 0000 Conductor pipe required feet Minimum surface pipe required feet per Alt. (2) Approved by: Publication expires: 5-2-07	Will Cores be taken? If Yes, proposed zone: PEDAVIT I plugging of this well will comply with K.S.A. 55 et. seq. Peach drilling rig; Set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. I district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; lented from below any usable water to surface within 120 days of spud date. Set #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Title: President Remember to: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired RECEIVED
The undersigned hereby affirms that the dritling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int. 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either p. 6. If an ALTERNATE II COMPLETION, production pipe shall be come Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be removed by that the statements made herein are true and to the best poate: 10/30/06 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O83 - 215 22 - 0000 Conductor pipe required feet Minimum surface pipe required feet per Alt. (2) Approved by: Publication expires: 5-2-07	Will Cores be taken? If Yes, proposed zone: PIDAVIT I plugging of this well will comply with K.S.A. 55 et. seq. Beach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. It district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; Ented from below any usable water to surface within 120 days of spud date. Bernet #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Title: President Remember to: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 083-21522 -0000	Location of Well: County: Hodgeman
Operator: Becker Oil Corporation	495 feet from N / S Line of Section
Lease: Strecker	1650 feet from E / 🗸 W Line of Section
Weil Number: 1	Sec. 9 Twp. 24 S. R. 21 East Wes
Field:	Is Section: ✓ Regular or Irregular
Number of Acres attributable to well:	is couldn. The regular of the same
QTR / QTR / QTR of acreage: NW/4 _ NW/4	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PL AT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

i	650	495 X	, 1 Street				•
			ا بجبرود)	.	• • • • • • • •	• • •	
					· · · · ·	• • •	
	· • • • • • • • • • • • • • • • • • • •				•		•
				· · · · · ·	•		- -
					· · · ·	• • •	
	•						
	·	•			•	· ·	
	· · · · · · · · · · · · · · · · · · ·				•	• • •	



NOTE: In all cases locate the spot of the proposed drilling locaton.

in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding RECEIVED

 4 sections, etc.

 NOV 0 1 2006
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- A. If proposed location is located within a prorated or engoed field a cortificate of coronan attribution plot must be attached. The star VYJJJ-1111

...KCC.WICHITA

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Becker Oil Corporation		License Number: 31093			
Operator Address: P. O. Box 1150, Ponca City, OK 74602					
Contact Person: Clyde M. Becker, Jr.			Phone Number: (303) 816 -2013		
Lease Name & Well No.: Strecker #			Pit Location (QQQQ):		
Type of Pit:	Pit is:		5/2 NU/4 NW/4 NW/4		
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 9 Twp. 24S R. 21 East 🗸 West		
Settling Pit	If Existing, date or	onstructed:	495 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:	 	1650 Feet from East / Vest Line of Section		
(If WP Supply API No. or Year Drilled)	1800	(bbls)	Hodgeman _{County}		
Is the pit located in a Sensitive Ground Water	Area? Yes ✓	No	Chloride concentration:mg/l		
•			(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Yes No	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	60 Length (fe	et) 60	Width (feet) N/A: Steel Pits		
Depth fi	om ground level to de	epest point:	3(feet)		
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.					
Distance to nearest water well within one-mile of pit Depth to shall Source of info			owest fresh water 50 feet.		
1000 feet Depth of water well 80 feet			iredwell owner electric log✓KDWR		
Emergency, Settling and Burn Pits ONLY		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover: starch mud			
Number of producing wells on lease: Number		Number of wor	Number of working pits to be utilized: 2		
Barrels of fluid produced daily: Abandonm			procedure: evaporate, then back-fill and replace top soil		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
10/30/00 Olysh M Bech of Signature of Applicant or Agent					
KCC OFFICE USE ONLY					
RECEIVED					