For KCC	Use:	11-0-01
Effective	Dete:	11-8-00
District #		
0082	□ Vee	₩ No

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

#### NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

pected Spud Date	Spot X East
month day year	SE SW SE Sec. 7 Twp. 25S S. R. 21E West
32912	N / X S Line of Section
ERATOR: License# Carroll Energy, LLC	1680 teet from E / W Line of Section
ne: 2198 Valley High Dr	Is SECTION Regular X Irregular?
dress:	(Note: Locate well on the Section Plat on reverse side)
ntact Person: Terry Carroll Jr.	County: Allen
one: (620) 330-7213	Lease Name: DAVID B Well #: 7-C4
. /	Field Name: BRONSON-XENIA
NTRACTOR: License# 33374	is this a Prorated / Spaced Field?
me: L & S Well Service, LLC	Target Formation(s): Cherokee Coals 360'
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary:
	Ground Surface Elevation: 1065 feet MSL
	Water well within one-quarter mile:
X Gas Storage Pool Ext. X Air Rotary  CWWO Disposal Wildcat Cable	Public water supply well within one mile:  Yes X No.
Seismic; # of Holes Other	Depth to bottom of fresh water.
Other	Depth to bottom of usable water:
	Surface Pipe by Alternate: 1 X 2  Length of Surface Pipe Planned to be set: 20'
DWWO: old well information as follows:	Length of Conductor Pipe required:
Operator:	Projected Total Depth: 1100'
Well Name:	Formation at Total Depth: Mississippi
Original Completion Date: Original Total Depth:	Water Source for Drilling Operations:
ectional, Deviated or Horizontal wellbore?	Well X Farm Pond Other
res, true vertical depth:	DWR Permit #:
ottom Hole Location:	(Note: Apply for Permit with DWR)
CC DKT #:	Will Cores be taken?
A DIXI Programme and the second secon	If Yes, proposed zone:
	DAVIT
the state of the state of the same and a control plant of the state of	
	agging of this west will comply that the art of our or qu
ne undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;	·
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the tit the well is dry hole, an agreement between the operator and the defence of the suppropriate district office will be notified before well is either plug.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cement.</li> </ol>	th drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set  the underlying formation.  It is in the set of t
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the drift of the well is dry hole, an agreement between the operator and the drop to the appropriate district office will be notified before well is either plug</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cement.</li> </ol>	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Is is is that office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the mereby certify that the statements made herein are true and to the best of	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Instrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  If we knowledge and be only to the top in the plugged of the prior to any cementing.
is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug.  5. The appropriate district office will be notified before well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it.	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Is is is that office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the drift of the well is dry hole, an agreement between the operator and the drift of the appropriate district office will be notified before well is either plug of an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall intereby certify that the statements made herein are true and to the best of	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Instrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  If we knowledge and be only to the top in the plugged of the prior to any cementing.
is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the decomposition of the second of t	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Instrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If it is all cases, NOTIFY district office prior to any cementing. If my knowledge and be it.  Title:  Land Manager  Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug.  5. The appropriate district office will be notified before well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the mereby certify that the statements made herein are true and to the best of the sequence of the	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Instrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If it is all cases, NOTIFY district office prior to any cementing. If it is and Manager  Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the drill and the approved notice of intent to drill <i>shall be</i> posted on each and the drill and the d	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Instrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If it is all cases, NOTIFY district office prior to any cementing. If my knowledge and be of the completion of the plugged.  Title:  Land Manager  Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac. 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the description of the appropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be demented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall intereby certify that the statements made herein are true and to the best of late:  10/31/2006 Signature of Operator or Agent:  For KCC Use ONLY  API #15 - ODI - 29535-OOOO feet per Alt. 10 feet per Alt. 1	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Instrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If the prior to any cementing.  Title:  Land Manager  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac. 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall intereby certify that the statements made herein are true and to the best of late:  10/31/2006 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - OOI - 29535 - OOOO feet pipe required None feet per Alt. (2)  Approved by: With 11-3-006	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Instrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If this permit has expired (See: authorized expiration date) please  If this permit has expired (See: authorized expiration date) please
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each at the minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the description of the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the shall the three certify that the statements made herein are true and to the best of the sequence of the se	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Instrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If it is all cases, NOTIFY district office prior to any cementing. If it is a limit is
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each at the specified prior to spudding of well; 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the seed that the well is dry hole, an agreement between the operator and the description of the seed of the specified below shall be seed to the specified district office will be notified before well is either plug of the specified before well is either plug of the	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  In this permit has expired (See: authorized expiration date)  In this permit has expired (See: authorized expiration date)  In the plugging romation of the top in all cases surface pipe shall be set to surface within 120 days of spud date.  In this permit has expired (See: authorized expiration date) please the top in the top in all cases, not the top in the top

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

ADINA 15. 00	01-29535-0000	Location of Well: County: Allen
Operator:	Carroll Energy, LLC DAVID B	360 feet from N / X S Line of Section 1680 feet from X E / W Line of Section
Well Number: Field:	7-C4 BRONSON-XENIA	Jeo
Number of Acres	attributable to well:	Is Section: Regular or X Irregular  If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW X SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

·			•	T :		•			
	•	•	•			•	:		
	•		•		• .	•	.		
- •			• • • • •						
	•	•	:		• •	•			
	· • • • •								
			:		•	•	•		EXAMPLE · ·
	•	•	··	7 —	•	•			
	•	•	•	1	•	•	:		
				• • •			. · · · ·		198
	•	•	•		•	•			
• •									
	•	•	•		•	•	:		
• •					• • • •	• • • •			
	•	•	•		· •		<del></del>	1680	SEWARD CO.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for CEVED CG-8 for gas wells).

New = 2 2006

**CC WICHITA** 

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

#### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Carroll Energy,	LLC	License Number: 32912				
Operator Address: 2198 Valley High Dr, Independence, KS 67301						
Contact Person: Terry Carroll Jr.		Phone Number: ( 620 ) 330-7213				
Lease Name & Well No.: DAVID B 7-C4			Pit Location (QQQQ):			
Type of Pit:	Pit is:	-	_CSE - SWSE			
Emergency Pit Burn Pit	Proposed	Existing	Sec. 7 Twp. 25S R. 21E X East West			
Settling Pit X Drilling Pit	If Existing, date co	onstructed:	360 Feet from North / X South Line of Section			
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity: 300 (bbls)		1680_ Feet from X East / West Line of Section Allen County			
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: NA mg/l  (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?  X Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used? CLAY			
Pit dimensions (all but working pits):	20 Length (fe					
If the pit is lined give a brief description of the liner material, thickness and installation procedure.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.						
Distance to nearest water well within one-mil		Depth to shallo Source of infor	west fresh water 20 15 feet.			
3735 feet Depth of water well_	(○ Geet	measu	redwell owner electric logKDWR			
Emergency, Settling and Burn Pits ONLY  Producing Formation:		Drilling, Workover and Haul-Off Pits ONLY:  Type of material utilized in drilling/workover: FRESH WATER				
Number of producing wells on lease:		Number of working pits to be utilized:				
Barrels of fluid produced daily:		Abandonment procedure: AIR DRY				
Does the slope from the tank battery allow a flow into the pit? Yes No	ll spilled fluids to	Drill pits must be closed within 365 days of spud date.				
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.						
10/31/2006			Signature of Applicant or Agent			
Date Received: 11/2/06 Permit Number: Permit Date: 11/2/06 Lease Inspection: RECEIVED						

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

NOV 0 2 2006