For KCC	Use:	11000
Effective	Date:	11-8-06
District #	<b>,</b>	<u></u>
SGA?	Yes	X No

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

## NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

NE NW SW Sec. 30 Top; 26S S R, 20E   West Name	Must be approved by KCC five	(5) days prior to commencing well All blanks must be Filled
Appendix   Complete	Expected Spirit Date	
Address: 2   198 Valley flight Did   Address: 3   198 Valley flight Did   Address: 4   198 Valley flight Did   Address:		
Name: Section Regular	OPERATOR: License#	
City/State/Zpp: Independence, KS 57301 Contact Person. Terry Carroll of: Contact Person. Terry Carroll of: (620) 330 7213 CONTRACTOR: Licensee* 33374 Lease Ware* HENDERSON E Lease Ware* HENDERSON E Lease Ware* HENDERSON E Lease Varies*	2198 Valley High Dr	leat tion
Counted Person. Terry Carroll Jr.  Counted Person. (620) 330-7213  Country Allerchard (520) 330-7213  Field Name: HENDERSON E Well & No.  Country Allerchard (520) 330-7213  It has a Promated (750) 580  Nearest Lease or unit boundary: 360  Country Allerchard (750) 580  Nearest Lease or unit boundary: 360  Nearest Lease or	A001639.	18 SECTIONmegular
Priore:   (620) 330-7213   Lease Name:   HENDERSON E   Well #: 30-A3   Field Name:   HUNGOLDT-CHANUTE   Set	Chy/State/Zip, Torrell le	Allon
CONTRACTOR: Licenses	(620) 330 7213	LIENDEDOON E
CONTRACTOR: Licenseer   33374	Phone: (SES) SSS 7210	LIMPOLDT CUANTITE
Target Formation(s): Cherokee Casts   Section   Sectio	CONTRACTOR: License# 33374	THOU ITCHIEF.
Nearest Lease or unit boundary: 360	Name: L & S Well Service, LLC	Torget Formation(a): Cherokee Coals
Feel Misl.   Fee		200
Water well within one-quarter mile:   Yes   No   No   No   No   No   Yes   No   No   No   No   No   No   No   N		
Public water supply well within one mile:	hand hand hand	
Depth to bottom of tresh water: 100+   Depth to bottom of usable water: 300+   Depth to Bottom Individual water: 300+   Depth to Surface Pipe Planned to be set: 20'   Length of Surface Pipe Planned to be set: 20'   Length of Surface Pipe Planned to be set: 20'   Depth to Surface Pipe Planned to be set: 20'   Depth to Surface Pipe Planned to be set: 20'   Depth to Surface Pipe Planned to be set: 20'   Depth to Surface Pipe Planned to be set: 20'   Depth to Surface Pipe Planned to be set: 20'   Depth to Surface Pipe Planned to be set: 20'   Depth to Surface Pipe Planned to Be set: 300+   Depth to Surface Pipe Plann	farming training training training	
Seismic   if of Holes   Other   Surface Pipe by Alternate:	the state of the s	10014
COWNO: old well information as follows:   Coperator:		300,7
Length of Surface Pipe Planned to be set: 20'    Length of Conductor Pipe required:	Other	Surface Pipe by Alternate: 1 x 2
Operator: Well Name: Original Completion Date: Original Completion Dat	If OWWO: old well information as follows:	
Well Name: Original Completion Date: Origina		·
Original Completion Date: Original Total Depth: Mississippl  Water Source for Drilling Operations: Water Source	•	Projected Total Depth: 1100'
Water Source for Drilling Operations:    Water Source for Drilling Operations:   Well   X Farm Pond   Other		Formation at Total Depth: Mississippi
DWR Pemit #:   DWR Pemit #:   DWR Pemit #:   DWR Pemit #:     DWR Pemit #:     DWR Pemit #:       DWR Pemit #:		
Will Cores be taken?     Yes   No   No   No   No   No   No   No   N	Directional, Deviated or Horizontal wellbore? Yes X No	Well X Farm Pond Other
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of Intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Thereby certify that the statements made herein are true and to the best of my knowledge and be gift.  Per KCC Use ONLY  API # 15 - DOI - 29538-000  Approved by: Lutt   -3-00   feet   File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office will be address below.    Well Not 1014 - Permit Expired   Signature of Operator or Agent:   Well Not 1014 - Permit Expired   Signature of Operator or Agent:   Well Not 1014 - Permit Expired   Signature of Operator or Agent:   Well Not 1014 - Permit Expired   Signature of Operator or Agent:   Well Not 1014 - Permit Expired   Signature o	f Yes, true vertical depth:	DWR Permit #:
If Yes, proposed zone:  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual pluggling of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating coment to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to pluggling; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-c, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Thereby certify that the statements made herein are true and to the best of my knowledge and be of the completed state of the plugging is completed;  Date: 10/31/2006 Signature of Operator or Agent: File acreage attribution plat according to field proration orders;  Noffly appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired  Signature of Operator or Agent:	Bottom Hole Location:	(Note: Apply for Permit with DWR )
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the appropriate district office prior to spudding of well;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  It hereby certify that the statements made herein are true and to the best of my knowledge and beinf.  Date: 10/31/2006 Signature of Operator or Agent: File acreage attribution plat according to field proration orders;  Notify appropriate district office 4 hours prior to workover or re-entry;  Submit ligging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  It this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired  Signature of Operator or Agent:	KCC DKT #:	Will Cores be taken? Yes X No
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Thereby certify that the statements made herein are true and to the best of my knowledge and belgef.  Date: 10/31/2006 Signature of Operator or Agent: Title: Land Manager  For KCC Use ONLY  API #15 - OOI - 29538-OOO  Approved by: WH 1/3-OV  This authorization expires: 5-3-07  (This authorization expires: 5-3-07  (This authorization void if drilling not started within 8 months of approval date)  Spud date: Agent: Agent: Signature of Operator or Agent: Signature of Ope		If Yes, proposed zone:
2. A copy of the approved notice of Intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  If hereby certify that the statements made herein are true and to the best of my knowledge and be "pf.  Date: 10/31/2006 Signature of Operator or Agent: Title: Land Manager  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  - Obtain written approval before disposing or injecting salt water.  - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.    Well Not Drilled - Permit Expired   Signature of Operator or Agent:   Well Not Drilled - Permit Expired   Signature of Operator or Agent:   Notify appropriate district office in the address below.		
For KCC Use ONLY  API # 15 - OOI - 29538-0000  Conductor pipe required None feet  Minimum surface pipe required 20 feet per Alt. (2)  Approved by: Puth //-3-0v  This authorization expires: 5-3-07  (This authorization void if drilling not started within 6 months of approval date.)  Spud date: Agent: Agent: Approved Signature of Operator or Agent: Signature of Operator or Agent: Approved Signature of Operator or Agent: Signature of Operator or Agent: Approved Signature of Operator or Agent: Approved Signature of Operator or Agent: Signature of Operator or Agent: Approved Signature of Operator or Agent: Signature of Operator or Agent: Approved the content of the Agent: Approved Signature of Operator or Agent: Approved the content of the Agent:	<ol> <li>A copy of the approved notice of Intent to drill shall be posted on ea.</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the drift the well is dry hole, an agreement between the operator and the construction of the structure of the propriate district office will be notified before well is either plug.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall</li> </ol>	by the circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Illustrict office on plug length and placement is necessary prior to plugging; used or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
For KCC Use ONLY  API # 15 - 001-29538-0000  Conductor pipe required None feet  Minimum surface pipe required 20 feet per Alt. X 2  Approved by: Lutt /1-3-00  This authorization void if drilling not started within 6 months of approval date.)  Spud date: Agent: Spud date: Agent: Signature of Operator or Agent: Signatu	Date: 10/31/2006 Signature of Operator or Agent:	Title: Land Manager
API # 15	······	Remember to:
This authorization expires: 5-3-07  (This authorization void if drilling not started within 6 months of approval date.)  Spud date: Agent: Signature of Operator or Agent: 1t this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired Signature of Operator or Agent: 2	API # 15 - 001-29538-0000  Conductor pipe required None feet  Minimum surface pipe required 20 feet per Alt. X (2)	- File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water.
Spud date: Agent: Signature of Operator or Agent: \$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	This authorization expires: 5-3-07	- If this permit has expired (See: authorized expiration date) please
	•	-
	Aban Ania, Maria and Ania and	

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 0	01-29538-000	Location of Well: County: Allen
Operator:	OII F	
-ease:	HENDERSON E	1020 feet from E / X W Line of Section
Well Number:	30-A3	Sec. 30 Twp. 26S S. R. 20E X East Wes
Field:	HUMBOLDT-CHANUTE	
Number of Acres	s attributable to well:	Is Section: Regular or X Irregular
TR / QTR / QT	R of acreage: <u>NE</u> - <u>NW</u> - <u>SW</u>	If Section is irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE X SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

· · · · · ·	-   : 30	
<del>.</del> • :		•
 : :: ::	:	
:   : :		



2280

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.

In plotting the proposed location of the well, you must show:

4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for proposed location) CG-8 for gas wells). NOV 0 2 2006

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Carroll Energy, LLC			License Number: 32912			
Operator Address: 2198 Valley High Dr, Independence, KS 67301						
Contact Person: Terry Carroll Jr.			Phone Number: ( 620 ) 330-7213			
Lease Name & Well No.: HENDERSON E	: 30-A3		Pit Location (QQQQ):			
Type of Pit:	Pit is:		_C NE NW SW_			
Emergency Pit Burn Pit	Proposed	Existing	Sec. 30 Twp. 26S R. 20E X East West			
Settling Pit X Drilling Pit	If Existing, date co	onstructed:	2280 Feet from North / X South Line of Section			
Workover Pit Haul-Off Pit	Pit capacity:		1020 Feet from East / X West Line of Section			
(If WP Supply API No. or Year Drilled)	300	(bbls)	Allen County			
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: NA mg/l  (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?			
X Yes No	Yes X		CLAY			
Pit dimensions (all but working pits):	20 Length (fe	et)8	Width (feet)N/A: Steel Pits			
Depth fr	om ground level to de	epest point:	5(feet)			
If the pit is lined give a brief description of the liner material, thickness and installation procedure.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.						
Distance to nearest water well within one-mile	of pit	Depth to shallo Source of infor	west fresh water20feet. mation:			
N/A feet Depth of water well	feet	measu	redwell owner electric logKDWR			
Emergency, Settling and Burn Pits ONLY:		= "	over and Haul-Off Pits ONLY:			
Producing Formation:		Type of materia	Il utilized in drilling/workover: FRESH WATER			
Number of producing wells on lease:		Number of work	king pits to be utilized:1			
Barrels of fluid produced daily:		Abandonment	procedure: AIR DRY			
Does the slope from the tank battery allow all flow into the pit?  Yes  No	spilled fluids to	Drill pits must be closed within 365 days of spud date.				
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.						
10/31/2006  Date		<u> </u>	gnature of Applicant or Agent			
Date Signature of Applicant of Agent						
KCC OFFICE USE ONLY						

パスクル Permit Number: Permit Date: パクル Lease Inspection:

Date Received:\_

RECEIVE