For KCC Use:		11-8-06
Effective	Date:	71-000
District #		3
SGA?	Yes	X No

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

#### **NOTICE OF INTENT TO DRILL**

December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Form C-1

NW NE NE   NE   Sec. 34   Twp. 25S   S. R. 19E	· (III)
OPERATOR: License# 32912	East Vest
Name: Carroll Energy, LLC Address: 2198 Valley High Dr Address: 198 Valley High Dr Independence, KS 67301 Contact Person: Terry Carroll Jr. Allen County: Allen County: Allen County: Allen County: Allen County: Malen Lease Name: HESS Well #: 34-D Field Name: MCRAN Is this a Prorated / Spaced Field? Target Formation(s): Cherokee Coals Namest Lease or unit boundary: 360° Namest Lease o	7
Address: 2198 Valley High Dr City/Statz/Ep: Independence, KS 67301 Contact Person: (620) 330-7213 Phone: (620) 330-7213 CONTRACTOR: License# 33374 Name: L & S Well Service, LLC Name: L & S Well Service, LLC Name: Woll Drilled For: Well Class: Type Equipment: Woll Drilled For: Well Class: Type Equipment: Gas Storage Pool Ext. X Air Rotary OWD Disposal Wildcat Cable OWD Disposal Wildcat Cable OPEN to Holes Other OPEN to Hole	n
Contact Person: Terry Carroll Jr.   County: Allen	
County: Allen Co	
Phone: (620) 330-7213  CONTRACTOR: License# 33374  Name: L & S Well Service LLC  Well Drilled For: Well Class: Type Equipment:  Well Drilled For: Well Class: Type Equipment:  Woll Drilled For: Well Class: Type Equipment:  Woll Drilled For: Well Class: Type Equipment:  Saismic; # of Holes Other  Saismic; # of Holes Other  Other  Well Wall Ama: Other  Other  Other  Well Wall Ama: Original Total Depth: Original Total Depth: Original Completion Date:	
CONTRACTOR: License# 33374  Name: L & SWell Service, LLC  Well Drilled For: Well Class: Type Equipment:  Well Drilled For: Well Class: Type Equipment:  A Gas Siorage Pool Ext. A Rotary Other  Seismic; # of Holes Other  Other  Other  Original Completion Date: Original Total Depth:  Original Completion Date: Original Total Depth:  Bottom Hole Location:  Well Drilled or Horizontal wellbore? Yes X No  Directional, Deviated or Horizontal wellbore? Yes X No  Directional, Deviated or Horizontal wellbore? Yes X No  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met:  1. Notify the appropertate district office prior to spudding of well; 2. A copy of the approved notice of Intent to drill shall be posted on each drilling fig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office or pious to shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office or pious exists.  5. The appropriate district office with original to the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugge or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be ceremented from below any uspelse water to surface within 120 days of spud dat or pursuant to Appendix of the completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementin II hereby certify that the statements made herein are	
Name:  L & S Well Service, LLC  Well Orlined For:  Well Class:  Type Equipment:  Air Rotary  Gas Storage Pool Ext.  X Air Rotary  Seismic; # of Holes Other  Other  Seismic; # of Holes Other  Orlined Completion Date:  Original Completion Date:  Original Completion Date:  Original Completion Date:  Original Completion Date:  Other Water well within one of the seismic project of the seismic	
Name: La S Well Service LLC  Well Drilled For: Well Class: Type Equipment:    Woll Drilled For: Well Class: Type Equipment:   Wold Rotary   Salar Storage   Pool Ext.   X in Rotary   Yes   Salarmic;   # of Holes   Other   O	No
Well Drilled For: Well Class: Type Equipment: Ground Surface Elevation: 1050 tee    Common Surface Elevation: 1050 tee   Water well within one-quarter mile:   Yes	
Solid   Enh Rec   X Infield   Mud Rotary   Water well within one-quarter mile:   Yes   Yes   CoWO   Disposal   Wildcat   Cable   Public water supply well within one mile:   Yes   Depth to bottom of usable water:   300+   Surface Pipe by Alternate:   1   X   2   Depth to bottom of usable water:   300+   Surface Pipe Public water supply well within one mile:   Yes   Depth to bottom of usable water:   300+   Surface Pipe by Alternate:   1   X   2   Depth to bottom of usable water:   300+   Surface Pipe Public water supply well within one mile:   Yes   Surface Pipe by Alternate:   1   X   2   Depth to bottom of usable water:   300+   Surface Pipe Public water supply well within one mile:   Yes   Surface Pipe Public water supply well within one mile:   Yes   Surface Pipe Public water supply well within one mile:   Yes   Surface Pipe Public water supply well within one mile:   Yes   Surface Pipe Public water supply well within one mile:   Yes   Surface Pipe Public water supply with in the public water supply will within one mile:   Yes   Surface Pipe Public water supply will will will one   Yes   Surface Pipe Public water supply will within one mile:   Yes   Surface Pipe Public water:   Yes   Surface Pipe Public water:   Yes   Surface Pipe Public water:   Yes	
Water well within one-quarter mile:    Value	MSL
OWNO Disposal Wildcat Cable  Seismic; # of Holes Other  Operator:  Operator:  Original Completion Date:  Original Total Depth:  Original Completion Date:  Original Total Depth:  Directional, Deviated or Horizontal wellbore?  If Yes, true vertical depth:  Bottom Hole Location:  KCC DKT #:  Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of Intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materiats plus a minimum or 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugg 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud def Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, eitemate II cem must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementin I hereby certify that the statements made herein are true and to the best of my knowledge and be"pf.	∐No,
Depth to bottom of tresh water: 300°+    Depth to bottom of usable water: 300°+   Depth to bottom of usable water: 300°+   Depth to bottom of usable water: 300°+   Depth to bottom of usable water: 300°+   Surface Pipe by Alternate: 1 x 2	⟨ No
Other	
Surface Pipe by Alternate:	Benjalan ja Lapater alkan ja dia
If OWWO: old well information as follows:  Operator:  Operator:  Well Name:  Original Completion Date:  Original Total Depth:  Directional, Deviated or Horizontal wellbore?  Original Total Depth:  Directional, Deviated or Horizontal wellbore?  If Yes, true vertical depth:  Bottom Hole Location:  KCC DKT #:  Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of Intent to drill shall be posted on each drilling fig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugg 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cemmust be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing the proper plugged in the statements made herein are true and to the best of my knowledge and be "pf."	
Operator: Well Name: Original Completion Date: Original Total Depth: Directional, Deviated or Horizontal wellbore? If Yes, true vertical depth: Bottom Hole Location:  KCC DKT #:  Will Cores be taken?  Will Cores be taken?  Will Cores be taken?  Will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on each drilling ing: The undersigned hereby affirms that the drilling completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on each drilling fig: The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugg 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cemmust be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementin I hereby certify that the statements made herein are true and to the best of my knowledge and be"pf.	
Well Name: Original Completion Date: Original Total Depth: Original Completion Date: Original Total Depth: Original Completion Date: Original Total Depth: Original Total Depth:  Directional, Deviated or Horizontal wellbore?  Yes X No  If Yes, true vertical depth:  Bottom Hole Location:  KCC DKT #:  Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugg 5. The appropriate district office will be notified before well is either plugged or production casing is commented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cemmust be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementin I hereby certify that the statements made herein are true and to the best of my knowledge and be "prior."	
Original Completion Date: Original Total Depth: Formation at Total Depth: Mississippi  Original Completion Date: Original Total Depth: Water Source for Drilling Operations:	
Water Source for Drilling Operations:  Directional, Deviated or Horizontal wellbore?  If Yes, true vertical depth:  Bottom Hole Location:  KCC DKT #:  Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  Notify the appropriate district office prior to spudding of well;  A copy of the approved notice of intent to drill shall be posted on each drilling rig;  The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugged. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cemmust be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing the plugged or production and the statements made herein are true and to the best of my knowledge and be inf.	
Directional, Deviated or Horizontal wellbore?  If Yes, true vertical depth:  Bottom Hole Location:  KCC DKT #:  Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugg 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud dat Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cemmust be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing thereby certify that the statements made herein are true and to the best of my knowledge and be prior.	
If Yes, true vertical depth:	
Bottom Hole Location:	
Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugg 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud dat Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cemmust be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing the plugged of the statements made herein are true and to the best of my knowledge and be" of the statements made herein are true and to the best of my knowledge and be" of the statements made herein are true and to the best of my knowledge and be of the statements made herein are true and to the best of my knowledge and be of the statements made herein are true and to the best of my knowledge and be of the statements made herein are true and to the best of my knowledge and be of the statements and the statements made herein are true and to the best of my knowledge and be of the statements and th	
AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugg 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud dat Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cemmust be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing the prior to the statements made herein are true and to the best of my knowledge and be prior.	ONO
AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugg 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud dat Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cemmust be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing the plugged of the statements made herein are true and to the best of my knowledge and be prior.	
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugg</i> 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cemmust be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing the hereby certify that the statements made herein are true and to the best of my knowledge and be prior.	4mm44mm0mm
<ol> <li>It is agreed that the following minimum requirements will be met:         <ol> <li>Notify the appropriate district office prior to spudding of well;</li> <li>A copy of the approved notice of intent to drill shall be posted on each drilling rig;</li> <li>The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.</li> <li>If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugg</li> <li>The appropriate district office will be notified before well is either plugged or production casing is cemented in;</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cemmust be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing thereby certify that the statements made herein are true and to the best of my knowledge and be prior.</li> </ol> </li> </ol>	
<ol> <li>Notify the appropriate district office prior to spudding of well;</li> <li>A copy of the approved notice of intent to drill shall be posted on each drilling rig;</li> <li>The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.</li> <li>If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugg</li> <li>The appropriate district office will be notified before well is either plugged or production casing is cemented in;</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cemmust be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing thereby certify that the statements made herein are true and to the best of my knowledge and be"pf.</li> </ol>	
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each drilling rig;</li> <li>The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.</li> <li>If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugg</li> <li>The appropriate district office will be notified before well is either plugged or production casing is cemented in;</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cemmust be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing thereby certify that the statements made herein are true and to the best of my knowledge and be"pf.</li> </ol>	
	<i>ng;</i>  nting
Date: 10/31/2005 Signature of Operator or Agent: Title: Land Manager	
Managed as A-	
For KCC Use ONLY  File Drill Pit Application (form CDP-1) with Intent to Drill;	10
API # 15 - 001 - 29536-0000 - File Completion Form ACO-1 within 120 days of spud date;	37
Conductor pipe required File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry	7
Minimum surface pipe required 20 feet per Alt. (2) - Submit plugging report (CP-4) after plugging is completed;	1
Approved by: RHH1-3-06 - Obtain written approval before disposing or injecting salt water.	1
This authorization expires: 5-3-07  - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	8
Well Not Drilled - Permit Expired	ı
Spud date: Agent: Signature of Operator or Agent:	_
Date:	J

KFCFINFDu


#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

if the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 0	01-29536-0000	Location of Well: County: Allen
Operator:	Carroll Energy, LLC	S Line of Section
Lease:	HESS	1020 feet from XE / W Line of Section
Well Number:	34-D1	Sec. 34 Twp. 25S S. R. 19E X East West
Field:	MORAN	
Number of Acres	attributable to well:	Is Section: 🛛 Regular or 🔲 Irregular
	R of acreage: <u>NW</u> - <u>NE</u> - <u>NE</u>	If Section is Irregular, locate well from nearest corner boundary.  Section comerused: NE NW SE SW

**PLAT** (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; NOV 0 7 2006 CG-8 for gas wells).

KCC WICHITA

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Carroll Energy, LLC			License Number: 32912			
Operator Address: 2198 Valley High Dr, Independence, KS 67301						
Contact Person: Terry Carroll Jr.			Phone Number: ( 620 ) 330-7213			
Lease Name & Well No.: HESS 34-D1			Pit Location (QQQQ):			
Type of Pit: Pit is:			_C <u>_NWNE_</u> - <u>NE</u> _			
Emergency Pit Burn Pit	Proposed	Existing	Sec. 34 Twp. 25S R. 19E X East West			
Settling Pit X Drilling Pit	Settling Pit X Drilling Pit If Existing, date con		360 Feet from 🕅 North / South Line of Section			
Workover Pit Haul-Off Pit	Pit capacity:		1020_ Feet from X East / West Line of Section			
(If WP Supply API No. or Year Drilled)	300(bbls)		Allen County			
Is the pit located in a Sensitive Ground Water Area? Yes No			Chloride concentration: NA mg/l  (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?  X Yes No Artificial Liner?  Yes X N		No	How is the pit lined if a plastic liner is not used? CLAY			
Pit dimensions (all but working pits):	20 Length (fe	eet)8	Width (feet) N/A: Steel Pits			
Depth from ground level to deepest point:5(feet)						
If the pit is lined give a brief description of the liner material, thickness and installation procedure.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.						
Distance to nearest water well within one-mile	e of pit	Depth to shallowest fresh water feet.  Source of information:  measured well owner electric log KDWR				
feet Depth of water wellfeet			over and Haul-Off Pits ONLY:			
Emergency, Settling and Burn Pits ONLY:		Diffing, workers, and man on the one				
Producing Formation:		Type of material utilized in drilling/workover: FRESH WATER  Number of working pits to be utilized: 1				
Number of producing wells on lease:		Abandonment procedure: AIR DRY				
Barrels of fluid produced daily:  Does the slope from the tank battery allow al flow into the pit? Yes No	spilled fluids to	Drill pits must be closed within 365 days of spud date.				
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.						
10/31/2006			Signature of Applicant or Agent			
Date Signature of Applicant of Agent						
KCC OFFICE USE ONLY  Date Received: パクン   Permit Number: Permit Date: パクン Lease Inspection: 「文字ではいて						

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

NOV 0 2 2006