RECEIVED KANSAS CORPORATION COMMISSION

For KCC Effective		11-8-06
District #		<u> </u>
SGA?	Yes	🔀 No

Kansas Corporation Commission NOV U 3 2006 Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILQONSERVATION DIVISION Must be approved by KCC five (5) days prior to commencing went

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date Novemb	er 9, 2006		Spot	East
	month da	ay year	Appr S/2 . NE/4 Sec. 36 Twp. 10 S. F	R. 23 West
OPERATOR: License# 3293				Line of Section
lama: Russell Oil, Inc.			1340 feet from F E / W	Line of Section
. PO Box 1469			Is SECTIONRegularIrregular?	
city/State/Zip: Plainfield, IL 60544			(Note: Locate well on the Section Plat on rever	se side)
Contact Person, LeRoy Holt II			County Graham	
hone: 815-609-7000			Lease Name: McCall	Well #: 2-36
	. /		Field Name: Echo	
ONTRACTOR: License# 5184			Is this a Prorated / Spaced Field?	Yes 🗸 No
lame: Shields Oil Producers, In	10.		Target Formation(s): Lansing-Kansas City	
W-U D.:: U J. E	Well Class	Tina Equipment:	Nearest Lease or unit boundary: 630'	
Well Drilled For:	Well Class:	Type Equipment:	Ground Surface Elevation: 2256'	feet MSL
Oil Enh Rec	✓ Infield ✓	✓ Mud Rotary ✓	Water well within one-quarter mile:	Yes ✓ No.
Gas Storage	Pool Ext.	Air Rotary	Public water supply well within one mile:	Yes V No
OWWO Disposal	Wildcat	Cable	Depth to bottom of fresh water: 180'	
Seismic;# of Hole	s Other		Depth to bottom of usable water: 1000 700	
Other			Surface Pipe by Alternate:	
OWWO: old well information	as follows:		Length of Surface Pipe Planned to be set: 250'	
Operator:			Length of Conductor Pipe required: none	
•			Projected Total Depth: 4100'	
Original Completion Date:_	Origin	nal Total Depth:	Formation at Total Depth: Arbuckle	
<u></u>		_	Water Source for Drilling Operations:	
Pirectional, Deviated or Horizon		Yes 🗸 No	Well Farm Pond Other	
Yes, true vertical depth:			DWR Permit #:	
Bottom Hole Location:		<u> </u>	(Note: Apply for Permit with DWR	
			(Note: Apply for Permit with DWR) Will Cores be taken?	Yes No
CCC DKT #:	ns that the drilling,	AFI completion and eventual		
The undersigned hereby affirm t is agreed that the following r 1. Notify the appropriate di 2. A copy of the approved 3. The minimum amount o through all unconsolidat 4. If the well is dry hole, a 5. The appropriate district 6. If an ALTERNATE II CO Or pursuant to Appendimust be completed with	ns that the drilling, minimum requirem istrict office prior to found to fou	AFI completion and eventual ents will be met: to spudding of well; drill shall be posted on e specified below shall be a a minimum of 20 feet into reen the operator and the ed before well is either pla uction pipe shall be ceme ansas surface casing orde spud date or the well shall	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pip the underlying formation. district office on plug length and placement is necessary pugged or production casing is cemented in; inted from below any usable water to surface within 120 days at #133,891-C, which applies to the KCC District 3 area, all the plugged. In all cases, NOTIFY district office prior to	Yes No
The undersigned hereby affirm t is agreed that the following r 1. Notify the appropriate di 2. A copy of the approved 3. The minimum amount o through all unconsolidat 4. If the well is dry hole, a 5. The appropriate district 6. If an ALTERNATE II CO Or pursuant to Appendimust be completed with	ns that the drilling, minimum requirem istrict office prior to found to fou	AFI completion and eventual ents will be met: to spudding of well; drill shall be posted on e specified below shall be a a minimum of 20 feet into reen the operator and the ed before well is either pla uction pipe shall be ceme ansas surface casing orde spud date or the well shall	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pip the underlying formation. district office on plug length and placement is necessary pugged or production casing is cemented in; inted from below any usable water to surface within 120 days at #133,891-C, which applies to the KCC District 3 area, all the plugged. In all cases, NOTIFY district office prior to	Yes No
The undersigned hereby affirm t is agreed that the following r 1. Notify the appropriate di 2. A copy of the approved 3. The minimum amount o through all unconsolidat 4. If the well is dry hole, a 5. The appropriate district 6. If an ALTERNATE II CO Or pursuant to Appendimust be completed with thereby certify that the staten	ns that the drilling, minimum requirem istrict office prior to found to fou	completion and eventual lents will be met: to spudding of well; drill shall be posted on e specified below shall be a minimum of 20 feet into reen the operator and the ed before well is either pluction pipe shall be cemeransas surface casing orders spud date or the well shall are true and to the best	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pip the underlying formation. district office on plug length and placement is necessary pugged or production casing is cemented in; inted from below any usable water to surface within 120 days at #133,891-C, which applies to the KCC District 3 area, all the plugged. In all cases, NOTIFY district office prior to	Yes No
The undersigned hereby affirm t is agreed that the following r 1. Notify the appropriate di 2. A copy of the approved 3. The minimum amount o through all unconsolidat 4. If the well is dry hole, a 5. The appropriate district 6. If an ALTERNATE II CO Or pursuant to Appendimust be completed with hereby certify that the staten	ns that the drilling, minimum requirem istrict office prior to notice of intent to f surface pipe as sed materials plus in agreement betwoffice will be notificated by the search of the surface of the s	completion and eventual lents will be met: to spudding of well; drill shall be posted on e specified below shall be a minimum of 20 feet into reen the operator and the ed before well is either pluction pipe shall be cemeransas surface casing orders spud date or the well shall are true and to the best	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface piptthe underlying formation. district office on plug length and placement is necessary pugged or production casing is cemented in; inted from below any usable water to surface within 120 day ar #133,891-C, which applies to the KCC District 3 area, all il be plugged. In all cases, NOTIFY district office prior to of my knowledge and belief. Title: President	Yes No No see shall be set Prior to plugging; ys of spud date. Iternate II cementing.
The undersigned hereby affirm t is agreed that the following r 1. Notify the appropriate di 2. A copy of the approved 3. The minimum amount o through all unconsolidat 4. If the well is dry hole, a 5. The appropriate district 6. If an ALTERNATE II CO Or pursuant to Appendimust be completed with hereby certify that the staten Date: 11/2/2006	ns that the drilling, minimum requirem istrict office <i>prior</i> notice of intent to f surface pipe as sed materials plus in agreement betwoffice will be notificed in 30 days of the senents made herein Signature of Opera	completion and eventual sents will be met: to spudding of well; drill shall be posted on e specified below shall be a minimum of 20 feet into seen the operator and the ed before well is either pluction pipe shall be cemeans surface casing ordespud date or the well shall are true and to the best attor or Agent:	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pip the underlying formation. district office on plug length and placement is necessary pugged or production casing is cemented in; inted from below any usable water to surface within 120 days at #133,891-C, which applies to the KCC District 3 area, all the plugged. In all cases, NOTIFY district office prior to of my knowledge and belief. Hemember to: File Drill Pit Application (form CDP-1) with Intent to Drill	Yes No The shall be set prior to plugging; ys of spud date. ternate II cementing any cementing.
The undersigned hereby affirm t is agreed that the following r 1. Notify the appropriate di 2. A copy of the approved 3. The minimum amount o through all unconsolidat 4. If the well is dry hole, a 5. The appropriate district 6. If an ALTERNATE II CO Or pursuant to Appendicust to Appendicus to Expendicus to Expensive the Expensive E	ns that the drilling, minimum requirem istrict office prior notice of intent to f surface pipe as sed materials plus in agreement betwo office will be notific MPLETION, produx "B" - Eastern Kain 30 days of the senents made herein Signature of Operating 13 245 70	completion and eventual sents will be met: to spudding of well; drill shall be posted on e specified below shall be a minimum of 20 feet into seen the operator and the ed before well is either pluction pipe shall be cemeans surface casing ordespud date or the well shall are true and to the best attor or Agent:	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface piptthe underlying formation. district office on plug length and placement is necessary pugged or production casing is cemented in; inted from below any usable water to surface within 120 day ar #133,891-C, which applies to the KCC District 3 area, all be plugged. In all cases, NOTIFY district office prior to of my knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill - File Completion Form ACO-1 within 120 days of spud	Yes No No The shall be set Prior to plugging; Yes of spud date. Iternate II cementing The any cementing.
The undersigned hereby affirm t is agreed that the following r 1. Notify the appropriate di 2. A copy of the approved 3. The minimum amount o through all unconsolidat 4. If the well is dry hole, a 5. The appropriate district 6. If an ALTERNATE II CO Or pursuant to Appendimust be completed with the reby certify that the staten Date: 11/2/2006	ns that the drilling, minimum requirem istrict office <i>prior</i> notice of intent to f surface pipe as sed materials plus an agreement betwooffice will be notified MPLETION, produx "B" - Eastern Kain 30 days of the senents made herein Signature of Operation 19 and	completion and eventual sents will be met: to spudding of well; drill shall be posted on e specified below shall be a minimum of 20 feet into seen the operator and the ed before well is either pluction pipe shall be cemeans surface casing ordespud date or the well shall are true and to the best attor or Agent:	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipt the underlying formation. district office on plug length and placement is necessary pugged or production casing is cemented in; inted from below any usable water to surface within 120 days of my knowledge and belief. Below In all cases, NOTIFY district office prior to of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill File Completion Form ACO-1 within 120 days of spud File acreage attribution plat according to field proration	Yes No The shall be set Prior to plugging; Yes of spud date. Iternate II cementing The any cementing.
The undersigned hereby affirm t is agreed that the following r 1. Notify the appropriate di 2. A copy of the approved 3. The minimum amount o through all unconsolidat 4. If the well is dry hole, a 5. The appropriate district 6. If an ALTERNATE II CO Or pursuant to Appendimust be completed with hereby certify that the staten Date: 11/2/2006 For KCC Use ONLY API # 15 - 265-2 Conductor pipe required	ns that the drilling, minimum requirem istrict office <i>prior</i> notice of intent to f surface pipe as sed materials plus an agreement betwoffice will be notified MPLETION, produx "B" - Eastern Kain 30 days of the senents made herein Signature of Operation of the senents made herein signature of Op	completion and eventual tents will be met: to spudding of well; drill shall be posted on especified below shall be a minimum of 20 feet into reen the operator and the ed before well is either plaution pipe shall be cemerans surface casing ordespud date or the well shall are true and to the best actor or Agent:	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface piptthe underlying formation. district office on plug length and placement is necessary pugged or production casing is cemented in; inted from below any usable water to surface within 120 day ar #133,891-C, which applies to the KCC District 3 area, all be plugged. In all cases, NOTIFY district office prior to of my knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill - File Completion Form ACO-1 within 120 days of spud	Yes No The shall be set Prior to plugging; Yes of spud date. Iternate II cementing The any cementing. Iternates: The orders; The orders; The orders; The orders;
The undersigned hereby affirm It is agreed that the following r 1. Notify the appropriate di 2. A copy of the approved 3. The minimum amount o through all unconsolidat 4. If the well is dry hole, a 5. The appropriate district 6. If an ALTERNATE II CO Or pursuant to Appendi must be completed with 1 hereby certify that the staten Date: 11/2/2006 For KCC Use ONLY API # 15 - 065-2 Conductor pipe required Minimum surface pipe required	ns that the drilling, minimum requirem istrict office <i>prior</i> notice of intent to f surface pipe as sed materials plus an agreement betwoorfice will be notified MPLETION, produx "B" - Eastern Kain 30 days of the senents made herein Signature of Operation of Operati	completion and eventual tents will be met: to spudding of well; drill shall be posted on especified below shall be a minimum of 20 feet into reen the operator and the ed before well is either plaution pipe shall be cemerans surface casing ordespud date or the well shall are true and to the best actor or Agent:	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pip the underlying formation. district office on plug length and placement is necessary pugged or production casing is cemented in; inted from below any usable water to surface within 120 dayser #133,891-C, which applies to the KCC District 3 area, all the plugged. In all cases, NOTIFY district office prior to of my knowledge and belief. ### File Drill Pit Application (form CDP-1) with Intent to Drill File Completion Form ACO-1 within 120 days of spud File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to worker.	Yes No The shall be set Prior to plugging; Yes of spud date. Iternate II cementing The any cementing. Iterative to the set of
The undersigned hereby affirm it is agreed that the following real. Notify the appropriate dieg. A copy of the approved 3. The minimum amount of through all unconsolidat 4. If the well is dry hole, a 5. The appropriate district 6. If an ALTERNATE II CO Or pursuant to Appendimust be completed with the hereby certify that the statem Date: 11/2/2006 For KCC Use ONLY API # 15 - 265-2 Conductor pipe required Minimum surface pipe required Approved by: 2004-74-3	ns that the drilling, minimum requirem istrict office <i>prior</i> notice of intent to f surface pipe as sed materials plus in agreement betwoffice will be notifice MPLETION, produx "B" - Eastern Kain 30 days of the senents made herein Signature of Operation of the senents made herein Signature of Operation of the senents made herein Signature of Operation of the senents made herein of the senents mad	completion and eventual tents will be met: to spudding of well; drill shall be posted on especified below shall be a minimum of 20 feet into reen the operator and the ed before well is either plaution pipe shall be cemerans surface casing ordespud date or the well shall are true and to the best actor or Agent:	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipthe the underlying formation. district office on plug length and placement is necessary pugged or production casing is cemented in; inted from below any usable water to surface within 120 dayser #133,891-C, which applies to the KCC District 3 area, all the plugged. In all cases, NOTIFY district office prior to of my knowledge and belief. Hemember to: File Drill Pit Application (form CDP-1) with Intent to Drill File Completion Form ACO-1 within 120 days of spud File acreage attribution plat according to field proration Notify appropriate district office 48 hours prior to works Submit plugging report (CP-4) after plugging is completed.	Yes No No The shall be set Prior to plugging; Yes of spud date, Iternate II cementing, The any cementing. Iterative is the content of
The undersigned hereby affirm it is agreed that the following real. Notify the appropriate diec. A copy of the approved 3. The minimum amount of through all unconsolidat 4. If the well is dry hole, a 5. The appropriate district 6. If an ALTERNATE II CO Or pursuant to Appendiquest be completed with a literature of the complete of the	ns that the drilling, minimum requirem istrict office prior intent to f surface pipe as sed materials plus an agreement betwoffice will be notifice will be notificed. The surface will be notificed will be notificed will be notificed will be notificed. The surface will be notificed will	completion and eventual ents will be met: to spudding of well; drill shall be posted on e specified below shall be a a minimum of 20 feet into reen the operator and the ed before well is either pluction pipe shall be cemeransas surface casing orders spud date or the well shall are true and to the best eator or Agent:	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pip the underlying formation. district office on plug length and placement is necessary pugged or production casing is cemented in; inted from below any usable water to surface within 120 days at #133,891-C, which applies to the KCC District 3 area, all the plugged. In all cases, NOTIFY district office prior to of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill - File Completion Form ACO-1 within 120 days of spud - File acreage attribution plat according to field proration - Notify appropriate district office 48 hours prior to works. Submit plugging report (CP-4) after plugging is completed. Obtain written approval before disposing or injecting seconds. If this permit has expired (See: authorized expiration decheck the box below and return to the address below.	Yes No The shall be set Prior to plugging; Yes of spud date. Iternate II cementing The any cementing. Iternate is a content of the shall be set The shall be shall be set The shall be set The shall be set The shall be s
It is agreed that the following r 1. Notify the appropriate di 2. A copy of the approved 3. The minimum amount o through all unconsolidat 4. If the well is dry hole, a 5. The appropriate district 6. If an ALTERNATE II CO Or pursuant to Appendimust be completed with the reby certify that the staten Date: 11/2/2006 For KCC Use ONLY API # 15 - 065-2 Conductor pipe required Minimum surface pipe required Approved by: 244-7-3 This authorization expires:	ns that the drilling, minimum requirem istrict office prior intent to four formation of the surface pipe as sed materials plus in agreement betwoordice will be notifice will be notifice will be notifice will be notifice will be notificed. The surface will be notificed with the surface will be notificed with the surface will be notificed with the surface within the surface	completion and eventual ents will be met: to spudding of well; drill shall be posted on e specified below shall be a a minimum of 20 feet into reen the operator and the ed before well is either pluction pipe shall be cemeransas surface casing orders spud date or the well shall are true and to the best eator or Agent:	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipt the underlying formation. district office on plug length and placement is necessary pugged or production casing is cemented in; inted from below any usable water to surface within 120 dayser #133,891-C, which applies to the KCC District 3 area, all be plugged. In all cases, NOTIFY district office prior to of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill File Completion Form ACO-1 within 120 days of spud File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to worked. Submit plugging report (CP-4) after plugging is completed. Obtain written approval before disposing or injecting submit the permit has expired (See: authorized expiration disposition).	Yes No The shall be set Prior to plugging; It is any cementing. It is any cementing. It is any cementing. It is any cementing.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

NOV U 3 2006

Plat of acreage attributable to a well in a prorated or spaced field

CONSERVATION DIVISION WICHITA, KS

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 065-23245-0000	Location of Well: County: Graham	
Operator: Russell Oil, Inc.	2010 feet from VN / S Line of Sec	ction
Lease: McCall	2010	ction
Well Number: 2-36	Sec. 36 Twp. 10 S. R. 23 East 🗸	✓ West
Field: Echo	Is Section: Regular or □ Irregular	
Number of Acres attributable to well:	to occurr. The galaxies and in logaria.	
QTR / QTR / QTR of acreage:	If Section is Irregular, locate well from nearest corner bounds Section comer used: NE NW SE SW	ary.

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	,,,,,, ,,,	'////////////////////////////////////	,,,,,,,,,	4 - 4 - 4 - 4 - 4 - 4	, , , , , , , , , , , , , , , , , , , 	*****	******
Ē					. :		
È					. .		
F · · ·					.		
ŧ	•				,		
Ē	•	,			Ò		
					· N		
E					: } :		
Ē					. .	•	
Ę					. n	1340	·
Ē.					680	1370	
ļ-	•		3.				
111111111							
i					•	•	, , , , , , , , , , , , , , , , , , ,
i					•	•	, , , , , , , , , , , , , , , , , , ,
i					 	•	
	•	•	·		•		• • • • • • • • • • • • • • • • • • •
		•	·		•		* * * * * * * * * * * * * * * * * * *
	•	•	·				· · · · · · · · · · · · · · · · · · ·
	•	· · · · · · · · · · · · · · · · · · ·					
		· · · · · · · · · · · · · · · · · · ·					



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

RECEIVED KANSAS CORPORATION COMMISSION

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

NOV U 3 2006

Form CDP-1
April 2004
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

CONSERVATION DIVISION WICHITA, KS

Operator Name: Russell Oil, Inc. License Number: 3293 Operator Address: PO Box 1469, Plainfield, IL 60544 Contact Person: LeRoy Holt II Phone Number: (815) 609 - 7000 Lease Name & Well No.: McCall #2-36 Pit Location (QQQQ): _ S€ ._SW ._NE Type of Pit: Pit is: Sec. 36 Twp. 10 R. 23 East 🗸 West ✓ Proposed Existing Emergency Pit Burn Pit Settling Pit ✓ Drilling Pit If Existing, date constructed: 2010 _ Feet from 🗸 North / 🗌 South Line of Section Workover Pit Haul-Off Pit 1340 Pit capacity; . Feet from 📝 East / 🦳 West_Line of Section (If WP Supply API No. or Year Drilled) Graham 4500 (bbls) County Is the pit located in a Sensitive Ground Water Area? Yes **V** No Chloride concentration: ma/l (For Emergency Pits and Settling Pits only) is the bottom below ground level? Artificial Liner? How is the pit lined if a plastic liner is not used? ☐ Yes 🗸 No ✓ Yes No earthen clav 80 Pit dimensions (all but working pits): Length (feet) Width (feet) __ N/A: Steel Pits Depth from ground level to deepest point: 4 If the pit is lined give a brief description of the liner Describe procedures for periodic maintenance and determining material, thickness and installation procedure. liner integrity, including any special monitoring. Depth to shallowest fresh water unknown Distance to nearest water well within one-mile of pit Source of information: ~unknown feet Depth of water well_ measured __ well owner ____ electric log _ **KDWR** Emergency, Settling and Burn Pits ONLY: Drilling, Workover and Haul-Off Pits ONLY: Type of material utilized in drilling/workover: chemical drilling mud Producing Formation: _ Number of working pits to be utilized: 3 Number of producing wells on lease: ____ Abandonment procedure: Allow fluid to evaporate, refill w/ excavated dirt Barrels of fluid produced daily: _ Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. I hereby certify that the above statements are true and correct to the best of my knowledge and belief. 11-2-2006 Date KCC OFFICE USE ONLY Date Received: