For KCC Use:		11.000	
Effective	Date: _	11806	
District #		1	
SGA?	Yes	🔀 No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

OPERATOR: Licensey 3959 Name: Great Personage is extreted by Name: Great Personage is extreme in the Name: Personage is extreme is extreted by Name: Great Personage is extreme is extreted by Name:	Expected Spud Date November 11, 2006	Spot East			
Seas Pasies Energy, Inc. More P. De 202	month day year				
Name. Great Please Energy, inc. #NE-60th. SECTION Regular r	OPERATOR: License# 33629				
Address: 420 N. Linden P. Disc 292 Is SECTION Y Regular Irregular? Mote: Locate well on the Saction Plat on reverse eiche) Control Pennon: Dan Blainstean Control Dan Blainstean Control Pennon: Dan Blainstean Control Dan Blainstean	Name. Great Plains Energy, Inc. a NE Corp.	leet from V E / W Line of Section			
County Scott	Address: 429 N Linden PO Box 292	Is SECTION _✓ _RegularIrregular?			
Pinname, "Water Dislayed For. West Class: Type Equipment	City/State/Zip: Wahoo, NE 68066	(Note: Locate well on the Section Plat on reverse side)			
Field Name: Widder	Contact Person; Dan Blankenau	County: Scott			
Second Contract	Phone: 402-277-5336	Lease Name: Zanobia Well #: 2			
Name Murin Drilling Corregary Inc.	30606				
Well Drilled For Well Class: Type Equipment Surface Proceedings Type Equipment Surface Blevation; 2077 Sur	Alama, Murfin Drilling Company, Inc.				
Well Drilled For: Wall Class: Type Equipment: Type Equipme	Natio.	Target Formation(s): CROMOTOW			
Water well within one-quarter mile: Yes No No No No No No No N	Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary:			
Gas Storage Pool Ext. Air Rotary Owner Gable Owner Gable Owner Own	✓ Oil ✓ Enh Rec Infield ✓ Mud Rotary				
Depth to bottom of fresh water: 250 Depth to bottom of usable water: 1505 Surface Pipe by Alternate: 1 1 2 2 Length of Surface Pipe by Alternate: 1 1 2 2 Length of Surface Pipe by Alternate: 1 1 2 2 Length of Surface Pipe by Alternate: 1 1 2 2 Length of Surface Pipe by Alternate: 1 1 2 2 Length of Surface Pipe by Alternate: 1 1 2 2 Length of Surface Pipe by Alternate: 1 1 2 2 Length of Surface Pipe by Alternate: 1 1 2 2 Length of Surface Pipe a Planned to be set: 200 Means and the Pipe Pipe Pipe Pipe Pipe Pipe Pipe Pip	Gas Storage ✓ Pool Ext. Air Rotary				
Seismic;if of HolesOther	OWWO Disposal Wildcat Cable				
If OWWO; old well information as follows: Operator:	Seismic;# of Holes Other				
If OWWO: old well information as follows: Operator: Very reproduction of Design of Conductor Pipe required: Very reproduct of Ind Depth: Conginal Completion Date: Original Control Date: Original Completion Date: Original Control Date: Original Completion Date: Original	Other	Confere Bine by Attempted 7 4 7 0			
Operator: Well Name: Original Completion Date: Original Completion Dat	If OWNO, and wall information as fallows:				
Well Name: Original Completion Date: Original Total Depth: Original Completion Date:		Langth of Conductor Dino required. None			
Original Completion Date: Original Total Depth: Meassespeian Water Source for Drilling Operations: Water Source for Drilling Operations:	•	Grand Tard Bank, 4760'			
Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Prilling Operations: Water Source for Drilling Operations: Water Source for Prilling Operations: Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Prilling Operations: Water Source for Drilling Operations: Water Source for Drilling Fam Prop On Diter		Miseissippian			
If Yes, true vertical depth:		Water Source for Drilling Operations:			
Note: Apply for Permit with DWB Yes No	Directional, Deviated or Horizontal wellbore?	Tamilond Carol			
Will Cores be taken? Yes No If Yes, proposed zone: Yes No If Yes, proposed zone: Yes, proposed zone: Yes, pr	•	— DWR Permit #:			
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be exemented from below any useb water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: October 31, 2006 Signature of Operator or Agent: For KCC Use ONLY API #15 - 171 - 206444-0000 feet Minimum surface pipe required					
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well: 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating coment to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Sastern Kansas surface asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: October 31, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - / 7) - 20649-0000 Approved by: Best III-3-06 Minimum surface pipe required 140 This authorization expires: 5-3-07 This authorization expires: 5-3-07 This authorization void it drilling not standa within 6 months of approval date.) Spud date: Agent: Date: December 10 plugging is completed: Well Not Drilled - Permit Expired Signature of Operator or Agent: Date: December 10 plugging the poot of the address below.	KCC DKT #:	Will Cores be taken?			
3. The minimum amount of surface pipe as specified below shell be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: October 31, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - / 7/ - 20644-0000 feet Minimum surface pipe required	It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;				
For KCC Use ONLY API # 15	3. The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is eithe 6. If an ALTERNATE II COMPLETION, production pipe shall be deserous or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the well. I hereby certify that the statements made herein are true and to the best of the spud date.	be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. the district office on plug length and placement is necessary prior to pluggling; or plugged or production casing is cemented in; emented from below any usable water to surface within 120 days of spud date, order #133,891-C, which applies to the KCC District 3 area, alternate II cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing, seest of my knowledge and belief.			
API # 15		Remember to:			
Conductor pipe required	For KCC Use ONLY				
Conductor pipe required 700k feet Minimum surface pipe required 240 feet per Alt. 2 Approved by: Part //-3-00 This authorization expires: 5-3-07 (This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent:					
Minimum surface pipe required 3.70 feet per Alt. (2) Approved by: Part / / 3-06 This authorization expires: 5-3-07 (This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent:	Conductor pipe required None feet	, ,			
Approved by: Part //-3-06 This authorization expires: 5-3-07 (This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent:	Minimum surface pipe required 240 feet per Alt.	· \1			
This authorization expires: 5-3-07 (This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent:	Approved by Part 11-3-06	Obtain written approval before disposing or injecting salt water.			
(This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent: Date:		- If this permit has expired (See: authorized expiration date) please			
Spud date: Agent: Signature of Operator or Agent: Date:	Time dotter tageton expirod.	9.)			
Date: DECENTED &	Spud date: Agent				
Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202 KECEIVED S	Open date.	<u> </u>			
	Mail to: KCC - Conservation Division.	130 S. Market - Room 2078, Wichita, Kansas 67202 RECEIVED			

KCC WICHITA

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15- 171-20644-0000	Location of Well: County: Scott
Operator: Great Plains Energy, Inc. a NE Corp.	
Lease: Zanobia	feet from ✓ E / W Line of Section
Well Number: ² Field: Wildcat	Sec. 5 Twp. 17 S. R. 32 East ✓ Wes
Number of Acres attributable to well:	Is Section: 🗸 Regular or 📋 Irregular
QTR / QTR / QTR of acreage:SW NE	ii dection is integrial, locate well from heartest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

l		
		EXAMPLE
•		1980
		102c)
		\(\frac{10}{10}\)
,	· · · · · · · · · · · · · · · ·	3390
•		·
•	•	
		SEWARD CO.
		1 •

1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections,

2. The distance of the proposed drilling location from the section's south / north and east / west.

NOTE: In all cases locate the spot of the proposed drilling location.

3. The distance to the nearest lease or unit boundary line.

4 sections, etc.

in plotting the proposed location of the well, you must show:

 If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells ECEIVED CG-8 for gas wells). NOV @ 2 How

KCC WICHIT

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Great Plains Energy, Inc. a NE Corp.			License Number: 33629		
Operator Address: 429 N Linden, PO Box 292, Wahoo, NE 68066					
Contact Person: Dan Blankenau			Phone Number: (402) 277 - 5336		
Lease Name & Well No.: Zanobia #2			Pit Location (QQQQ):		
Type of Pit:	Pit is:		SW SW NE SE		
Emergency Pit Burn Pit	Proposed Existing		Sec. 5 Twp. 17 R. 32 East 🗸 West		
Settling Pit 📝 Drilling Pit	g Pit If Existing, date constructed:		Feet from North / ✓ South Line of Section		
☐ Workover Pit ☐ Haul-Off Pit	Pit capacity:		Feet from ✓ East / West Line of Section		
(If WP Supply API No. or Year Drilled)	600	(bbis)	Scott		
Is the pit located in a Sensitive Ground Water	Area? Yes ✓] No	Chloride concentration:mg/l		
is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?		
Yes No	Yes 🗸	No	Bentonite & Drilling Solids for Self Seal		
Pit dimensions (all but working pits):	SO Length (fe	et) 60	Width (feet)N/A: Steel Pits		
	om ground level to de		(feet)		
material, thickness and installation procedure. liner integrity, including any special monitoring.					
Distance to nearest water well within one-mile	e of pit	Depth to shallo Source of infor	west fresh water <u>/3(</u> feet. mation: ドイドルン 方		
feet Depth of water well _	220 feet		ured well owner electric log KDWR		
Emergency, Settling and Surn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:		
Producing Formation:		Type of materia	Type of material utilized in drilling/workover: Bentonite		
Number of producing wells on lease:			king pits to be utilized: 4		
Barrels of fluid produced daily:		Abandonment	procedure: Allow to evaporate then cover for farming		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
October 31, 2006 Date October 31, 2006 Signature of Applicant or Agent					
KCC OFFICE USE ONLY					
Date Received: パノス/ひら Permit Number: Permit Date: パノス/ひら Lease Inspection: Yes て No					

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

RECEIVED

NOV 6 2 2006

KCC WICHITA