For KCC Use:		11-11-40	
Effective	Date: _	11-11-do	_
District #		3	
SGA?	Yes	X No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date December 1 2006	Spot	✓ East
month day year	NE E/2 SW NE Sec. 36 Twp. 33 S. I	
OPERATOR: License# 5970	1980 feet from V N / S	Line of Section
Name: John Elmore	1570 feet from	Line of Section
Address: 776 HWY 99	Is SECTION ✓ Regular Irregular?	
City/State/Zip: Sedan, KS 67361		aa alda)
Contact Person: John Elmore	(Note: Locate well on the Section Plat on rever County: Chautauqua	se siae)
Phone: 620-249-2519	Caudh Danah	Nell #: 204
	Field Name: Peru	ven #:
CONTRACTOR: License# 32884	Is this a Prorated / Spaced Field?	Yes ✓ No
lame: Elmore's Inc.	Target Formation(s): Peru	L. j tes [✔] NO
•	Nearest Lease or unit boundary: 2230	
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 920	f 1101
Oil Oil Enh Rec Infield Mud Rotary		feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:	Yes ✓ No
OWWO Disposal Wildcat Cable	Public water supply well within one mile:	Yes ✓ No
Seismic;# of Holes Other	Depth to bottom of fresh water:	
Other	Depth to bottom of usable water-	
	Surface Pipe by Alternate: 1 2	
OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40'	
Operator:	Length of Conductor Pipe required: N/A	
Well Name:	Projected Total Depth: 1200'	
Original Completion Date:Original Total Depth:	Formation at Total Depth: Peru	
Nine of the set of the	/ Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well ✓ Farm Pond Other	
f Yes, true vertical depth:	DWR Permit #:	
	DVAN Feithit #.	
	(Note: Apply for Permit with DWR	
		Yes ✓ No
KCC DKT #:	(Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone:	C 3 C 3
AFI The undersigned hereby affirms that the drilling, completion and eventual	(Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone:	<u> </u>
AFI The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met:	(Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone:	<u> </u>
AFI The undersigned hereby affirms that the drilling, completion and eventual	(Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pip the underlying formation. district office on plug length and placement is necessary p ugged or production casing is cemented in; inted from below any usable water to surface within 120 day or #133,891-C, which applies to the KCC District 3 area, alt	e shall be set rior to plugging; s of spud date. ernate II cementing
AFI The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e: 3. The minimum amount of surface pipe as specified below <i>shall be</i> at through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pip the underlying formation. district office on plug length and placement is necessary pugged or production casing is cemented in; nted from below any usable water to surface within 120 day or #133,891-C, which applies to the KCC District 3 area, alt be plugged. In all cases, NOTIFY district office prior to	e shall be set rior to plugging; s of spud date. ernate II cementing
AFI The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e: 3. The minimum amount of surface pipe as specified below <i>shall be</i> at through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pip the underlying formation. district office on plug length and placement is necessary pugged or production casing is cemented in; inted from below any usable water to surface within 120 day or #133,891-C, which applies to the KCC District 3 area, alt is be plugged. In all cases, NOTIFY district office prior to of my knowledge and belief.	e shall be set rior to plugging; s of spud date. ernate II cementing
AFI The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e. 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pip the underlying formation. district office on plug length and placement is necessary pugged or production casing is cemented in; inted from below any usable water to surface within 120 day or #133,891-C, which applies to the KCC District 3 area, alt is be plugged. In all cases, NOTIFY district office prior to of my knowledge and belief.	e shall be set rior to plugging; s of spud date. ernate il cementing any cementing.
AFI The undersigned hereby affirms that the drilling, completion and eventual to the sagreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on etc. 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best poate:	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pip the underlying formation. district office on plug length and placement is necessary pugged or production casing is cemented in; inted from below any usable water to surface within 120 day or #133,891-C, which applies to the KCC District 3 area, alt is be plugged. In all cases, NOTIFY district office prior to of my knowledge and belief. Title:	e shall be set rior to plugging; s of spud date. ernate II cementing any cementing.
AFI The undersigned hereby affirms that the drilling, completion and eventual to the sagreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on etc. 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best poate:	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pip the underlying formation. district office on plug length and placement is necessary pugged or production casing is cemented in; inted from below any usable water to surface within 120 day or #133,891-C, which applies to the KCC District 3 area, alt be plugged. In all cases, NOTIFY district office prior to of my knowledge and belief. Remember to:	e shall be set rior to plugging; s of spud date. ernate II cementing any cementing.
AFI The undersigned hereby affirms that the drilling, completion and eventual tis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best plate:	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pip the underlying formation. district office on plug length and placement is necessary pugged or production casing is cemented in; inted from below any usable water to surface within 120 day or #133,891-C, which applies to the KCC District 3 area, alt be plugged. In all cases, NOTIFY district office prior to of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;	e shall be set rior to plugging; s of spud date. ernate Il cementing any cementing.
AFI The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e: 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the form the form the following strict office will be notified before well is either plue. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best poate:	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pip the underlying formation. district office on plug length and placement is necessary pugged or production casing is cemented in; need from below any usable water to surface within 120 days of #133,891-C, which applies to the KCC District 3 area, alto be plugged. In all cases, NOTIFY district office prior to of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud of File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to worko	e shall be set rior to plugging; s of spud date. ernate il cementing any cementing.
AFI The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e. 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best plate:	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pip the underlying formation. district office on plug length and placement is necessary paged or production casing is cemented in; need from below any usable water to surface within 120 days of #133,891-C, which applies to the KCC District 3 area, alt is be plugged. In all cases, NOTIFY district office prior to of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud of File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to workor. Submit plugging report (CP-4) after plugging is comple	e shall be set rior to plugging; s of spud date. ernate II cementing any cementing. late; orders; ver or re-entry; led;
AFI The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plue 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best poate:	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pip the underlying formation. district office on plug length and placement is necessary pugged or production casing is cemented in; need from below any usable water to surface within 120 days of #133,891-C, which applies to the KCC District 3 area, alto be plugged. In all cases, NOTIFY district office prior to of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud of File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to worko	e shall be set rior to plugging; s of spud date. ernate II cementing any cementing. late; orders; ver or re-entry; led; ilt water.
AFI The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plue. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: 1/-/-/-//-/	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pip the underlying formation. district office on plug length and placement is necessary pugged or production casing is cemented in; inted from below any usable water to surface within 120 day or #133,891-C, which applies to the KCC District 3 area, alt be plugged. In all cases, NOTIFY district office prior to of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud of the completion form	e shall be set rior to plugging; s of spud date. ernate II cementing any cementing. late; orders; ver or re-entry; led; ilt water.
AFI The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e. 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date:	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pip the underlying formation. district office on plug length and placement is necessary pugged or production casing is cemented in; nted from below any usable water to surface within 120 day or #133,891-C, which applies to the KCC District 3 area, alt be plugged. In all cases, NOTIFY district office prior to of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud of the completion for	e shall be set rior to plugging; s of spud date. ernate il cementing any cementing. late; orders; ver or re-entry; led; ilt water.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e. 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date:/	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pip the underlying formation. district office on plug length and placement is necessary pugged or production casing is cemented in; inted from below any usable water to surface within 120 day or #133,891-C, which applies to the KCC District 3 area, alt be plugged. In all cases, NOTIFY district office prior to of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud of the completion form	e shall be set rior to plugging; s of spud date. ernate il cementing any cementing. late; orders; ver or re-entry; led; ilt water.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 019 - 26 777 - 0000	Location of Well: County: Chautauqua
Operator: John Elmore	1980 feet from ✓ N / S Line of Section
Lease: South Ranch	feet from 🗸 E / W Line of Section
Well Number: 204	Sec. 36 Twp. 33 S. R. 11 Ves
Field: Peru	· Verming
Number of Acres attributable to well: 1	Is Section: 📝 Regular or 🔲 Irregular
QTR / QTR / QTR of acreage: NE - SW - NE	If Section is irregular, locate well from nearest corner boundary.
	Section corner used: ✓NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

RECEIVED

NOV 0 3 2006

KCC WICHITA

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: John Elmore		Operator Name: Talan Elmann				
	0-1	License Number: 5970				
Operator Address: 776 HWY 99 Sedan, KS 67361						
Contact Person: John Elmore		Phone Number: (620) 249 - 2519				
Lease Name & Well No.: Ranch 204	1	Pit Location (QQQQ):				
Type of Pit: Pit is:			SW NE SW NE			
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 36 _{Twp.} 33 _{R.} 11			
Settling Pit	If Existing, date constructed:		1980 Feet from 🗸 North / South Line of Section			
Workover Pit Haul-Off Pit	Pit canacity:		1570 Feet from 🗸 East / West Line of Section			
(If WP Supply API No. or Year Drilled)			Chautauqua County			
Is the pit located in a Sensitive Ground Water			Chloride concentration: mg/l			
is the pit located in a defisitive Ground Water	Alea: 163 ¥	_ 140	(For Emergency Pits and Settling Pits only)			
Is the bottom below ground level? Ves No	Artificial Liner?	Nie	How is the pit lined if a plastic liner is not used?			
	Yes ✓		Clay Packed			
Pit dimensions (all but working pits):7						
Depth fr	om ground level to de	eepest point:	5 (feet)			
If the pit is lined give a brief description of the liner Describe procedures for periodic maintenance and determining						
material, thickness and installation procedure	•	inter integrity, in	ncluding any special monitoring.			
			40			
Distance to nearest water well within one-mile	e of pit	Depth to shallowest fresh water40feet. Source of information:				
1600feet Depth of water well	40feet	measured well owner electric log KDWR				
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:				
Producing Formation:		Type of material utilized in drilling/workover: Fresh water				
Number of producing wells on lease:		1	king pits to be utilized: 2			
Barrels of fluid produced daily:		Abandonment	procedure: Vaccum Truck to empty pit. Close with backhoe.			
Does the slope from the tank battery allow all	spilled fluids to					
flow into the pit? Yes No		Drill pits must t	Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above state	I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
		1				
11-1-06		Chnock				
Date Signature of Applicant or Agent						
KCC OFFICE USE ONLY						
Date Received: 11/3/06 Permit Number: Permit Date: 11/3/06 Lease Inspection: Yes X No						
Date Received: "/3/05 Permit Num	per:	Permi	t Date: 11/3 (Ob Lease Inspection: Yes X No			

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichlta, Kansas 67202

RECEIVED
NOV 0 3 2006
KCC WICHITA