For KCC Use: 11-12-00
Effective Date: 3

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

## NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

pected Spud Date November 15th 2006	Spot Eas
month day year	NE SE NE Sec. 33 Twp. 23 S. R. 17 Wes
30102	3694 feet from N / S Line of Section
RATOR: License# 30102	590feet from  F / W Line of Section
e: C&S Oil	Is SECTION Regular Irregular?
ess: P.O. Box 41 State/Zip: Neosho Falls, Ks 66758	(Note: Locate well on the Section Plat on reverse side)
State/Zip: Nebert Chriestenson	County: Woodson
tact Person: Robert Criticalerson	Lease Name: Chriestenson Well #: 14
ne: 620-365-0919	Field Name: Neosho Falls-Leroy
ITRACTOR: License# 33374	Is this a Prorated / Spaced Field?
ne: L & S Service, LLC	Target Formation(s): Mississippi
IG.	Nearest Lease or unit boundary: 266'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 960' feet MS
✓ Oil ✓ Enh Rec ✓ Infield ✓ Mud Rotary	
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:  Public water supply well within one mile:  Yes ✓ ↑  Yes ✓ ↑
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100+
Seismic; # of Holes Other	Depth to bottom of usable water: 200+
Other	n ( n) ( 1 Manually
	Length of Surface Pipe Planned to be set: 40'
WWO: old well information as follows:	Length of Conductor Pipe required: none
Operator:	Projected Total Depth: 1250'
Well Name:	Formation at Total Depth: Mississippi
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:
ectional, Deviated or Horizontal wellbore?	Well ✓ Farm Pond Other
es, true vertical depth:	DWR Permit #:
ttom Hole Location:	(Note: Apply for Permit with DWR )
CC DKT #:	Will Cores be taken? Yes ✓
ODKI #-	If Yes, proposed zone:
	FIDAVIT
e undersigned hereby affirms that the drilling, completion and eventual p	
e undersigned hereby affirms that the drilling, completion and eventual ps agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;	plugging of this well will comply with K.S.A. 55 et. seq.
e undersigned hereby affirms that the drilling, completion and eventual ps agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on east through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the  5. The appropriate district office will be notified before well is either plue  6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall	plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging ugged or production casing is cemented in;  nted from below any usable water to surface within 120 days of spud date.  If #133,891-C, which applies to the KCC District 3 area, alternate if cementing to the plugged. In all cases, NOTIFY district office prior to any cementing.
<ol> <li>undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on e.</li> <li>The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into</li> <li>If the well is dry hole, an agreement between the operator and the</li> <li>The appropriate district office will be notified before well is either plu</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde</li> </ol>	plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging ugged or production casing is cemented in;  nted from below any usable water to surface within 120 days of spud date.  If #133,891-C, which applies to the KCC District 3 area, alternate if cementing to the plugged. In all cases, NOTIFY district office prior to any cementing.
e undersigned hereby affirms that the drilling, completion and eventual ps agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on east through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the  5. The appropriate district office will be notified before well is either plus  6. If an ALTERNATE II COMPLETION, production pipe shall be cemer  Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall be ereby certify that the statements made herein are true and to the best	plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging alged or production casing is cemented in;  inted from below any usable water to surface within 120 days of spud date.  In #133,891-C, which applies to the KCC District 3 area, alternate if cementing to the plugged. In all cases, NOTIFY district office prior to any cementing.  of my knowledge and belief.
e undersigned hereby affirms that the drilling, completion and eventual paragreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall be the statements made herein are true and to the best	ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging ugged or production casing is cemented in; nted from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate if cementi be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief.  Title: OWNER
is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on et.  3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall be exercised.  Signature of Operator or Agent: **Rule 11/2/2006**  Signature	ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging ugged or production casing is cemented in; nted from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate if cementi be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief.  Title: owner
se undersigned hereby affirms that the drilling, completion and eventual paragreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the shall be approved notice of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be rereby certify that the statements made herein are true and to the best sate:  11/2/2006 Signature of Operator or Agent:	ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging ugged or production casing is cemented in; nted from below any usable water to surface within 120 days of spud date. In #133,891-C, which applies to the KCC District 3 area, alternate if cementi be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief.  Title: owner  Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
s agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on etc.  3. The minimum amount of surface pipe as specified below <i>shall be</i> at through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be rereby certify that the statements made herein are true and to the best sate:  11/2/2006 Signature of Operator or Agent: Report Completed within 30 days of the spud date of the well shall be stated by the spud date of the well shall be stated by the spud date of the well shall be stated by the spud date of the well shall be stated by the spud date of the well shall be stated by the spud date of the well shall be stated by the spud date of the well shall be stated by the spud date of the well shall be stated by the spud date of the well shall be stated by the spud date of the well shall be stated by the spud date of the well shall be stated by the spud date of the well shall be stated by the spud date of the well shall be stated by the spud date of the well shall be stated by the spud date of the well shall be stated by the spud date of the well shall be stated by the spud date of the well shall be stated by the spud date of the spud date	ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging ugged or production casing is cemented in; nted from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate if cementi be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief.  Title: owner
s agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on etc.  3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall be rereby certify that the statements made herein are true and to the best are: 11/2/2006  Signature of Operator or Agent:	ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging length or production casing is cemented in;  inted from below any usable water to surface within 120 days of spud date.  If #133,891-C, which applies to the KCC District 3 area, alternate if cementi is be plugged. In all cases, NOTIFY district office prior to any cementing.  If the prior to any cementing of my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;
s agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on et al.  3. The minimum amount of surface pipe as specified below <i>shall be</i> at through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best rate: 11/2/2006  Signature of Operator or Agent: Rull 11/2/2006  For KCC Use ONLY  API # 15 - 207-270-0000	ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging lagged or production casing is cemented in;  inted from below any usable water to surface within 120 days of spud date.  If #133,891-C, which applies to the KCC District 3 area, alternate if cementing to be plugged. In all cases, NOTIFY district office prior to any cementing.  If the plugged and belief.  **Remember to:**  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;
s agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on et al.  3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall be reby certify that the statements made herein are true and to the best ate: 11/2/2006 Signature of Operator or Agent: Rull 11/2/	ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging length or production casing is cemented in;  inted from below any usable water to surface within 120 days of spud date.  If #133,891-C, which applies to the KCC District 3 area, alternate if cementi is be plugged. In all cases, NOTIFY district office prior to any cementing.  If the prior to any cementing of my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;
the undersigned hereby affirms that the drilling, completion and eventual process agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on etc.  3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best ate: 11/2/2006  Signature of Operator or Agent:	ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging ugged or production casing is cemented in;  Inted from below any usable water to surface within 120 days of spud date.  In #133,891-C, which applies to the KCC District 3 area, alternate if cementing to be plugged. In all cases, NOTIFY district office prior to any cementing.  In the plugged in all cases, NOTIFY district office prior to any cementing.  Title: OWNER  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
s agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on etc.  3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be rereby certify that the statements made herein are true and to the best sate: 11/2/2006  Signature of Operator or Agent: Rull 11/2/2006  For KCC Use ONLY  API # 15 - 207-27076-0000  Conductor pipe required None feet  Minimum surface pipe required teet per Alt. X 2  Approved by: Put 11-709  This authorization expires: 5-7-07	ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging ugged or production casing is cemented in; nted from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate if cementi I be plugged. In all cases, NOTIFY district office prior to any cementing. If the plugged and belief.  Title: Owner  Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
e undersigned hereby affirms that the drilling, completion and eventual progression of the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on etc.  3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall ereby certify that the statements made herein are true and to the best site: 11/2/2006  Signature of Operator or Agent:	ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging ugged or production casing is cemented in;  Inted from below any usable water to surface within 120 days of spud date.  In #133,891-C, which applies to the KCC District 3 area, alternate if cementing to be plugged. In all cases, NOTIFY district office prior to any cementing.  In the plugged in all cases, NOTIFY district office prior to any cementing.  Title: OWNER  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.

NOV DE 2018

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 207 - 27076-000	Location of Well: County: Woodson
Operator: C & S Oil	
Lease: Chriestenson	3694 feet from N / ✓ S Line of Section 590 feet from ✓ E / W Line of Section
Well Number: 14 Field: Neosho Falls-Leroy	Sec. 33 Twp. 23 S. R. 17
Number of Acres attributable to well:  QTR / QTR / QTR of acreage: NE _ SE _ NE	Is Section: Regular or Irregular  If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections,
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.

NOV for oil wells;

4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: CG-8 for gas wells).

RECEIVED

## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

	<del></del>	<del></del>		
Operator Name: C & S Oil		License Number: 30102		
Operator Address: P.O. Box 41,	Neosho Fa	ills, KS 66	6758	
Contact Person: Robert Chriestenson		Phone Number: ( 620 ) 365 - 0919		
Lease Name & Well No.: Chriestenson #14		Pit Location (QQQQ):		
Type of Pit:	Pit is:		NE SE NE	
Emergency Pit Burn Pit	Proposed Existing		Sec. 33 Twp. 23 R. 17	
Settling Pit	If Existing, date constructed:		3694 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		590 Feet from ✓ East / West Line of Section	
(If WP Supply API No. or Year Drilled)	200	(bbis)	Woodson	
is the pit located in a Sensitive Ground Water			Chloride concentration:mg/l	
			(For Emergency Pits and Settling Pits only)	
is the bottom below ground level?  Yes No	Artificial Liner?  Yes   ✓	No	How is the pit lined if a plastic liner is not used?	
Tiduve clay				
Pit dimensions (all but working pits): 30 Length (feet) 8 Width (feet) N/A: Steel Pits				
Depth from ground level to deepest point: 5 (feet)  If the pit is lined give a brief description of the liner  Describe procedures for periodic maintenance and determining				
Distance to nearest water well within one-mile of pit Depth to shallo Source of Infor		west fresh waterfeet. mation:		
N/A feet Depth of water well feet		measu	redwell ownerelectric logKDWR	
			over and Haul-Off Pits ONLY:	
Producing Formation: Type of materi		al utilized in drilling/workover: fresh water		
i		king pits to be utilized: 1		
Barrels of fluid produced daily: Abandonment pro		procedure: Evaporation and backfill		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits mus		Drill pits must	be closed within 365 days of spud date.	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
11/02/2006 Date	Red	Christ	ignature of Applicant or Agent	
KCC OFFICE USE ONLY				
Date Received: 11 6 0 Permit Nurr	iber:	Perm	it Date: U 6 0 - Lease Inspection: Yes V No	

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202 RECEIVED

NOV 0 6 2005