For KCC Use:		11-12 -10
Effective	Date: _	11-12-06
District #		
SGA2	V Vac	□ No

Kansas Corporation Commission Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed

•	e (5) days prior to commencing well
Expected Spud Date NOVEMBER 30 2006	Spot East
month day year	SW NE - SE Sec. 7 Twp. 25 S. R. 11
6039	1430 teet from N / VS Line of Section
OPERATOR: License# 6039 V	700 feet from \checkmark E / W Line of Section
7 SW 26 AVE	Is SECTION Regular Irregular?
CDEAT REND KS 67630	
Jity/State/Zip.	(Note: Locate well on the Section Plat on reverse side)
Contact Person: L. D. DAVIS Phone: 620-793-3051	County: STAFFORD
	Lease Name: ZELMA Well #: 1-7
CONTRACTOR: License# MUST BE LICENSED BY KCL	Field Name:
Name: UNKNOWN WILL BE ON ACO 1	Is this a Prorated / Spaced Field? Yes V No Target Formation(s): MISSISSIPPI
	Nearest Lease or unit boundary: 700'
Well Drilled For: Well Class: Type Equipment:	
Oil Enh Rec / Infield Mud Rotary	
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
OWWO Disposal Wildcat Cable	Public water supply well within one mile: Yes V No
Seismic;# of Holes Other	167
Other	Depth to bottom of usable water:
	Surface Pipe by Alternate:
f OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 300°
Operator:	Length of Conductor Pipe required: NONE Projected Total Depth: 4200'
Well Name:	Formation at Total Depth: MISSISSIPPI
Original Completion Date:Original Total Depth:	romation at lotal beptit.
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations: Well Farm Pond Other Hau1
f Yes, true vertical depth:	Well Farm Pond Other Hau L DWR Permit #:
Bottom Hole Location:	
KCC DKT #:	(Note: Apply for Permit with DWR)
	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
AFF	FIDAVIT
The undersigned hereby affirms that the drilling, completion and eventual p	olugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the following minimum requirements will be met:	
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 	
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ea The minimum amount of surface pipe as specified below <i>shall be s</i> 	et by circulating cement to the top; in all cases surface pipe shall be set
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ea The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into the 	et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ea The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into the first through a strength of the surface pipe as specified below <i>shall be s</i>. If the well is dry hole, an agreement between the operator and the surface pipe and surface prior to surfa	tet by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging:
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ea The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through through the first through the first through through the first through through the first through the first through through the first through through through through the first through through through through the first through thr	tet by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging:
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ea The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into t If the well is dry hole, an agreement between the operator and the t The appropriate district office will be notified before well is either plus If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order 	tet by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ated from below any usable water to surface within 120 days of spud date. It is a specific to the KCC District 3 area, alternate II cementing
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ea The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into the surface of the su	the the circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; attended from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
 A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into the surface of t	the the circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; attended from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ea The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into the surface of the well is dry hole, an agreement between the operator and the surface of the surface of the well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the surface of the surface	the test by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; attended from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Of my knowledge and belief.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ea The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into the surface of the well is dry hole, an agreement between the operator and the surface of the surface of the well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the surface of the surface	the the circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; attended from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ea The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into the surface of the well is dry hole, an agreement between the operator and the surface of the surface of the well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the surface of the surface	the the virculating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; atted from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the construction of the surface of the well is either plus. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cerned or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the construction. Signature of Operator of Agent: October 31, 2006 Signature of Operator of Agent:	the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ated from below any usable water to surface within 120 days of spud date. It is a specific prior to any cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If make the surface within 120 days of spud date. Title: SEC/TREAS
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ea The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into the surface of the well is dry hole, an agreement between the operator and the surface of the well is district office will be notified before well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be certain or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the complete of the surface of Operator (Agent:) 	the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; atted from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: SEC/TREAS
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the second of the second of the well is dry hole, an agreement between the operator and the second of the second of the well is either plus of the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best contact: October 31, 2006	the underlying cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ated from below any usable water to surface within 120 days of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: SEC/TREAS Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the second of the second of the well is dry hole, an agreement between the operator and the second of the well is district office will be notified before well is either plus of the second of the well shall hereby certify that the statements made herein are true and to the best of the second of the	the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; attend from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: SEC/TREAS Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into the surface of the surface pipe and the surface of the surface pipe shall be cemented. If the well is district office will be notified before well is either plus of the surface casing order must be completed within 30 days of the spud date or the well shall be the surface pipe that the statements made herein are true and to the best of the surface of the surface pipe required to the surface pipe required to the period of the surface pipe required to the spud date per per Alt. 1. Notify the appropriate of the posted of the post of the surface pipe required to surface pipe posted pipe pipe required to surface pipe posted pipe pipe required to surface pipe posted pipe pipe pipe pipe required to surface pipe pipe pipe pipe pipe pipe pipe pi	the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ated from below any usable water to surface within 120 days of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: SEC/TREAS Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the surface of the well is dry hole, an agreement between the operator and the construction of the surface of the	the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; atted from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into the surface pipe and the surface propriate district office will be notified before well is either plus. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best contact. 6. October 31, 2006 6. Signature of Operator (Agent:) 7. For KCC Use ONLY API # 15 - 23408-0000 Conductor pipe required feet Minimum surface pipe required 200 feet per Alt. 1. The proof of the prior of the surface pipe required feet per Alt. 1. The proof of the prior of the proof of	the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; attention below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the surface and the description of the well is dry hole, an agreement between the operator and the description of the surface that it is either plus of the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the surface casing order. October 31, 2006	the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; attention below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If the prior to any cementing be plugged and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the surface and the description of the well is dry hole, an agreement between the operator and the description of the well is district office will be notified before well is either plus of the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the complete of the surface of Operator of Agent: Date: October 31, 2006 Signature of Operator of Agent: The provided by: Part 11-7-050 This authorization expires: 5-7-07 (This authorization void if drilling not started within 6 months of approval date.)	the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; attended from below any usable water to surface within 120 days of spud date. The special state of the transport of the tra
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on east of the approved notice of intent to drill <i>shall be</i> posted on east of the approved notice of intent to drill <i>shall be</i> posted on east of the well is dry hole, an agreement between the operator and the state of the well is dry hole, an agreement between the operator and the state of the well is either plus of the spudding of the spudding of the spuddate or the well shall hereby certify that the statements made herein are true and to the best of the conductor pipe required of the well shall be conductor pipe required of the provided of the provided by: **Post of the spudding of the spudd	the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; attend from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: SEC/TREAS Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 185-23408-0000	Location of Well: County: STAFFORD
Operator: L. D. DRILLING, INC.	•
Lease: ZELMA	feet from N / S Line of Section 700 feet from F E / W Line of Section
Well Number: 1-7	Sec. 7 Twp. 25 S. R. 11 East ✓ Wes
Field:	
Number of Acres attributable to well: 10	Is Section: 🗸 Regular or 🗌 Irregular
QTR / QTR / QTR of acreage: SW - NE - SE	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

	\ \ \frac{1}{1}	EXAMPLE
	700'	→
		SEWARD CO.

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.

- 4 sections, etc.

 2. The distance of the proposed drilling location from the section's source reconstruction.

 3. The distance to the nearest lease or unit boundary line.

 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: SECEIVED

 NOV 0 2 2006

KCC WICHITA

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

	31	ubmit in Duplica	e			
Operator Name: L. D. DRILLING, IN	IC.		License Number: 6039			
Operator Address: 7 SW 26 AVE, 0	GREAT BEN	ID, KS 675	30			
Contact Person: L. D. DAVIS		Phone Number: (620) 793 - 3051				
Lease Name & Well No.: ZELMA #1-7	7	Pit Location (QQQQ):				
Type of Pit:	Pit is:		<u>SWNESE</u>			
Emergency Pit Burn Pit	Proposed Existing		Sec. 7 Twp. 25 R. 11 ☐ East ✓ West			
Settling Pit	If Existing, date constructed:		1430 Feet from North / V South Line of Section			
Workover Pit Haul-Off Pit	Pit capacity:		700 Feet from ✓ East / West Line of Section			
(If WP Supply API No. or Year Drilled)	3490 (bbls)		STAFFORD County			
Is the pit located in a Sensitive Ground Water Area? Yes No			Chloride concentration:mg/l			
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only)			
Yes No	Yes	No	How is the pit lined if a plastic liner is not used? BENTONITE & SOLIDS FROM DRLG OPER			
Pit dimensions (all but working pits):7	0 Length (f	net) 70	Width (feet) N/A: Steel Pits			
	om ground level to d					
If the pit is lined give a brief description of the liner material, thickness and installation procedure.			edures for periodic maintenance and determining including any special monitoring.			
IF REQUIRED 10 MIL PLASTIC LINER EDGE COVERED WITH DIRT		VIGOAL OF				
Distance to nearest water well within one-mile of pit		Depth to shallo	west fresh waterfeet.			
		measu	mation: K H K & い (3) electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:			
Producing Formation:		Drilling, Workover and Haul-Off Pits ONLY: Type of material utilized in drilling/workover: DRILLING FLUID CUTTINGS Number of working site to be utilized (3) SUCTION, SHALE, RESERVE				
Number of producing wells on lease:			king bits to be utilized: \(\frac{\sqrt{\gamma}}{\sqrt{\gamma}}\)			
Barrels of fluid produced daily:		Abandonment	procedure: PITS ALLOWED TO EVAPORATE UNTIL DRY			
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	THEN BACKFILL WHEN CONDITIONS ALLOW Drill pits must be closed within 365 days of spud date.				
Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? I hereby certify that the above statements are true and correct to the best of my knowledge and belief.						
OCTOBER 31, 2006 Date		S.	Ignature of Applicant of Agent			
	ксс	OFFICE USE OI	NLY Steel PITS			
Date Received: U/Z/06 Permit Numl	per:	Permi	t Date: 1/7/04 Lease Inspection: K Yes No			
Mail to: VCC Con		420 C. Market	Poom 2078 Wichita Kansas 67202			

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

NOV 0 2 2006



CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR BRIAN J. MOLINE, CHAIR ROBERT E. KREHBIEL, COMMISSIONER MICHAEL C. MOFFET, COMMISSIONER

November 7, 2006

Mr. L.D. Davis L.D. Drilling, Inc. 7 SW 26 Ave. Great Bend, KS 67530

Re: Drilling Pit Application

Zelma Lease Well No. 1-7 SE/4 Sec. 07-25S-11W Stafford County, Kansas

Dear Mr. Davis:

District staff has inspected the location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has instructed that no earthen pits are to be used at the location. Steel pits are to be used. Please inform the Commission in writing as to which disposal well you will utilize to dispose of the contents in the steel pits and the amount of fluid that will be disposed. If a haul-off pit is necessary please file, form CDP-1, Application for Surface Pit. This location will have to be inspected prior to approval of the haul-off pit application.

If fluids are taken to an authorized disposal well, please call the District Office at (316) 630-4000. Please file form CDP-5, Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

Sincerely,

Kathy Haynes

Environmental Protection and Remediation Department

Cc: File

KANSAS

CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR
BRIAN J. MOLINE, CHAIR
ROBERT E. KREHBIEL, COMMISSIONER
MICHAEL C. MOFFET, COMMISSIONER

HAUL-OFF PIT APPLICATION FILING REQUIREMENTS

- (a) Each operator shall perform one of the following when disposing of dike or pit contents:
 - (1) Remove the liquid contents to a disposal well or other oil and gas operation approved by the commission or to road maintenance or construction locations approved by the department;
 - (2) dispose of reserve pit waste down the annular space of a well completed according to the alternate I requirements of K.A.R. 82-3-106, if the waste to be disposed of was generated during the drilling and completion of the well; or
 - (3) dispose of the remaining solid contents in any manner required by the commission. The requirements may include any of the following:
 - (A) Burial in place, in accordance with the grading and restoration requirements in K.A.R. 82-3-602 (f);
 - (B) removal and placement of the contents in an on-site disposal area approved by the commission;
 - (C) removal and placement of the contents in an off-site disposal area on acreage owned by the same landowner or to another producing lease or unit operated by the same operator, if prior written permission from the landowner has been obtained; or
 - (D) removal of the contents to a permitted off-site disposal area approved by the department.
- (b) Each violation of this regulation shall be punishable by the following:
 - (1) A \$1,000 penalty for the first violation:
 - (2) a \$2,500 penalty for the second violation; and
 - (3) a \$5,000 penalty and an operator license review for the third violation.

Complete and return with Haul-Off Pit Application, Form CDP1(2004)

Haul-off pit will be located in an on-site disposal area: Yes No
Haul-off pit is located in an off-site disposal area on acreage owned by the same landowner: Yes No If yes, written permission from the land owner must be obtained. Attach writte permission to haul-off pit application.
Haul-off pit is located in an off-site disposal area on another producing lease or unit operated by the same operator: Tyes No If yes, written permission from the land owner must be obtained. Attac permission and a copy of the lease assignment that covers the acreage where the haul-off pit is to be located, to the haul-off pit application.