# For KCC Use: 11-13-06 Effective Date:

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

MOV 0.7 2006

Form C-1 December 2002 Form must be Typed

SGA? Yes X No NOTICE OF II	NTENT TO DRILL 1909 0 7 2000 Form must be	Signed
	e (5) days prior to commencin <b>consist EXVATION DIVISION</b>	e Filled
11 00 06	WICHITA, KS	
Expected Spud Date 11-09-06	Spot Spot Spot Spot Spot Spot Spot Spot	East
month day year	App NE - NW - SE Sec. 6 Twp. 8 S. R. 21	West
OPERATOR: License# 4058	# 2400 feet from N / S Line of Sec	
Name: American Warrior, Inc.	1940feet from VE / W Line of Sec	tion
Address: PO Box 399	ls SECTIONRegular  rregular?	
City/State/Zip: Garden City KS 67846	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Cecil O'Brate	County: Graham	
Phone: 620-275-9231	Lease Name: Gosselin Well #: 2 - 6	
	Field Name: Wildcat	
CONTRACTOR: License# 5892		<b>√</b> No
Name: Berentz Drilling Company, Inc.	Target Formation(s): Arbuckle	<b>V</b> 110
	Nearest Lease or unit boundary: 240	
Well Drilled For: Well Class: Type Equipment:		et MSL
✓ Oil Enh Rec Infield ✓ Mud Rotary		VNo.
Gas Storage Pool Ext. Air Rotary	•	=
OWWO Disposal V Wildcat Cable		<b>√</b> No
Seismic: # of Holes Other	Depth to bottom of fresh water:	
Other	Depth to bottom of usable water: 900'+	
0.00	Surface Pipe by Alternate: 1 2	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 200	
Operator:	Length of Conductor Pipe required: None	
Well Name:	Projected Total Depth: 3800	
Original Completion Date:Original Total Depth:	Formation at Total Depth: Arbuckle	
· · · · · · · · · · · · · · · · · · ·	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well ✓ Farm Pond Other	
If Yes, true vertical depth:		
Bottom Hole Location:		
KCC DKT #:		<b>√</b> No
	If Yes, proposed zone:	<u> </u>
1 12		
KUNIT INFORMATION MILAINO	. 103, proposed 2016.	
Oil à bas Leases W/ Pooling Clauses Altacher	FIDAVIT	
Oil's Gas Leases w/ Pooling Clauses Alta AF	FIDAVIT	
Oil is bus Leases w/Pooling Clauses Attack The undersigned hereby affirms that the drilling, completion and eventual	FIDAVIT	
Oil is Gos Leases w/ Pooling Clauses Attack The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met:	FIDAVIT	
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq.	
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall</i> be posted on each of the second secon	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;	set
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e.  3. The minimum amount of surface pipe as specified below <i>shall be</i> .	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be a	set
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on e.  3. The minimum amount of surface pipe as specified below <i>shall</i> be through all unconsolidated materials plus a minimum of 20 feet into	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be a	
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus an experience of the control of the second of the control of th	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be at the underlying formation. district office on plug length and placement is necessary prior to pluguaged or production casing is cemented in;	ıging;
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e.  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus in the complete of the complete	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be at the underlying formation. district office on plug length and placement is necessary prior to pluguaged or production casing is cemented in; Intel from below any usable water to surface within 120 days of spud of	ging; ate.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e.  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plice. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be at the underlying formation. district office on plug length and placement is necessary prior to pluguaged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud or #133,891-C, which applies to the KCC District 3 area, alternate II ce	<i>iging;</i> ate. menting
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e.  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plice if an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed.	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be at the underlying formation.  district office on plug length and placement is necessary prior to pluguaged or production casing is cemented in;  inted from below any usable water to surface within 120 days of spud of ar #133,891-C, which applies to the KCC District 3 area, alternate II cell be plugged. In all cases, NOTIFY district office prior to any cement	<i>iging;</i> ate. menting
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e.  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plice. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be at the underlying formation.  district office on plug length and placement is necessary prior to pluguaged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud of #133,891-C, which applies to the KCC District 3 area, alternate II ce II be plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.	<i>iging;</i> ate. menting
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e.  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plice. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be at the underlying formation.  district office on plug length and placement is necessary prior to pluguaged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud of #133,891-C, which applies to the KCC District 3 area, alternate II ce II be plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.	<i>iging;</i> ate. menting
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e.  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plice if an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed.	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be at the underlying formation.  district office on plug length and placement is necessary prior to pluguaged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud of #133,891-C, which applies to the KCC District 3 area, alternate II ce II be plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.	<i>iging;</i> ate. menting
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e.  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plice. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be at the underlying formation.  district office on plug length and placement is necessary prior to pluguaged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud of #133,891-C, which applies to the KCC District 3 area, alternate II ce II be plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.	<i>iging;</i> ate. menting
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e.  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pli 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date:    Date: 11-07-06	FIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be at the underlying formation.  district office on plug length and placement is necessary prior to pluguaged or production casing is cemented in;  inted from below any usable water to surface within 120 days of spud of at #133,891-C, which applies to the KCC District 3 area, alternate II ce is the plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.  Title: Agent	<i>iging;</i> ate. menting
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e.  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pli 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date:    Date: 11-07-06	FIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be at the underlying formation.  district office on plug length and placement is necessary prior to pluguaged or production casing is cemented in;  inted from below any usable water to surface within 120 days of spud of at #133,891-C, which applies to the KCC District 3 area, alternate II ce is the plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.  Title: Agent  Remember to:	ate. menting ing.
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on a complete of intent to drill shall be posted on a complete of intent to drill shall be posted on a complete of intent to drill shall be posted on a complete of intent to drill shall be posted on a complete of intent to drill shall be posted on a complete of intent to drill shall be posted on a complete of intent to drill shall be posted on a complete of intent to drill shall be posted on a complete of intent to drill shall be posted on a complete of intent to drill shall be posted on the specific of intent to drill shall be posted on the specific of intent to drill shall be posted on the specific of intent to drill shall be posted on the specific of intent to drill shall be posted on the specific or and the complete of intent to drill shall be posted on the specific or and the shall be posted on the specific or drill shall be posted	FIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be at the underlying formation.  district office on plug length and placement is necessary prior to pluguaged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud of ar #133,891-C, which applies to the KCC District 3 area, alternate II cell be plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;	ate. menting ing.
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e.  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plied. If an ALTERNATE II COMPLETION, production pipe shall be ceme or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best best intended to the statements of the complete statements.  5. For KCC Use ONLY  API # 15 - OUS - 23 249-0000	FIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be at the underlying formation.  district office on plug length and placement is necessary prior to pluguaged or production casing is cemented in;  inted from below any usable water to surface within 120 days of spud of at #133,891-C, which applies to the KCC District 3 area, alternate II cell be plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.  Title: Agent  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-ent	ate. menting ing.
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on a 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plice. It an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: 11-07-06  Signature of Operator or Agent: 11-07-06  For KCC Use ONLY  API # 15 - 065-23249-000  Conductor pipe required 16et per Alt. 12	FIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be at the underlying formation.  district office on plug length and placement is necessary prior to pluguaged or production casing is cemented in; and in the plugged or production casing is cemented in; and in the plugged or production casing is cemented in; and in the plugged. In all cases, NOTIFY district 3 area, alternate II cell be plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-ent.  Submit plugging report (CP-4) after plugging is completed;	ate. menting ing.
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on a 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plice. It an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: 11-07-06  Signature of Operator or Agent: 11-07-06  For KCC Use ONLY  API # 15 - 065-23249-000  Conductor pipe required 16et per Alt. 12	FIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be at the underlying formation.  district office on plug length and placement is necessary prior to pluguaged or production casing is cemented in;  inted from below any usable water to surface within 120 days of spud of at #133,891-C, which applies to the KCC District 3 area, alternate II cell be plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.  Title: Agent  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-ent	ate. menting cing.
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on e.  3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into e.  4. If the well is dry hole, an agreement between the operator and the figure of the surface district office will be notified before well is either ple figure of the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best described by the surface of the surface of the spud date or the well shall hereby certify that the statements made herein are true and to the best described by the surface of the spud date or the well shall hereby certify that the statements made herein are true and to the best described by the surface of the spud date or the well shall hereby certify that the statements made herein are true and to the best described by the surface of the spud date or the well shall hereby certify that the statements made herein are true and to the best described by the surface of the spud date or the well shall hereby certify that the statements made herein are true and to the best described by the surface of the spud date or the well shall hereby certify that the statements made herein are true and to the best described by the surface of the spud date or the well shall hereby certify that the statements made herein are true and to the best date of the surface of the surface of the spud date or the well shall hereby certified before well is determined by the surface of t	FIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be at the underlying formation.  district office on plug length and placement is necessary prior to pluguaged or production casing is cemented in; and in the plugged or production casing is cemented in; and in the plugged or production casing is cemented in; and in the plugged. In all cases, NOTIFY district 3 area, alternate II cell be plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-ent.  Submit plugging report (CP-4) after plugging is completed;	ate. menting cing.
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on e.  3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into e.  4. If the well is dry hole, an agreement between the operator and the formal strength of the strength of the production pipe shall be come. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best entered that the statements made herein are true and to the best entered to the statements of Operator or Agent:    Date: 11-07-06	plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be at the underlying formation. district office on plug length and placement is necessary prior to pluguaged or production casing is cemented in; need from below any usable water to surface within 120 days of spud of at #133,891-C, which applies to the KCC District 3 area, alternate II ce II be plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-ent. Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.	ate. menting cing.
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on a complete of the approved notice of intent to drill shall be posted on a complete of the approved notice of intent to drill shall be posted on a complete of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the statement between the operator and the complete of strict office will be notified before well is either place of the spurphent of the shall be ceme or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date:    11-07-06	plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be at the underlying formation.  district office on plug length and placement is necessary prior to pluguaged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud of #133,891-C, which applies to the KCC District 3 area, alternate II ce II be plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-ent. Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	ate. menting cing.
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on e.  3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into e.  4. If the well is dry hole, an agreement between the operator and the firm that the statements office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be come or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date:  1 1-07-06  Signature of Operator or Agent:  Conductor pipe required  Approved by: Putt 1-8-06  This authorization expires:  5-8-07  (This authorization void if drilling not started within 6 months of approval date.)	FIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be at the underlying formation.  district office on plug length and placement is necessary prior to pluguaged or production casing is cemented in;  inted from below any usable water to surface within 120 days of spud of ar #133,891-C, which applies to the KCC District 3 area, alternate II ce II be plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-ent.  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please	ate. menting ing.
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on e.  3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into e.  4. If the well is dry hole, an agreement between the operator and the first the appropriate district office will be notified before well is either plus. The appropriate district office will be notified before well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be come or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: 11-07-06  Signature of Operator or Agent: 11-07-06  For KCC Use ONLY  API # 15 - 065-23249-000  Conductor pipe required 100 feet per Alt. (2)  Approved by: Putt 11-8-06  This authorization expires: 5-8-07	plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be at the underlying formation.  district office on plug length and placement is necessary prior to pluguaged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud of #133,891-C, which applies to the KCC District 3 area, alternate II ce II be plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-ent. Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired	ate. menting ing.

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 065-23249-0000	Location of Well: County: Graham
Operator: American Warrior, Inc.	2400 feet from N / V S Line of Section
Lease: Gosselin	1940 feet from 🗸 E / 🗌 W Line of Section
Well Number: 2 - 6 Field: Wildcat	Sec. 6 Twp. 8 S. R. 21 ☐ East ✓ Wes
Number of Acres attributable to well:	Is Section: ✓ Regular or Irregular
QTR / QTR / QTR of acreage: App NE - NW - SE	If Section Is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)


(Show footage to the nearest lease or unit boundary line.)

	·	•	:	•	
	· .		,	•	
			•	- 194	:. /
1		•	· 4	799	/ <i>i</i>
	·	 			
	·		24		,
	•		24		,

### RECEIVED KANSAS CORPORATION COMMISSION

NOV 07 2006

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

RECEIVED KANSAS CORPORATION COMMISSIST be Typed

Form CDP-1

### **APPLICATION FOR SURFACE PIT**

NOV 87 2006

	S	ubmit in Duplica	CONORM		
Operator Name: American Warrior, Inc.			CONSERVATION DIVISION License Number: 4058 WICHITA, KS		
Operator Address: PO Box 399 Ga	arden City KS	67846			
Contact Person: Cecil O'Brate		Phone Number: ( 620 ) 275 - 9231			
Lease Name & Well No.: Gossch	±	2-6	Pit Location (QQQQ):		
Type of Pit:	Pit is:	<del></del>	App NE NW SE		
Emergency Pit Burn Pit	✓ Proposed   Existing		Sec. 6 Twp. 8S R. 21 East  West		
Settling Pit	If Existing, date constructed:		2400 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		1940 Feet from 🗸 East / West Line of Section		
(If WP Supply API No. or Year Drilled)	500	(bbls)	Graham County		
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l		
In the bettern helm and the second	A -1/5 - 1	,	(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?  Yes No	Artificial Liner?  Yes   ✓	No	How is the pit lined if a plastic liner is not used?		
. 165	les V	140	Coated with Bentonite		
		Depth to shallowest fresh water 76feet.			
633 feet Depth of water well 85 feet		measured well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover: Chemical Mud			
		Number of working pits to be utilized: 3			
Barrels of fluid produced daily:		Abandonment procedure: Let dry and backfill			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above state	ments are true and	correct to the best	of my knowledge and belief.		
11-07-06 Date		101 <sub>si</sub>	gnature of Applicant or Agent		
KCC OFFICE USE ONLY					
Date Received: \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	per:	Permit	t Date: 11/7/04 Lease Inspection: Yes 7 No		