For KCC	Use:	11-13-06	
	,	2	
District #		/	
SGA?	Yes	⋈ No	

Kansas Corporation Commission Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

-xpecied Spud Date	. Spot ✓ East
Expected Spud Date November 16, 2006 month day year	NE NE NW Sec. 2 Twp. 35 S. R. 15E West
PERATOR: License# 33074	4900 FSL feet from N / S Line of Section
PEHATOH: License#	3250 FEL feet from FE / W Line of Section
ame: Datt Griefolde Sash Specialing Soc. 220	Is SECTION ✓ Regular Irregular?
ddress: 211 W. Myrtle ity/State/Zip: Independence KS 67301	(Note: Locate well on the Section Plat on reverse side)
ontact Person: Tony Williams	County: Montgomery
hone: 620-331-7870	Lease Name: M & M Jontra Well #: AZ-Z
	Field Name: Cherokee Basin Coal Gas Area
ONTRACTOR: License# 5675 V	Is this a Prorated / Spaced Field?
ame: McPherson Drilling	Target Information(s): Mississippian
	Nearest Lease or unit boundary: 610 feet
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 768feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage ✓ Pool Ext. ✓ Air Rotary	Public water supply well within one mile:
OWO Disposal Wildcat Cable	Depth to bottom of fresh water: 150' + -
Seismic;# of Holes Other	Depth to bottom of usable water: 175'
Other	Surface Pipe by Alternate: 1 1 2
FOMMACO: and wall information as follows:	Length of Surface Pipe Planned to be set: 40'
OWWO: old well information as follows: Operator:	Length of Conductor Pipe required:
Well Name:	Projected Total Depth: 1526 feet
Original Completion Date:Original Total Depth:	Formation at Total Depth: Mississippian
<u> </u>	Water Source for Drilling Operations:
Pirectional, Deviated or Horizontal wellbore?	Well ✓ Farm Pond Other
Yes, true vertical depth:	DWR Permit #:
	(Note: Apply for Permit with DWR [])
Bottom Hole Location:	_ Will Cores be taken?Yes ✓ No
Sottom Hole Location:	
3ottom Hole Location:	_ Will Cores be taken?
Sottom Hole Location:	_ Will Cores be taken?
A The undersigned hereby affirms that the drilling, completion and eventual tis agreed that the following minimum requirements will be met:	_ Will Cores be taken?
A The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cem Or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well shall be performed.	Heach drilling rig; each
A The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the surface appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cemeant of the property and the surface casing of	If Yes, proposed zone: FFIDAVIT If plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; e set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. the district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; tented from below any usable water to surface within 120 days of spud date. der #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. St of my knowledge and belief. Title: Sr Regulatory & Safety Compliance Specialist
A The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be compured to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well shall be reported that the statements made herein are true and to the position of the position of the spud date of the well shall be completed. For KCC Use ONLY API # 15 - S125-31257-DDD Conductor pipe required Nome feet per Alt.	If Yes, proposed zone: FFIDAVIT If plugging of this well will comply with K.S.A. 55 et. seq. Beach drilling rig; Be set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. Be district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; lented from below any usable water to surface within 120 days of spud date. der #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Between the completion form ACO-1 within 120 days of spud date; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
A The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and it 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be centered or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well still hereby certify that the statements made herein are true and to the posterior of the complete of the complete of the posterior of the complete of t	If Yes, proposed zone: Yes
A The undersigned hereby affirms that the drilling, completion and eventual tis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be come or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well still hereby certify that the statements made herein are true and to the post of the spud state. November 6, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 25 - 3125 - 2000 feet per Alt. Approved by: Minimum surface pipe required 20 feet per Alt. Approved by: Part 15 - 16 - 16 - 16 - 16 - 16 - 16 - 16 -	If Yes, proposed zone: Yes
A The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on: 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in: 4. If the well is dry hole, an agreement between the operator and it: 5. The appropriate district office will be notified before well is either. 6. If an ALTERNATE II COMPLETION, production pipe shall be cently or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well shareby certify that the statements made herein are true and to the posterior of the complete of the	If Yes, proposed zone: Yes

NOV 97 2006

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 125-31257-0000	Location of Well: County: Montgomery
Operator: Dart Cherokee Basin Operating Co. LLC	4900 FSL feet from N / ✓ S Line of Section
Lease: M & M Jontra	3250 FEL feet from F E / W Line of Section
Well Number: A2-2	Sec. 2 Twp. 35 S. R. 15E VEast Wes
Field: Cherokee Basin Coal Gas Area	<u>_</u>
Number of Acres attributable to well: 40 QTR / QTR / QTR of acreage: NE - NE - NW	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

T35S 3250 FEL 4900 FSL

R15E



NOTE: In all cases locate the spot of the proposed drilling locaton.

Montgomery Co.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.

RECEIVED 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be a CORPORATION COMMISSION CG-8 for gas wells).

NOV 07 2006

CONSERVATION DIVISION WICHITA, KS

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

· · · · · · · · · · · · · · · · · · ·					
Operator Name: Dart Cherokee Basin	Operating Co. LL	License Number: 33074			
Operator Address: 211 W. Myrtle		ependence KS 67301			
Contact Person: Tony Williams	120	Phone Number: (620) 331 - 7870			
Lease Name & Well No.: M & M Jontra	A2	2-2	Pit Location (QQQQ):		
Type of Pit:	pe of Pit: Pit is:		<u>NE NE NW</u>		
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 2 _{Twp.} 35 _{R.} 15E		
Settling Pit	If Existing, date constructed:		4900 FSL Feet from North / V South Line of Section		
Workover Pit Haul-Off Pit			3250 FEL Feet from ✓ East / West Line of Section		
(if WP Supply API No. or Year Drilled)	or Year Drilled) Pit capacity: 926		Montgomery county		
Is the pit located in a Sensitive Ground Water Area? Yes Vo			Chloride concentration: mg/l		
		·	(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?		
✓ Yes No	Yes No		Natural Clays		
Pit dimensions (all but working pits):3	5 Length (fe	et) 30	Width (feet) N/A: Steel Pits		
Depth fr	om ground level to de	epest point: 5	(feet)		
If the pit is lined give a brief description of the material, thickness and installation procedure	liner :		edures for periodic maintenance and determining ncluding any special monitoring.		
Distance to nearest water well within one-mile	of pit		Depth to shallowest fresh water		
1972feet Depth of water well	&2feet	measured well owner electric log KDWR Drilling, Workover and Haul-Off Pits ONLY:			
			over and Haul-Off Pits ONLY:		
			al utilized in drilling/workover: Air		
Number of producing wells on lease:		Number of working pits to be utilized: one			
Barrels of fluid produced daily:		Abandonment	procedure: Air dry, fill		
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
November 6, 2005 Date			my () eller Signature of Applicant or Agent		
KCC OFFICE USE ONLY					
Permit Date: パインタ Le KANSAS CORPORATION COLMISSIO					

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202 VOV 0 7 2006