For KCC		11-13-06	
Effective	Date:	77 1000	·
District #			
SGA?	Yes	¥ No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Must be approved by KCC five	(5) days prior to commencing well
Expected Spud Date November 16, 2006	Spot ✓ East
month day year	W2 - SW - SW Sec. 35 Twp. 34 S. R. 15E West
OPERATOR: License# 33074	660 FSL feet from N / V S Line of Section
. Dan Cherokee Basin Uberating Co. L.C.	4645 FELfeet from ✓ E / W Line of Section
Address: 211 W. Myrtle City/State/Zip: Independence KS 67301	Is SECTIONRegularIrregular?
City/State/Zin: Independence KS 67301	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Tony Williams	County: Montgomery
Phone: 620-331-7870	Lease Name: M & M Jontra Well #: D1-35
•	Field Name: Cherokee Basin Coal Gas Area
CONTRACTOR: License# 5675 Name: McPherson Drilling	Is this a Prorated / Spaced Field?
Name: MCFHEISON Drilling	Target Information(s): Mississippian
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 635 feet
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: 791feet MSL
✓ Gas Storage ✓ Pool Ext. ✓ Air Rotary	Water well within one-quarter mile: Yes ✓ No.
OWWO Disposal Wildcat Cable	Public water supply well within one mile: Pepth to bottom of fresh water: 150' + -
Seismic; # of Holes Other	Depth to bottom of tresh water: 175'
Other	Surface Pipe by Alternate: 1 2
	Length of Surface Pipe Planned to be set: 40'
OWWO: old well information as follows:	Length of Conductor Pipe required:
Operator:	Projected Total Depth: 1522 feet
Original Completion Date:Original Total Depth:	Formation at Total Depth: Mississippian
	Water Source for Drilling Operations:
irectional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other
Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR [])
	(Note: Apply for Permit with DWR)
CCC DKT #:	(Note: Apply for Permit with DWR ☐) Will Cores be taken? If Yes, proposed zone:
CCC DKT #:	(Note: Apply for Permit with DWR ☐) Will Cores be taken? If Yes, proposed zone: IDAVIT
AFF The undersigned hereby affirms that the drilling, completion and eventual pl	(Note: Apply for Permit with DWR ☐) Will Cores be taken? If Yes, proposed zone: IDAVIT
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl t is agreed that the following minimum requirements will be met:	(Note: Apply for Permit with DWR ☐) Will Cores be taken? If Yes, proposed zone: IDAVIT
AFF The undersigned hereby affirms that the drilling, completion and eventual pl t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	(Note: Apply for Permit with DWR ☐) Will Cores be taken? ☐ Yes ✓ No If Yes, proposed zone: ☐ IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig;
AFF The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be see</i>	(Note: Apply for Permit with DWR ☐) Will Cores be taken? ☐ Yes ✓ No If Yes, proposed zone: ☐ ☐ IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; In the by circulating cement to the top; in all cases surface pipe shall be set
AFF The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	(Note: Apply for Permit with DWR ☐) Will Cores be taken? ☐ Yes ✓ No If Yes, proposed zone: ☐ Yes ✓ No IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.
AFF The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an informal mamount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the first the well is dry hole, an agreement between the operator and the constant of the c	(Note: Apply for Permit with DWR ☐) Will Cores be taken? ☐ Yes ✓ No If Yes, proposed zone: ☐ ☐ IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; In the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In this proposed in the set of the set of the underlying formation. In this proposed is not be set of the underlying formation. In this proposed is not plugging; in all cases surface pipe shall be set on the underlying formation.
AFFI he undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement	(Note: Apply for Permit with DWR ☐) Will Cores be taken? ☐ Yes ✓ No If Yes, proposed zone: ☐ ☐ IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. listrict office on plug length and placement is necessary prior to plugging; iged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date.
AFFI he undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order	(Note: Apply for Permit with DWR ☐) Will Cores be taken? ☐ Yes ✓ No If Yes, proposed zone: ☐ ☐ IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. Ilistrict office on plug length and placement is necessary prior to plugging; led or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing
AFF The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the complete and the complet	(Note: Apply for Permit with DWR ☐) Will Cores be taken? ☐ Yes ✓ No If Yes, proposed zone: ☐ Yes IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; In the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; Iged or production casing is cemented in; Ided from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
AFF The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the approved notice of intent to drill <i>shall be</i> see through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the constant of the second of the se	(Note: Apply for Permit with DWR ☐) Will Cores be taken? ☐ Yes ✓ No If Yes, proposed zone: ☐ Yes IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; In the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; Iged or production casing is cemented in; Ided from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
AFFI he undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into tt 4. If the well is dry hole, an agreement between the operator and the of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best o	(Note: Apply for Permit with DWR ☐) Will Cores be taken? ☐ Yes ✓ No If Yes, proposed zone: ☐ ☐ IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. listrict office on plug length and placement is necessary prior to plugging; liged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
AFFI he undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best o	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Illistrict office on plug length and placement is necessary prior to plugging; and production casing is cemented in; and form below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Sr Regulatory & Safety Compliance Specialist
AFF The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the complete of the second of the secon	Will Cores be taken? If Yes, proposed zone: IDAVIT Sugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; In the proposed zone in the top; in all cases surface pipe shall be set in the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; and placement is necessary prior to plugging; and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Sr Regulatory & Safety Compliance Specialist Remember to:
AFF the undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below shall be seen through all unconsolidated materials plus a minimum of 20 feet into the standard of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the surface of the statements of the spud date or the well shall the statements of the spud date or the well shall the statements of the spud date or the well shall the statements of the spud date or the well shall the statements of the spud date or the well shall the statements of the spud date or the well shall the statements of the spud date or the well shall the statements of the spud date or the well shall the statements of the spud date or the well shall the statements of the spud date or the well shall the statements of the spud date or the well shall the statements of the spud date or the well shall the statements of the spud date or the well shall the statements of the spud date or the well shall the statements of the spud date or the well shall the spud date of the spud date or the well shall the spud date or the spud date or the s	(Note: Apply for Permit with DWR ☐) Will Cores be taken? ☐ Yes ☑ No If Yes, proposed zone: ☐ Yes IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. Ilistrict office on plug length and placement is necessary prior to plugging; and production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. ☐ Title: Sr Regulatory & Safety Compliance Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
AFFI he undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the state of the appropriate district office pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the state of the st	(Note: Apply for Permit with DWR ☐) Will Cores be taken? ☐ Yes ☑ No If Yes, proposed zone: ☐ Yes ☑ No If Yes, proposed zone: ☐ Yes ☑ No IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. Ilistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. ☐ Title: Sr Regulatory & Safety Compliance Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
he undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the appropriate district office prior as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the state of the set in the state of the set of the set in the state of the set of the	(Note: Apply for Permit with DWR ☐) Will Cores be taken? ☐ Yes ☑ No If Yes, proposed zone: ☐ Yes ☑ No If Yes, proposed zone: ☐ Yes ☑ No If Yes, proposed zone: ☐ Yes ☑ No In Yes, proposed zone: ☐ Yes ☑ No In Yes, proposed zone: ☐ Yes ☑ No In Yes ☑ No If Yes
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the complete and the complete and the complete appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the complete and the complete appropriate of the complete of the spud date or the well shall the complete of	(Note: Apply for Permit with DWR ☐) Will Cores be taken? ☐ Yes ☑ No If Yes, proposed zone: ☐ Yes ☑ No If Yes, proposed zone: ☐ Yes ☑ No If Yes, proposed zone: ☐ Yes ☑ No In Yes, proposed zone: ☐ Yes ☑ No In Yes, proposed zone: ☐ Yes ☑ No In Yes ☑ No If Yes
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the complete and	(Note: Apply for Permit with DWR ☐) Will Cores be taken? ☐ Yes ☑ No If Yes, proposed zone: ☐ Yes ☑ No If Yes, proposed zone: ☐ Yes ☑ No If Yes, proposed zone: ☐ Yes ☑ No In Yes, proposed zone: ☐ Yes ☑ No In Yes, proposed zone: ☐ Yes ☑ No In Yes ☑ No If Yes
AFF The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the statement of the well is dry hole, an agreement between the operator and the constitution of the statement of the statement of the statement of the spuddate or the well is either plug of the spuddate or the well shall thereby certify that the statements made herein are true and to the best of the spuddate of the well shall thereby certify that the statements made herein are true and to the best of the spuddate of the well shall the spuddate of the spuddate of the spuddate of the spuddate of the s	(Note: Apply for Permit with DWR ☐) Will Cores be taken? ☐ Yes ☑ No If Yes, proposed zone: ☐ Yes ☑ No If Yes, proposed zone: ☐ Yes ☑ No If Yes, proposed zone: ☐ Yes ☑ No In Yes, proposed zone: ☐ Yes ☑ No In Yes, proposed zone: ☐ Yes ☑ No In Yes ☑ No If Yes
AFF The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the constitution of the state of the well is dry hole, an agreement between the operator and the constitution of the well is dry hole, an agreement between the operator and the constitution of the well is dry hole, an agreement between the operator and the constitution of the well is either pluguated. The appropriate district office will be notified before well is either pluguated. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the properties of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the properties of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the properties of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the properties of the properti	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set in the underlying formation. Illistrict office on plug length and placement is necessary prior to plugging; and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Sr Regulatory & Safety Compliance Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate of the spud date or the well shall be completed within 30 days of the spud date or the well shall be the spud date or the spud d	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; and great or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired
AFF The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the constitution of the state of the well is dry hole, an agreement between the operator and the constitution of the well is dry hole, an agreement between the operator and the constitution of the well is dry hole, an agreement between the operator and the constitution of the well is either pluguated. The appropriate district office will be notified before well is either pluguated. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the properties of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the properties of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the properties of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the properties of the properti	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and form below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Sr Regulatory & Safety Compliance Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15-625-31258-0000	Location of Well: County: Montgomery 660 FSL feet from N / ✓ S Line of Section	
Operator: Dart Cherokee Basin Operating Co. LLC		
Lease: M & M Jontra	4645 FEL feet from VE / W Line of Section	
Well Number: D1-35	Sec. 35 Twp. 34 S. R. 15E ✓ East Wes	
Field: Cherokee Basin Coal Gas Area		
Number of Acres attributable to well: 40 QTR / QTR / QTR of acreage: W2 - SW - SW	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary.	
	Section corner used: NE NW SE SW	

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

T34S 4645 FEL 660 FSL

R15E



NOTE: In all cases locate the spot of the proposed drilling locaton.

Montgomery Co.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (CANSAS CONTROLLAND COMMISSION CG-8 for gas wells).

NOV 07 2006

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Dord Charakon Pasin	Operating Co. III	License Number: 33074			
Operator Name: Dart Cherokee Basin	Operating Co. LL				
Operator Address: 211 W. Myrtle		ependence KS 67301			
Contact Person: Tony Williams			Phone Number: (620) 331 - 7870		
Lease Name & Well No.: M & M Jontra	D1	-35	Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>W2</u> - <u>SW</u> - <u>SW</u>		
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 35 _{Twp.} 34 _{R.} 15E		
Settling Pit	If Existing, date constructed:		660 FSL Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		4645 FEL Feet from ✓ East / West Line of Section		
(If WP Supply API No. or Year Drilled)			Montgomery County		
Is the pit located in a Sensitive Ground Water		No	Chloride concentration:mg/l		
			(For Emergency Pits and Settling Pits only)		
is the bottom below ground level?	Artificial Liner? ☐ Yes	No	How is the pit lined if a plastic liner is not used?		
Yes No			Natural Clays		
Fit difficulties (all but working pito).	35 Length (fe	_	Width (feet) N/A: Steel Pits		
Depth f	rom ground level to de	epest point: 5	(feet)		
If the pit is lined give a brief description of the material, thickness and installation procedure	e liner e.	Describe proce liner integrity, i	edures for periodic maintenance and determining including any special monitoring.		
Distance to nearest water well within one-mile of pit Description			Depth to shallowest fresh water		
1377 feet	40feet	measured well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY	:	1			
Producing Formation:		Drilling, Workover and Haul-Off Pits ONLY: Type of material utilized in drilling/workover: Air Number of working pits to be utilized: One			
Number of producing wells on lease:		16			
Barrels of fluid produced daily:		Abandonment	procedure: Air dry, fill		
Does the slope from the tank battery allow a flow into the pit? Yes No	ll spilled fluids to	Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above state	tements are true and	correct to the bes	st of my knowledge and belief.		
November 6, 2005 Date		Jorry (Signature of Applicant or Agent		
KCC OFFICE USE ONLY					
Date Received: 11/2/06 Permit Nui	mber:	_ Pern	nit Date: 1/2 (US Leased Specifor Door 46) A CHINAIS		

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202 NOV 0 7 2006