For KCC	Use:	11 12 010	
Effective	Date: _	11-13-06	
District #	-	3	
SGA?	Yes	X No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

	e (5) days prior to commencing well
expected Spud Date November 13 2006	Spot - East
month day year	NE SW Sec. 29 Twp. 26 S. R. 20 West
PERATOR: License# 4485	2635 feet fromN / V S Line of Section
ame: Verdi Oil Company	1980 feet from E / W Line of Section
1020 NE Loop 410 Suite 555	Is SECTION Regular Irregular?
ity/State/Zip: San Antonio, TX 78209	(Note: Locate well on the Section Plat on reverse side)
ontact Person. Jeffrey L. Dale	County: Aflen
none: (620) 754-3800	Lease Name: Manson Well #: W-48
	Field Name: Humboldt/Chanute
ONTRACTOR: License# 5675	Is this a Prorated / Spaced Field?
ame: McPherson Drilling	Target Formation(s): Bartlesville/Tucker
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 5'
	Ground Surface Elevation: 979' +57, feet MSL
	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary OWWO Disposal Wildcat Cable	Public water supply well within one mile: Yes V No
Seismic;# of Holes Other	Depth to bottom of fresh water: 120'
Other	Depth to bottom of usable water: 175'
	Surface Pipe by Alternate: 1 2 2
OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'
Operator:	Length of Conductor Pipe required: None
Well Name:	Destautilla Tiraka
Original Completion Date:Original Total Depth:	Formation at lotal Depth.
irectional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations: Well Farm Pond Other Air Drilled
Yes, true vertical depth:	
ortes, rue vertical deptit	DWR Permit #:
CCC DKT #:	Will Cores be taken?
OO DRI W.	If Yes, proposed zone:
	11 103, proposed 20110.
	FIDAVIT
he undersigned hereby affirms that the drilling, completion and eventual	plugging of this well will comply with K.S.A. 55 et. seq.
· ·	
Notify the appropriate district office <i>prior</i> to spudding of well;	
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on experience. 	
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on experience. 	set by circulating cement to the top; in all cases surface pipe shall be set
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on e The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the 	set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. I district office on plug length and placement is necessary prior to plugging;
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on e. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either plant. 	set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in;
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on e. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either ple If an ALTERNATE II COMPLETION, production pipe shall be ceme 	set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on e. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either pl If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order 	set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. I district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud date. Ber #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on a 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either ple If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. 	set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; unted from below any usable water to surface within 120 days of spud date. From the surface within 120 days of spud date. From the surface within 120 days of spud date. From the surface within 120 days of spud date. From the surface within 120 days of spud date. From the surface within 120 days of spud date.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on e. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either ple If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best 	set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud date. For #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If the plugged is a plugged is a plugged is a plugged in the plugged in t
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either ple 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud date. For #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If the plugged is a plugged is a plugged is a plugged in a plugged in a plugged in the p
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either ple 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. I district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud date. Fig. 133,891-C, which applies to the KCC District 3 area, alternate II cementing to the plugged. In all cases, NOTIFY district office prior to any cementing. If the land by A. Balland Title: Geologist
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on a copy of the approved notice of intent to drill <i>shall be</i> posted on a copy of the approved notice of intent to drill <i>shall be</i> posted on a copy of the minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into the lift of the well is dry hole, an agreement between the operator and the copy of the specified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is eith	set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud date. For #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. If the land by A. Ballud Title: Geologist
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on a continuous and the approved notice of intent to drill <i>shall be</i> posted on a continuous and the through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the continuous to the strict office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best plate; November 5, 2006 Signature of Operator or Agent: For KCC Use ONLY	set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. I district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud date. Fig. 133,891-C, which applies to the KCC District 3 area, alternate II cementing to the plugged. In all cases, NOTIFY district office prior to any cementing. If the law by Ballow Title: Geologist
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either ple 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best pate; November 5, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OOI - 29546-OOOO	set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. I district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud date. Fig. 133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. Of my knowledge and belief. Hall by Bellie Title: Geologist Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either ple 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best pate; November 5, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OOI - 29546-0000 Conductor pipe required November 5, 2006 Feet	set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. It district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; unted from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing to the plugged. In all cases, NOTIFY district office prior to any cementing. If the plugged is a plugged in the plugged in all cases, NOTIFY district office prior to any cementing. If the plugged is prior to any cementing in the plugged in the plug
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best plate: November 5, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OOI - 29546-0000 Conductor pipe required Now feet Minimum surface pipe required feet per Alt.	set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. It district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; unted from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing to the plugged. In all cases, NOTIFY district office prior to any cementing. If the plugged is a plugged in the plugged in all cases, NOTIFY district office prior to any cementing. If the plugged is prior to any cementing in the plugged in the plug
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best plate: November 5, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OOI - 29546-0000 Conductor pipe required November 5, 2006 Feet per Alt. 12	set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. It district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; unted from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing to the plugged. In all cases, NOTIFY district office prior to any cementing. If the plugged is a plugged in the plugged in all cases, NOTIFY district office prior to any cementing. If the plugged is prior to any cementing in the plugged in the plug
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either ple 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best plate: November 5, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OOI - 29546-0000 Conductor pipe required Now feet per Alt. Minimum surface pipe required 20 feet per Alt.	set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. It district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; unted from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing to the plugged. In all cases, NOTIFY district office prior to any cementing. If the plugged is a plugged in the plugged in all cases, NOTIFY district office prior to any cementing. If the plugged is prior to any cementing in the plugged in the plug
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either ple 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best plate; November 5, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OOI - 29546-0000 Conductor pipe required Noru feet Minimum surface pipe required 20 feet per Alt.	set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; unted from below any usable water to surface within 120 days of spud date. First 133,891-C, which applies to the KCC District 3 area, alternate II cementing to the plugged. In all cases, NOTIFY district office prior to any cementing. If the Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
2. A copy of the approved notice of intent to drill shall be posted on e 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best plate: November 5, 2006 Signature of Operator or Agent: Signature of Operator or Agent: When the product of the product of the plate of the product	set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; unted from below any usable water to surface within 120 days of spud date. First special spe

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 001-29546-0000	Location of Well: County: Allen
Operator: Verdi Oil Company	2635 feet from N / V S Line of Section
Lease: Manson	1980 feet from E / 🗸 W Line of Section
Well Number: W-48	Sec. 29 Twp. 26 S. R. 20 East West
Field: Humboldt/Chanute	
Number of Acres attributable to well:	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

-		-			-		
.							
1 '	•			•	•	•	
					•	•	
1 .							
	•						
		•		•			
1 .						•	•
1							
				-			
				٠,			
		_			_		
				9			
ļ	· a	91	2	9			
	19	80	2	9	•		
	19	80	2	9	•		
	19	80		9	•	•	
	19	80	<u> </u>	9			
	19	٠٠٠,	 2	9			
	19	٠٠٠,	 2	9			
	19	٠٠٠,	 2	9			
	19	80 °	2	9			
	19	٠٠٠,	2	9			
	19	٠٠٠,	2 	9			
	19	٠٠٠,	· 2	9			
	19	٠٠٠,		9			
	19	٠٠٠,	· · · · · · · · · · · · · · · · · · ·	9			
	19	٠٠٠,	· · · · · · · · · · · · · · · · · · ·	9			
		٠٠٠,	2	9			
		٠٠٠,	2	9			
	19	٠٠٠,		9			
	19	٠٠٠,		9			



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.

RECEIVED

3. The distance to the nearest lease or unit boundary line.

KANSAS CORPORATION COMMISSION

 If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

CONSERVATION DIVISION WICHITAL KS

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

		, ,			
Operator Name: Verdi Oil Company			License Number: 4485		
Operator Address: 1020 NE Loop 410, Suite 555, San Antonio, TX 78209					
Contact Person: Jeffrey L. Dale			Phone Number: (620) 754 - 3800		
Lease Name & Well No.: Manson W-48			Pit Location (QQQQ):		
Type of Pit:	Pit is:		NW . NW . NE . SW		
Emergency Pit Burn Pit	Proposed Existing		Sec. 29 Twp. 26 R. 20		
Settling Pit	If Existing, date constructed:		2635 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		1980 Feet from East / 🗹 West Line of Section		
(If WP Supply API No. or Year Drilled)		(bbls)	Allen		
Is the pit located in a Sensitive Ground Water	Area? Yes	' No	Chloride concentration:mg/l		
Is the believe below evened level?	Autorial Linary		(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used? Clay/Silt lined		
			· · · · · · · · · · · · · · · · · · ·		
Pit dimensions (all but working pits):					
Depth fr	rom ground level to de	eepest point:	4 (feet)		
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and determining ncluding any special monitoring.		
			, 		
Distance to nearest water well within one-mile	e of pit		west fresh waterfeet.		
NA feet Depth of water wellfeet		Source of information: measured well owner electric log KDWR			
leet Deptil of water wellleet			over and Haul-Off Pits ONLY:		
		Type of material utilized in drilling/workover: Fresh water			
Number of producing wells on lease:		•	king pits to be utilized: One		
Barrels of fluid produced daily:		Abandonment procedure: Allow to evaporate & backfill			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
November 5, 2006 Date Output Date Date					
	KCC	OFFICE USE O	NLY		

Date Received: Permit Date:

Lease InspectionSAS CORPORATION COMMISSIO

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

CONSERVATION DIVISION WICHITA, KS

KANSAS

CORPORATION COMMISSION

KATHLEEN SEBELTUS, GOVERNOR BRIAN J. MOLINE, CHAIR ROBERT E. KREHBIEL, COMMISSIONER MICHAEL C. MOFFET, COMMISSIONER

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.