For KCC Use:

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

## **NOTICE OF INTENT TO DRILL**

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date December	4	2006	Spot	East
month	n day	year	SE - NW - NE Sec. 8 Twp. 17 S. R. 28	West
5144			1018 feet from V N / S Line of	
OPERATOR: License# 5144			1739 feet from $\checkmark$ E / W Line of	
Name: Mull Drilling Company, Inc.	<u> </u>		Is SECTION _✓ RegularIrregular?	Section
Address: P.O. Box 2758 Wichita KS 67201-2758				
City/State/Zip: Wichita KS 67201-2758			(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Mark Shreve Phone: 316-264-6366 Ext. 13			County: Lane	<u> </u>
		·	Lease Name: Terwilliger "A" Well #, 1-4	<u></u>
CONTRACTOR: License# 5929			Field Name: Wildcat	
Name: Duke Drilling Co., Inc.			Is this a Prorated / Spaced Field?	Yes [ <b>√</b> ]No
			Target Formation(s): Cherokee Sand	
Well Drilled For: Well	Class: Type	Equipment:	Nearest Lease or unit boundary: 901'	
Oil Finh Rec	Infield 🗸	Mud Rotary	Ground Surface Elevation: 2774.3	feet MSL
Gas Storage	Pool Ext.	Air Rotary		res 🔽 No.
OWWO Disposal	Wildcat /	Cable	• • • • • • • • • • • • • • • • • • • •	res No
Seismic;# of Holes	Other		Depth to bottom of fresh water: 180'	
Other			Depth to bottom of usable water: 1350'	
			Surface Pipe by Alternate: 1 2 2	
If OWWO: old well information as foll	lows:		Length of Surface Pipe Planned to be set: 200'	
Operator:			Length of Conductor Pipe required: None Projected Total Depth: 4650'	
Well Name:				
Original Completion Date:	Original Tota	al Depth:	/ Ormation at total Depth.	
Directional, Deviated or Horizontal we	ellbore?	Yes ✓ No	Water Source for Drilling Operations:  Well Farm Pond Other X	
If Yes, true vertical depth:			DWR Permit #: Contractor will apply	<del></del>
			DVVA Permit #:	
Bottom Hole Location:			/Alaba, A I. f D 4 44 DIA/D [] 1	
Bottom Hole Location:			(Note: Apply for Permit with DWR 🗸)	/ <b>Z</b> N-
Bottom Hole Location:KCC DKT #:			Will Cores be taken?	Yes ✓ No
<del></del>				Yes ✓ No
<del></del>			Will Cores be taken?	Yes ✓ No
KCC DKT #:		AF	Will Cores be taken?  If Yes, proposed zone:	Yes ✓ No
KCC DKT #: The undersigned hereby affirms that It is agreed that the following minimum.	t the drilling, comp um requirements w	<b>AF</b> letion and eventual vill be met:	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT	Yes ✓No
The undersigned hereby affirms that It is agreed that the following minimum.  1. Notify the appropriate district. 2. A copy of the approved notice. 3. The minimum amount of surfacthrough all unconsolidated material through all unconsolidated material through all unconsolidated material to the well is dry hole, an agree 5. The appropriate district office.  6. If an ALTERNATE II COMPLE Or pursuant to Appendix "B" must be completed within 30.	t the drilling, complum requirements woffice <i>prior</i> to spuse of intent to drill since pipe as specificaterials plus a minimaterials plus a minimatement between the will be notified before the spud days of the	AF letion and eventual vill be met: dding of well; hall be posted on e ed below shall be mum of 20 feet into ne operator and the ore well is either pl pipe shall be ceme surface casing ord date or the well sha	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall to the underlying formation.  district office on plug length and placement is necessary prior to plugged or production casing is cemented in;  nted from below any usable water to surface within 120 days of sput ar #133,891-C, which applies to the KCC District 3 area, alternate II be plugged. In all cases, NOTIFY district office prior to any cert	ne set lugging; d date. cementing
The undersigned hereby affirms that It is agreed that the following minimum 1. Notify the appropriate district 2. A copy of the approved notice 3. The minimum amount of surfathrough all unconsolidated material 4. If the well is dry hole, an agree 5. The appropriate district office 6. If an ALTERNATE II COMPLE Or pursuant to Appendix "B" must be completed within 30	t the drilling, complum requirements woffice <i>prior</i> to spuse of intent to drill since pipe as specificaterials plus a minimaterials plus a minimatement between the will be notified before the spud days of the	AF letion and eventual vill be met: dding of well; hall be posted on e ed below shall be mum of 20 feet into ne operator and the ore well is either pl pipe shall be ceme surface casing ord date or the well sha	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall to the underlying formation.  district office on plug length and placement is necessary prior to plugged or production casing is cemented in;  nted from below any usable water to surface within 120 days of sput ar #133,891-C, which applies to the KCC District 3 area, alternate II be plugged. In all cases, NOTIFY district office prior to any cert	ne set lugging; d date. cementing
The undersigned hereby affirms that It is agreed that the following minimum 1. Notify the appropriate district 2. A copy of the approved notice 3. The minimum amount of surfathrough all unconsolidated material 4. If the well is dry hole, an agree 5. The appropriate district office 6. If an ALTERNATE II COMPLE Or pursuant to Appendix "B" must be completed within 30. I hereby certify that the statements	t the drilling, complum requirements woffice <i>prior</i> to spure of intent to drill since pipe as specificaterials plus a minimaterials plus a minimatement between the will be notified before TION, production - Eastern Kansas and days of the spud dimade herein are to	AF  letion and eventual vill be met:  dding of well;  hall be posted on e ed below shall be mum of 20 feet into the operator and the ore well is either pl pipe shall be ceme surface casing ordulate or the well shall the control of the best rue and to the best	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall to the underlying formation.  district office on plug length and placement is necessary prior to plugged or production casing is cemented in;  nted from below any usable water to surface within 120 days of spur #133,891-C, which applies to the KCC District 3 area, alternate II be plugged. In all cases, NOTIFY district office prior to any cemor my knowledges and belief.	ne set lugging; d date. cementing
The undersigned hereby affirms that It is agreed that the following minimum 1. Notify the appropriate district 2. A copy of the approved notice 3. The minimum amount of surfathrough all unconsolidated material 4. If the well is dry hole, an agree 5. The appropriate district office 6. If an ALTERNATE II COMPLE Or pursuant to Appendix "B" must be completed within 30. I hereby certify that the statements	t the drilling, complum requirements woffice <i>prior</i> to spuse of intent to drill since pipe as specificaterials plus a minimaterials plus a minimatement between the will be notified before the spud days of the	AF  letion and eventual vill be met:  dding of well;  hall be posted on e ed below shall be mum of 20 feet into the operator and the ore well is either pl pipe shall be ceme surface casing ordulate or the well shall the control of the best rue and to the best	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall to the underlying formation.  district office on plug length and placement is necessary prior to plugged or production casing is cemented in;  nted from below any usable water to surface within 120 days of spur #133,891-C, which applies to the KCC District 3 area, alternate II be plugged. In all cases, NOTIFY district office prior to any cemor my knowledge and belief.  Title: President/COO	ne set lugging; d date. cementing
The undersigned hereby affirms that It is agreed that the following minimum 1. Notify the appropriate district 2. A copy of the approved notice 3. The minimum amount of surfathrough all unconsolidated material 4. If the well is dry hole, an agree 5. The appropriate district office 6. If an ALTERNATE II COMPLE Or pursuant to Appendix "B" must be completed within 30. I hereby certify that the statements.  Date: 11/3/06 Signat	t the drilling, complum requirements woffice <i>prior</i> to spure of intent to drill since pipe as specificaterials plus a minimatement between the will be notified before TION, production - Eastern Kansas and days of the spud dimade herein are the start of Operator or	AF  letion and eventual vill be met:  dding of well;  hall be posted on e ed below shall be mum of 20 feet into the operator and the ore well is either pl pipe shall be ceme surface casing ordulate or the well shall the control of the best rue and to the best	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall in the underlying formation.  district office on plug length and placement is necessary prior to plugged or production casing is cemented in; inted from below any usable water to surface within 120 days of spurser #133,891-C, which applies to the KCC District 3 area, alternate II to be plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.  Title: President/COO  Remember to:	ne set lugging; d date. cementing
The undersigned hereby affirms that It is agreed that the following minimum.  1. Notify the appropriate district. 2. A copy of the approved notice. 3. The minimum amount of surfacthrough all unconsolidated material and the well is dry hole, an agree of the appropriate district office. 4. If the well is dry hole, an agree of the appropriate district office. 5. The appropriate district office. 6. If an ALTERNATE II COMPLE or pursuant to Appendix "B" must be completed within 30. I hereby certify that the statements.  Date: 11/3/06 Signat	t the drilling, complum requirements woffice <i>prior</i> to spure of intent to drill since pipe as specificaterials plus a minimatement between the will be notified before TION, production - Eastern Kansas and days of the spud dimade herein are the start of Operator or	AF  letion and eventual vill be met:  dding of well;  hall be posted on e ed below shall be mum of 20 feet into the operator and the ore well is either pl pipe shall be ceme surface casing ordulate or the well shall the control of the best rue and to the best	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall it the underlying formation.  district office on plug length and placement is necessary prior to pugged or production casing is cemented in;  nted from below any usable water to surface within 120 days of spur #133,891-C, which applies to the KCC District 3 area, alternate II be plugged. In all cases, NOTIFY district office prior to any cemor my knowledge and belief.  Title: President/COO  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;	e set lugging; d date. cementing enting.
The undersigned hereby affirms that It is agreed that the following minimum.  1. Notify the appropriate district. 2. A copy of the approved notice. 3. The minimum amount of surfact through all unconsolidated material and the well is dry hole, an agree for the appropriate district office. 6. If an ALTERNATE II COMPLE Or pursuant to Appendix "B" must be completed within 30. I hereby certify that the statements.  Date: 11/3/06 Signate.  For KCC Use ONLY API # 15 - 10/-2/1980	t the drilling, complum requirements woffice <i>prior</i> to spure of intent to drill since pipe as specificaterials plus a minimal of the will be notified beful to the production. Eastern Kansas and days of the spud of made herein are the true of Operator or	AF letion and eventual will be met: dding of well; hall be posted on e ed below shall be mum of 20 feet into ne operator and the fore well is either pl pipe shall be ceme surface casing orde late or the well sha rue and to the best	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall in the underlying formation.  district office on plug length and placement is necessary prior to plugged or production casing is cemented in; inted from below any usable water to surface within 120 days of spurser #133,891-C, which applies to the KCC District 3 area, alternate II to be plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.  Title: President/COO  Remember to:	ne set lugging; d date. cementing
The undersigned hereby affirms that It is agreed that the following minimum 1. Notify the appropriate district 2. A copy of the approved notice 3. The minimum amount of surfathrough all unconsolidated mad 4. If the well is dry hole, an agree 5. The appropriate district office 6. If an ALTERNATE II COMPLE Or pursuant to Appendix "B" must be completed within 30. I hereby certify that the statements Date: 11/3/06 Signat For KCC Use ONLY API # 15 - 10/-2/1980 Conductor pipe required	t the drilling, complum requirements wo office <i>prior</i> to spure of intent to drill stace pipe as specificaterials plus a minimement between the will be notified beful to be notified beful to be intended and the spud of the spud of made herein are the sure of Operator or the spud of	AF  letion and eventual vill be met:  dding of well;  hall be posted on e ed below shall be mum of 20 feet into the operator and the ore well is either pl pipe shall be ceme surface casing ordulate or the well shall the control of the best rue and to the best	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall it the underlying formation.  district office on plug length and placement is necessary prior to pugged or production casing is cemented in;  nted from below any usable water to surface within 120 days of spunder #133,891-C, which applies to the KCC District 3 area, alternate III be plugged. In all cases, NOTIFY district office prior to any cert of my knowledge and belief.  Title: President/COO  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;	e set fugging; d date. cementing.
The undersigned hereby affirms that It is agreed that the following minimum.  1. Notify the appropriate district 2. A copy of the approved notice 3. The minimum amount of surfathrough all unconsolidated material 4. If the well is dry hole, an agree 5. The appropriate district office 6. If an ALTERNATE II COMPLE Or pursuant to Appendix "B" must be completed within 30. If hereby certify that the statements Date: 11/3/06 Signate For KCC Use ONLY  API # 15 - 10/-2/980  Conductor pipe required	t the drilling, complum requirements wo office <i>prior</i> to spuse of intent to drill since pipe as specificaterials plus a minimal perment between the will be notified beful to the complete of the spud of the spu	AF letion and eventual will be met: dding of well; hall be posted on e ed below shall be mum of 20 feet into ne operator and the fore well is either pl pipe shall be ceme surface casing orde late or the well sha rue and to the best	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall the underlying formation.  district office on plug length and placement is necessary prior to pugged or production casing is cemented in;  nted from below any usable water to surface within 120 days of spunder #133,891-C, which applies to the KCC District 3 area, alternate III be plugged. In all cases, NOTIFY district office prior to any cert of my knowledge and belief.  Title: President/COO  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re  - Submit plugging report (CP-4) after plugging is completed;	e set fugging; d date. cementing.
The undersigned hereby affirms that It is agreed that the following minimum 1. Notify the appropriate district 2. A copy of the approved notice 3. The minimum amount of surfathrough all unconsolidated mad 4. If the well is dry hole, an agree 5. The appropriate district office 6. If an ALTERNATE II COMPLE Or pursuant to Appendix "B" must be completed within 30. I hereby certify that the statements Date: 11/3/06 Signation For KCC Use ONLY API # 15 - 10/-2/980 Conductor pipe required Minimum surface pipe required Approved by: Put 11-8-06	t the drilling, complum requirements wo office <i>prior</i> to spue of intent to drill since pipe as specificaterials plus a minimal of the will be notified beful to the complete of the spud	letion and eventual vill be met: dding of well; hall be posted on eed below shall be mum of 20 feet into the operator and the fore well is either plipipe shall be ceme surface casing orditate or the well sharue and to the best Agent:	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall the underlying formation.  district office on plug length and placement is necessary prior to pugged or production casing is cemented in;  nted from below any usable water to surface within 120 days of spunder #133,891-C, which applies to the KCC District 3 area, alternate III be plugged. In all cases, NOTIFY district office prior to any cert of my knowledge and belief.  Title: President/COO  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re	e set fugging; d date. cementing.
The undersigned hereby affirms that It is agreed that the following minimum.  1. Notify the appropriate district. 2. A copy of the approved notice. 3. The minimum amount of surfact through all unconsolidated material and the well is dry hole, an agree of the appropriate district office. 4. If the well is dry hole, an agree of the appropriate district office. 6. If an ALTERNATE II COMPLE Or pursuant to Appendix "B" must be completed within 30. I hereby certify that the statements.  Date: 11/3/06 Signate  For KCC Use ONLY  API # 15 - / O/ - 2 / 980.  Conductor pipe required Minimum surface pipe required Approved by: Putt 11-8-06.	t the drilling, complum requirements wo office <i>prior</i> to spue of intent to drill since pipe as specificaterials plus a minimal of the will be notified beful to the complete of the spud	letion and eventual vill be met: dding of well; hall be posted on eed below shall be mum of 20 feet into the operator and the fore well is either plipipe shall be ceme surface casing orditate or the well sharue and to the best Agent:	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall it the underlying formation.  district office on plug length and placement is necessary prior to pugged or production casing is cemented in;  nted from below any usable water to surface within 120 days of spunger #133,891-C, which applies to the KCC District 3 area, alternate III be plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.  Title: President/COO  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File acreage attribution plat according to field proration orders;  - Notlify appropriate district office 48 hours prior to workover or recompleted;  - Obtain written approval before disposing or injecting salt water.  - If this permit has expired (See: authorized expiration date) pleas	e set lugging; d date. cementing enting.
The undersigned hereby affirms that It is agreed that the following minimum 1. Notify the appropriate district 2. A copy of the approved notice 3. The minimum amount of surfathrough all unconsolidated mathrough and the appropriate district office 6. If an ALTERNATE II COMPLE Or pursuant to Appendix "B" must be completed within 30. I hereby certify that the statements Date: 11/3/06 Signation of the appropriate of t	t the drilling, complum requirements wo office <i>prior</i> to spure of intent to drill since pipe as specificaterials plus a minimal perment between the will be notified before the spud of t	AF letion and eventual vill be met: dding of well; hall be posted on e ed below shall be mum of 20 feet into the operator and the fore well is either plipe shall be cemes surface casing order that or the well shall rue and to the best of Agent:	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall in the underlying formation.  district office on plug length and placement is necessary prior to pugged or production casing is cemented in;  nted from below any usable water to surface within 120 days of spunger #133,891-C, which applies to the KCC District 3 area, alternate III be plugged. In all cases, NOTIFY district office prior to any cert of my knowledge and belief.  Title: President/COO  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re  - Submit plugging report (CP-4) after plugging is completed;  - Obtain written approval before disposing or injecting salt water.	e set lugging; d date. cementing. enting.
The undersigned hereby affirms that It is agreed that the following minimum.  1. Notify the appropriate district. 2. A copy of the approved notice. 3. The minimum amount of surfact through all unconsolidated material. 4. If the well is dry hole, an agree 5. The appropriate district office. 6. If an ALTERNATE II COMPLE Or pursuant to Appendix "B" must be completed within 30. I hereby certify that the statements.  Date: 11/3/06 Signate  For KCC Use ONLY  API # 15 - 10/-21980  Conductor pipe required Minimum surface pipe required Approved by: Put 11-8-00  This authorization expires: 5-8	t the drilling, complum requirements wo office <i>prior</i> to spure of intent to drill since pipe as specificaterials plus a minimal perment between the will be notified before the spud of t	AF letion and eventual vill be met: dding of well; hall be posted on e ed below shall be mum of 20 feet into the operator and the fore well is either plipe shall be cemes surface casing order that or the well shall rue and to the best of Agent:	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall it the underlying formation.  district office on plug length and placement is necessary prior to pugged or production casing is cemented in;  nted from below any usable water to surface within 120 days of spunger #133,891-C, which applies to the KCC District 3 area, alternate III be plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.  Title: President/COO  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File acreage attribution plat according to field proration orders;  - Notlify appropriate district office 48 hours prior to workover or recompleted;  - Obtain written approval before disposing or injecting salt water.  - If this permit has expired (See: authorized expiration date) pleas	e set fugging; d date. cementing. enting.
The undersigned hereby affirms that it is agreed that the following minimum.  1. Notify the appropriate district 2. A copy of the approved notice 3. The minimum amount of surfathrough all unconsolidated made. If the well is dry hole, an agree 5. The appropriate district office 6. If an ALTERNATE II COMPLE Or pursuant to Appendix "B" must be completed within 30. I hereby certify that the statements  Date: 11/3/06 Signate  For KCC Use ONLY  API # 15 - //O/- 2/980  Conductor pipe required Minimum surface pipe required Approved by: Put 11-8-06  This authorization expires: 5-8  (This authorization void if drilling not seed to surface pipe required to surface pipe required Approved by: Put 11-8-06	t the drilling, complum requirements wo office <i>prior</i> to spure of intent to drill since pipe as specificaterials plus a minimal perment between the will be notified before the spud of t	AF letion and eventual vill be met: dding of well; hall be posted on e ed below shall be mum of 20 feet into the operator and the fore well is either plipe shall be cemes surface casing order that or the well shall rue and to the best of Agent:	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  plugging of this well will comply with K.S.A. 55 et. seq.  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall to the underlying formation.  district office on plug length and placement is necessary prior to plugged or production casing is cemented in;  nted from below any usable water to surface within 120 days of sput ar #133,891-C, which applies to the KCC District 3 area, alternate III  Il be plugged. In all cases, NOTIFY district office prior to any cerr of my knowledge and belief.  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) pleas check the box below and return to the address below.	e set lugging; d date. cementing. enting.

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 101-21980-0000	Location of Well: County: Lane
Operator: Mull Drilling Company, Inc.	1018 feet from VN/ S Line of Section
Lease: Terwilliger "A"	1739 feet from ✓ E / W Line of Section
Well Number: 1-8 Field: Wildcat	Sec. 8 Twp. 17 S. R. 28 ☐ East ✓ West
Number of Acres attributable to well:	Is Section: ✓ Regular or Irregular
QTR / QTR / QTR of acreage: SE - NW - NE	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### DI AT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

		다. 전, 전, 전, 전, 전, 전, 전, (1)
	 :	
	 •	
 	 :	



NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat mus Receive (ED for oil wells; CG-8 for gas wells).

NOV 0 7 2006

# Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Mull Drilling Compa	env Inc	License Number: 5144			
Operator Address: P.O. Box 2758					
	Wichita NS 6				
Contact Person: Mark Shreve	W = 2-2-11	- TMW-	Phone Number: ( 316 ) 264 - 6366		
Lease Name & Well No.: Terwilliger "A	A" #1-8		Pit Location (QQQQ):		
Type of Pit:	Pit is:		_SW _ SE _ NW _ NE_		
Emergency Pit Burn Pit	✓ Proposed		Sec8 _Twp17SR28 East		
Settling Pit	If Existing, date constructed:		1018 Feet from 🗸 North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		1739 Feet from 🗸 East / West Line of Section		
(If WP Supply API No. or Year Drilled)	i it capacity.	(bbls)	Lane		
Is the pit located in a Sensitive Ground Water	Area? Vac /	/ No	Chloride concentration:mg/l		
is the photoated in a definitive croding visite	Alca: [ies		(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
✓ Yes No	☐ Yes 🗸	No	Drilling Mud/Bentonite		
Pit dimensions (all but working pits):6	0 Length (fe	eet) 60	Width (feet) N/A: Steel Pits		
Depth fr	om ground level to de		(feet)		
If the pit is lined give a brief description of the material, thickness and installation procedure		liner integrity, ii	edures for periodic maintenance and determining noluding any special monitoring.		
So		Depth to shallowest fresh water 97 feet.  Source of information: KHK60			
<u></u>			redwell owner electric logKDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:  Type of material utilized in drilling/workover: Gel Mud			
Number of producing wells on lease:		Number of working pits to be utilized: 2  Abandonment procedure: Allow to evaporate and backfill with			
Barrels of fluid produced daily:		original soil.			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  11/3/06					
Date		ignature of Applicant or Agent			
KCC OFFICE USE ONLY					
Date Received: 11 7 0 Permit Number: Permit Date: U7 0 LeaR F6 Fid VED es 🗸 No					

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansa 101202 7 2006