For KCC Use:	11-18-06
Effective Date:	
District #	
and Elves V	1 No

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

# NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

December 10 2006	Spot
xpected Spud Date	SE SW <u>SW</u> Sec. 25 Twp. 11S S. R. 17 West
5030	340'feet from [ N / ✓ S Line of Section
PERATOR: License# — — — — — — — — — — — — — — — — — — —	880'feet fromE / V W Line of Section
me: Vess Oil Corporation	Is SECTIONRegularIrregular?
Mrs.: 8100 E. 22nd St North, Bldg. 300	(Note: Locate well on the Section Plat on reverse side)
ty/State/Zip: Wichita, KS 67226	Flis
ontact Person, W.R. Hongan	Lease Name: Colahan B Well #:#29
none: 316-682-1537 X102	Field Name: Bemis Shutts
ONTRACTOR: License# 6039 V	Is this a Prorated / Spaced Field? Yes ✓ N
DNTRACTOR: License#	Target Information(s): Arbuckle
me: <u>L. D. Dinning Gost, wis.</u>	Nearest Lease or unit boundary: 340'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: Est. 2080' feet MS
The Potonia	
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 180
Seismic:# of Holes Other	Depth to bottom of usable water: 248 750
Other	
	Surface Pipe by Alternate: 2  Length of Surface Pipe Planned to be set: 1210'
OWWO: old well information as follows:	Length of Surface Pipe Planned to be set
Operator:	Projected Total Depth: 3600'
Well Name:	Formation at Total Depth: Arbuckle
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:
rectional, Deviator of Artificial	
Yes, true vertical depth:	DWR Permit #:
	(a) A Ave to far Bormit with DIME [ ]
ottom Hole Location:	(Note: Apply for Permit with DWR [_])
	Will Cores be taken?Yes ✓
CC DKT #:	Will Cores be taken? Yes ✓ to the second of
CC DKT #:	Will Cores be taken? Yes ✓I Yes, proposed zone: ————————————————————————————————————
CC DKT #:	Will Cores be taken? Yes ✓I Yes, proposed zone: ————————————————————————————————————
CC DKT #:	- Will Cores be taken?
A  The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Il plugging of this well will comply with K.S.A. 55 et. seq.
All the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Il plugging of this well will comply with K.S.A. 55 et. seq.
All the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Il plugging of this well will comply with K.S.A. 55 et. seq.  each drilling rig;  e set by circulating cement to the top; in all cases surface pipe shall be set
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> .	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  If plugging of this well will comply with K.S.A. 55 et. seq.  each drilling rig;  e set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in  4. If the well is dry hole, an agreement between the operator and the	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  If plugging of this well will comply with K.S.A. 55 et. seq.  each drilling rig;  e set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  The district office on plug length and placement is necessary prior to plugging plugged or production casing is cemented in;
An endersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either as the contraction.	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  If plugging of this well will comply with K.S.A. 55 et. seq.  each drilling rig;  e set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  If Yes I I Yes I I Yes I I Yes I I Yes I
An endersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the strict office will be notified before well is either to the control of the strict of the s	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  If plugging of this well will comply with K.S.A. 55 et. seq.  each drilling rig;  e set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  If the district office on plug length and placement is necessary prior to plugging oblugged or production casing is cemented in;  If Yes   Yes   Yes   Yes   If Yes, proposed zone:  If Yes, pr
All the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be computed or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well stream.	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  If plugging of this well will comply with K.S.A. 55 et. seq.  each drilling rig;  e set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  the district office on plug length and placement is necessary prior to plugging olugged or production casing is cemented in;  mented from below any usable water to surface within 120 days of spud date.  der #133,891-C, which applies to the KCC District 3 area, alternate II cement all be plugged, In all cases, NOTIFY district office prior to any cementing.
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the strength of the specified before well is either to the specified before the spe	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  If plugging of this well will comply with K.S.A. 55 et. seq.  each drilling rig;  e set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  the district office on plug length and placement is necessary prior to plugging olugged or production casing is cemented in;  mented from below any usable water to surface within 120 days of spud date.  der #133,891-C, which applies to the KCC District 3 area, alternate II cement all be plugged, In all cases, NOTIFY district office prior to any cementing.
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well share be certify that the statements made herein are true and to the best of the spud to the spud to the best of the spud to the spud to the best of the spud to the spud to the best of the spud to t	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  If plugging of this well will comply with K.S.A. 55 et. seq.  each drilling rig;  e set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  The district office on plug length and placement is necessary prior to plugging plugged or production casing is cemented in;  The ented from below any usable water to surface within 120 days of spud date, and the first surface within 120 days of spud date.  The ented from below any usable water to surface within 120 days of spud date, and the first surface within 120 days of spud date.  The plugged is a laternate if cement is plugged. In all cases, NOTIFY district office prior to any cementing.
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be comforted or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well shareby certify that the statements made herein are true and to the best of the statements of the specific production of the statements of the specific production of the statements of the specific production and the statements of the s	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  If plugging of this well will comply with K.S.A. 55 et. seq.  each drilling rig;  e set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  the district office on plug length and placement is necessary prior to plugging olugged or production casing is cemented in;  mented from below any usable water to surface within 120 days of spud date.  der #133,891-C, which applies to the KCC District 3 area, alternate II cement all be plugged, In all cases, NOTIFY district office prior to any cementing.
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well share be certify that the statements made herein are true and to the best of the spud to the spud to the best of the spud to the spud to the best of the spud to the spud to the best of the spud to t	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  If plugging of this well will comply with K.S.A. 55 et. seq.  each drilling rig;  e set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  The district office on plug length and placement is necessary prior to plugging be determined from below any usable water to surface within 120 days of spud date. The plugged.  In all cases, NOTIFY district office prior to any cementing.  Title: Operations Engineer  Remember to:
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the state of the specified district office will be notified before well is either of the appropriate district office will be notified before well is either of the appropriate of the specified of the specified of the well shall be computed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be certified to the specified of the spe	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  If plugging of this well will comply with K.S.A. 55 et. seq.  each drilling rig;  e set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  In district office on plug length and placement is necessary prior to plugging plugged or production casing is cemented in;  nented from below any usable water to surface within 120 days of spud date.  It is plugged, In all cases, NOTIFY district office prior to any cementing.  If Yes VI  Title: Operations Engineer  Remember to:  File Drill Pt Application (form CDP-1) with Intent to Drill;
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either of 16. If an ALTERNATE II COMPLETION, production pipe shall be cert or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well shareby certify that the statements made herein are true and to the best of the spud state.  Signature of Operator or Agent:	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  If plugging of this well will comply with K.S.A. 55 et. seq.  each drilling rig;  e set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  In district office on plug length and placement is necessary prior to plugging plugged or production casing is cemented in;  Interest of the within 120 days of spud date.  It is plugged, In all cases, NOTIFY district office prior to any cementing.  If Yes Vitalian is proposed zone:  Plugging of this well will comply with K.S.A. 55 et. seq.  If Yes Vitalian is plugged, in all cases surface pipe shall be set to the underlying formation.  The plugging of this well will comply with K.S.A. 55 et. seq.  Plugging of this well will comply with K.S.A. 55 et. seq.  To plugging of this well will comply with K.S.A. 55 et. seq.  Plugging of this well will comply with K.S.A. 55 et. seq.  To plugging of this well will comply with K.S.A. 55 et. seq.  Plugging of this well will comply with K.S.A. 55 et. seq.  Plugging of this well will comply with K.S.A. 55 et. seq.  Plugging of this well will comply with K.S.A. 55 et. seq.  Plugging of this well will comply with K.S.A. 55 et. seq.  Plugging of this well will comply with K.S.A. 55 et. seq.  Plugging of this well will comply with K.S.A. 55 et. seq.  Plugging of this well will comply with K.S.A. 55 et. seq.  Plugging of this well will comply with K.S.A. 55 et. seq.  Plugging of this well will comply with K.S.A. 55 et. seq.  Plugging of this well will comply with K.S.A. 55 et. seq.  Plugging of this well will comply with K.S.A. 55 et. seq.  Plugging of this well will comply will all cases surface pipe shall be set to the case of the seq.  Plugging of this well will all cases surface pipe shall be set to the case of the seq.  Plugging of this well will all cases surface with K.S.A. 55 et. seq.  Plugging of this will all cases surface pipe shall be set to the case of the seq.  Plugging of this will all cases surface with K.S.A. 55 et. seq.
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either of 16. If an ALTERNATE II COMPLETION, production pipe shall be compured to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well shall be certified.  Signature of Operator or Agent:  **Date:** 11/6/06 **Signature of Operator or Agent:**  **Date:** 11/6/06 **Signature of Opera	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  If plugging of this well will comply with K.S.A. 55 et. seq.  each drilling rig;  e set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  It district office on plug length and placement is necessary prior to plugging plugged or production casing is cemented in; mented from below any usable water to surface within 120 days of spud date.  It all cases, NOTIFY district office prior to any cementing.  Title: Operations Engineer  Remember to:  File Drill Ph'Application (form CDP-1) with Intent to Drill;  File completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either on a number of the computant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well shall be certified.  Signature of Operator or Agent:  **Torkee Use ONLY**  API # 15 - **D\$1 - 255900000000000000000000000000000000000	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  If plugging of this well will comply with K.S.A. 55 et. seq.  each drilling rig;  e set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  It district office on plug length and placement is necessary prior to plugging plugged or production casing is cemented in;  mented from below any usable water to surface within 120 days of spud date.  It all be plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Operations Engineer  Remember to:  File Drill Pli Application (form CDP-1) with Intent to Drill;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either of 16. If an ALTERNATE II COMPLETION, production pipe shall be cert or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well shareby certify that the statements made herein are true and to the best of 11/6/06 Signature of Operator or Agent:    Signature of Operator or Agent:   11/6/06   Signature of Operator or Agent	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  If plugging of this well will comply with K.S.A. 55 et. seq.  each drilling rig;  e set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  It district office on plug length and placement is necessary prior to plugging olugged or production casing is cemented in;  mented from below any usable water to surface within 120 days of spud date. der #133,891-C, which applies to the KCC District 3 area, alternate II cement hall be plugged. In all cases, NOTIFY district office prior to any cementing.  If Yes  Prior to seq.  Title: Operations Engineer  Remember to:  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either of 16. If an ALTERNATE II COMPLETION, production pipe shall be cert or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to the best of 11/6/06 Signature of Operator or Agent:    Signature of Operator or Agent:   11/6/06   Signature of Operator or Agent	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  If plugging of this well will comply with K.S.A. 55 et. seq.  each drilling rig;  e set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  It district office on plug length and placement is necessary prior to plugging olugged or production casing is cemented in;  It is ented from below any usable water to surface within 120 days of spud date.  It is entered from below any usable water to surface within 120 days of spud date.  It is plugged, In all cases, NOTIFY district office prior to any cementing.  If Yes  Yes  Yes  Yes  Yes  Yes  Yes  Yes
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either of 16. If an ALTERNATE II COMPLETION, production pipe shall be cert or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to the best of 11/6/06 Signature of Operator or Agent:    Signature of Operator or Agent:   11/6/06   Signature of Operator or Agent	Will Cores be taken?  If Yes, proposed zone:  PFIDAVIT  If plugging of this well will comply with K.S.A. 55 et. seq.  Peach drilling rig;  Peset by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  The district office on plug length and placement is necessary prior to plugging plugged or production casing is cemented in;  The ented from below any usable water to surface within 120 days of spud date.  The plugged, In all cases, NOTIFY district office prior to any cementing.  Title: Operations Engineer  Remember to:  File Drill Phapplication (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the state of the specified below is either of the specified below in the specified below is either of the specified before well is either of the specified below in the specified before well is either of the specified before well is either of the specified below in the specified below in the specified below in the specified below shall be come or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well share become become of the specified below in the best of the specified below in the specifi	Will Cores be taken?  If Yes, proposed zone:  PFIDAVIT  If plugging of this well will comply with K.S.A. 55 et. seq.  each drilling rig;  e set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  It district office on plug length and placement is necessary prior to plugging plugged or production casing is cemented in;  tented from below any usable water to surface within 120 days of spud date.  der #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Operations Engineer  Remember to:  File Drill Plapplication (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either of 16. If an ALTERNATE II COMPLETION, production pipe shall be cert or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to the best of the spud state of the statements of the spud state of the spud state.  For KCC Use ONLY  API # 15 - OSI - 255900000  Conductor pipe required feet feet per Alt 19.  Approved by 24# 11-13-06	Will Cores be taken?  If Yes, proposed zone:  PFIDAVIT  If plugging of this well will comply with K.S.A. 55 et. seq.  Peach drilling rig;  Peach by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  It district office on plug length and placement is necessary prior to plugging olugged or production casing is cemented in;  It is nested from below any usable water to surface within 120 days of spud date.  If the Drill Plapplication (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

# IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - OSI-25590-0000	Location of Well: County: Ellis
Operator: Vess Oil Corporation	
Lease: Colahan B	340' feet from N / ✓ S Line of Section 880' Feet from E / ✓ W Line of Section
Well Number: #29	Sec. 25 Twp. 11S S. R. 17 East ✓ West
Field: Bemis Shutts	
Number of Acres attributable to well:  QTR / QTR / QTR of acreage: SE _ SW _ SW _ SW	Is Section:  Regular or Irregular  If Section is Irregular, locate well from nearest corner boundary.  Section corner used:  NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	_		
	· ·		-
1			
1			
1			
1			
ì	•	1	
	•		-
1			
1			
1			_
, ,	•	,	•
		-	
	+		
	·		
		25 · · · · · · · · · · · · · · · · · · ·	
1	·	<i>)</i>	
1			
		t .	
	•	,	•
		<u>}</u>	
	-		
	•	•	
1			
1	•		
	•		•
1	•		
		1	
		:	
280°◆	•	,	•
1	•		
347			
1	•		•

EXAMPLE	•
•	
	1980
•	
	.10———
•	3390'
	3390
	,
•	
SEWARD CO.	

NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.

RECEIVED

- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be the company oil wells; CG-8 for gas wells).

**KCC WICHITA** 

# Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: VESS OIL CORPORATION			License Number: 5030	
Operator Address: 8100 E. 22nd Street North, Bldg. 300, Wichita, KS 67226				
Contact Person: W.R. Horigan			Phone Number: ( 316 ) 682 - 1537 X103	
Lease Name & Well No.: Colahan E	3 #29		Pit Location (QQQQ):	
Type of Pit:	Pit is:		110'NW _ SE _ SW _ SW	
Emergency Pit Burn Pit	✓ Proposed   Existing		Sec. 25 <sub>Twp.</sub> 11S <sub>R.</sub> 17 ☐ East 🗸 West	
Settling Pit 🗸 Drilling Pit	If Existing, date constructed:		340' Feet from North / 🗸 South Line of Section	
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity: 6000 (bbls)		880' Feet from East / West Line of Section Ellis County	
Is the pit located in a Sensitive Ground Water Area? Yes V No		Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?  ✓ Yes No	Artificial Liner?  ☐ Yes ✓ No		How is the pit lined if a plastic liner is not used?  bentonite gel	
Pit dimensions (all but working pits):	BO Length (fe	eet) 80	Width (feet) N/A: Steel Pits	
Depth fi	om ground level to de	eepest point: 6	(feet)	
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and determining ncluding any special monitoring.	
N/A N/.		A		
		Depth to shallo Source of infor	west fresh waterfeet. mation:	
		measured well owner electric log KDWR		
1		-	Drilling, Workover and Haul-Off Pits ONLY:	
			Type of material utilized in drilling/workover: fresh water and mud	
			Number of working pits to be utilized: 3	
Barrels of fluid produced daily: Abandonm		Abandonment	bandonment procedure: Dewatered and allowed to dry.	
Does the slope from the tank battery allow all spilled fluids to flow into the pit?		Backfilled and compacted.  Drill pits must be closed within 365 days of spud date.		
1 hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
11/6/06		<i>4</i> _	instrument Applicant on Applicant	
Date Signature of Applicant or Agent			ignature of Applicant or Agent	
KCC OFFICE USE ONLY				
Date Received: 11/8/05 Permit Number: Permit Date: 11/8/05 REEDINGED Yes X No				