For KCC U	se: //	11-14-06	
District #_	3		
SGA?	Yes [No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form must be Typed

	MUSE		(5) days prior to commencing well	at be filled
	10		Spot	
Expected Spud Date	month da	2006 y year		x East
0.4		, ,	SE SE NE Sec 25 twp.23 s. n.16	
O' E' I' E E E E E E E E E E E E E E E E	0661		3420 feet from N / X S Line of	
Name: L & B C1		<u> </u>	Is SECTIONRegularIrregular?	Section
Address: 402 W. City/State/Zip: Neosho		66750	•	
			(Note: Locate well on the Section Plat on reverse side) County:Woodson	
Contact Person: Jay Phone: 620-963-	7303		Lease Name: Leedy Well #:	20
FROME.			Field Name: LeRoy-Neosho Falls	
CONTRACTOR: License#	32642			Yes X No
Name: Nick Brow	wn		Target Formation(s): Squirre1	
Well Diglied For:	Well Class:	Type Equipment:	Nearest Lease or unit boundary:	oten_
			Ground Surface Elevation: 980 Est	feet MSL
X Oil Enh Rec	X Infield Pool Ext.	X Mud Rotary Air Rotary	Water well within one-quarter mile:	Yes 😧 No
Gas Storage	Wildcat	Cable	Public water supply well within one mile:	Yes X No
Seismic;# of Hole		Cable	Depth to bottom of fresh water: 20'	
Other	es Other		Depth to bottom of usable water: 150 *	
Ottibi		, ,	Surface Pipe by Alternate: 1 x 2	
if OWWO: old well information	as follows:		Length of Surface Pipe Planned to be set:40 1	
Operator:			Length of Conductor Pipe required:none	
Well Name:			Projected Total Depth: 960	
Original Completion Date:_	Origin	al Total Depth:	Formation at Total Depth: Squirrel	
Directional, Deviated or Horizon	untal wallborg?	Yes X No	Water Source for Drilling Operations:	
			Well X Farm Pond Other	
If Yes, true vertical depth: Bottom Hole Location:			DWR Permit #:	-
			(Note: Apply for Permit with DWR)	V 1010
kcc dkt #: Was: ADI# 15-2 Ts: ADI# 15-	20-2707	77-0000 78-0000 AI	Will Cores be taken? If Yes, proposed zone: Squirre1	Yes No
TS: APT# 15-2 The undersigned hereby affirm It is agreed that the following 1. Notify the appropriate of the approved 3. The minimum amount of through all unconsolidar 4. It the well is dry hole, at the appropriate district 6. If an ALTERNATE II CO or pursuant to Appending the rough all the states.	ms that the drilling, minimum requirement in the drilling of surface pipe as suffer materials plus a an agreement between the completion of the completion o	completion and eventual ents will be met: to spudding of well; drill shall be posted on specified below shall be a minimum of 20 feet inteen the operator and the defore well is either puction pipe shall be cemunas surface casing or spud date or the well shall are true and to the best	Will Cores be taken? If Yes, proposed zone: Squirrel FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall the underlying formation. district office on plug length and placement is necessary prior to a larged or production casing is cemented in; inted from below any usable water to surface within 120 days of spir #133,891-C, which applies to the KCC District 3 area, alternate to the plugged. In all cases, NOTIFY district office prior to any certof my knowledge and belief.	be set plugging; ud date.
TS: APT# 15-2 The undersigned hereby affirm It is agreed that the following 1. Notify the appropriate of the approved 3. The minimum amount of through all unconsolidar 4. It the well is dry hole, as the appropriate district 5. The appropriate district 6. If an ALTERNATE II CO or pursuant to Appending the completed with	ms that the drilling, minimum requirement in the drilling of surface pipe as suffer materials plus a an agreement between the completion of the completion o	completion and eventual ents will be met: to spudding of well; drill shall be posted on specified below shall be a minimum of 20 feet inteen the operator and the defore well is either puction pipe shall be cemunas surface casing or spud date or the well shall are true and to the best	Will Cores be taken? If Yes, proposed zone: Squirrel FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall the underlying formation. district office on plug length and placement is necessary prior to pugged or production casing is cemented in; nited from below any usable water to surface within 120 days of spits #133,891-C, which applies to the KCC District 3 area, alternate it is plugged. In all cases, NOTIFY district office prior to any cert	be set plugging; ud date.
TS: APT# 15-2 The undersigned hereby affirm It is agreed that the following 1. Notify the appropriate of 2. A copy of the approved 3. The minimum amount of through all unconsolida 4. It the well is dry hole, a 5. The appropriate district 6. If an AITERNATE II CO Or pursuant to Append must be completed with I hereby certify that the stater Date: 11-6-66 For KCC Use ONLY	ms that the drilling, minimum requirement of surface pipe as surface pipe as surface will be notified office will be notified	completion and eventual ents will be met: to spudding of well; drill shall be posted on specified below shall be a minimum of 20 feet inteen the operator and the defore well is either puction pipe shall be cemunas surface casing or spud date or the well shall are true and to the best	Will Cores be taken? If Yes, proposed zone: Squirrel FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall the underlying formation. district office on plug length and placement is necessary prior to agged or production casing is cemented in; neted from below any usable water to surface within 120 days of spir #133,891-C, which applies to the KCC District 3 area, alternate to be plugged. In all cases, NOTIFY district office prior to any cert of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill;	be set plugging; ud date.
TS: APT# 15-2 The undersigned hereby affirm It is agreed that the following 1. Notify the appropriate of 2. A copy of the approved 3. The minimum amount of through all unconsolida 4. It the well is dry hole, a 5. The appropriate district 6. If an ALTERNATE II CO Or pursuant to Append must be completed with I hereby certify that the states	ms that the drilling, minimum requirement of surface pipe as a sted materials plus a an agreement between the office will be notifice OMPLETION, produlix "B" - Eastern Kathin 30 days of the stem that made herein Signature of Operation 1997	completion and eventual ents will be met: to spudding of well; drill shall be posted on specified below shall be a minimum of 20 feet inteen the operator and the defore well is either puction pipe shall be cemunas surface casing or spud date or the well shall are true and to the best	if Yes, proposed zone: Squirrel FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall the underlying formation. district office on plug length and placement is necessary prior to algred or production casing is cemented in; nted from below any usable water to surface within 120 days of spir #133,891-C, which applies to the KCC District 3 area, alternate it is be plugged. In all cases, NOTIFY district office prior to any cere of my knowledge and belief. Femember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	be set plugging; ad date. I cementing menting.
TS: APT# 15-2 The undersigned hereby affirm it is agreed that the following 1. Notify the appropriate of 2. A copy of the approved 3. The minimum amount of through all unconsolidar 4. It the well is dry hole, a 5. The appropriate district 6. If an ALTERNATE II CO Or pursuant to Append must be completed with 1 hereby certify that the stater Date: 11-6-66 For KCC Use ONLY API # 15 - 207-2	ms that the drilling, minimum requirement of surface pipe as surface pipe as surface will be notified office will be notified	completion and eventual ents will be met: to spudding of well; drill shall be posted on specified below shall be a minimum of 20 feet inteen the operator and the defore well is either puction pipe shall be cemunas surface casing or spud date or the well shall are true and to the best	if Yes, proposed zone: Squirrel FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall the underlying formation. district office on plug length and placement is necessary prior to a legged or production casing is cemented in; noted from below any usable water to surface within 120 days of spins #133,891-C, which applies to the KCC District 3 area, alternate to the plugged. In all cases, NOTIFY district office prior to any cert of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	be set plugging; ud date. I cementing menting.
TS: APT# 15-2 The undersigned hereby affirm It is agreed that the following 1. Notify the appropriate of 2. A copy of the approved 3. The minimum amount of through all unconsolidar 4. It the well is dry hole, a 5. The appropriate district 6. If an ALTERNATE II CO or pursuant to Append must be completed with I hereby certify that the stater Date: 1-6-06 For KCC Use ONLY API # 15 - 207-2 Conductor pipe required	ms that the drilling, minimum requirement of surface pipe as setted materials plus a fan agreement between the office will be notified DMPLETION, produlix "B" - Eastern Kahin 30 days of the sements made herein Signature of Operation of the sement	completion and eventual ents will be met: to spudding of well; drill shall be posted on specified below shall be a minimum of 20 feet in the dependence well is either puttion pipe shall be cem the same and to the well shall be cemental are true and to the best are true are true and to the best are true and to the best are true are	Will Cores be taken? If Yes, proposed zone: Squirrel FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall the underlying formation. district office on plug length and placement is necessary prior to a larged or production casing is cemented in; inted from below any usable water to surface within 120 days of spir #133,891-C, which applies to the KCC District 3 area, alternate to the plugged. In all cases, NOTIFY district office prior to any cert of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or resident and the second content of the completion orders;	be set plugging; ud date. I cementing menting.
TS: APT# 15-2 The undersigned hereby affirm it is agreed that the following 1. Notify the appropriate of 2. A copy of the approved 3. The minimum amount of through all unconsolidar 4. It the well is dry hole, a 5. The appropriate district 6. If an AITERNATE II CO Or pursuant to Append must be completed with 1 hereby certify that the stater Date: //-G-OG For KCC Use ONLY API * 15 - 207 - 2 Conductor pipe required Minimum surface pipe required	ms that the drilling, minimum requirement of surface pipe as setted materials plus a fan agreement between the office will be notified DMPLETION, produlix "B" - Eastern Kahin 30 days of the sements made herein Signature of Operation of the sement	completion and eventual ents will be met: so spudding of well; drill shall be posted on specified below shall be a minimum of 20 feet inteen the operator and the defore well is either puction pipe shall be cemunas surface casing order between the are true and to the best ator or Agent:	if Yes, proposed zone: Squirrel FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall the underlying formation. district office on plug length and placement is necessary prior to a legged or production casing is cemented in; noted from below any usable water to surface within 120 days of spins #133,891-C, which applies to the KCC District 3 area, alternate to the plugged. In all cases, NOTIFY district office prior to any cert of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	be set plugging; ud date. I cementing menting.
The undersigned hereby affirm it is agreed that the following 1. Notify the appropriate of 2. A copy of the approved 3. The minimum amount of through all unconsolidar 4. It the well is dry hole, a 5. The appropriate district 6. If an ALTERNATE II CO or pursuant to Append must be completed with I hereby certify that the states to be considered in the states of the constant of the	ms that the drilling, minimum requirement of surface pipe as surface pipe as surface pipe as surface will be notifice will be notifice will be notifice will be notifice. The surface pipe as surface will be notifice will be notifice will be notifice. The surface will be notifice will be notifice. The surface will be notifice will be notifice. The surface will be notificated by the surface will be not the surface	completion and eventual ents will be met: so spudding of well; drill shall be posted on specified below shall be a minimum of 20 feet inteen the operator and the defore well is either puction pipe shall be cemunas surface casing order between the are true and to the best ator or Agent:	if Yes, proposed zone: Squirrel FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall the underlying formation. district office on plug length and placement is necessary prior to a page of production casing is cemented in; nited from below any usable water to surface within 120 days of spins #133,891-C, which applies to the KCC District 3 area, alternate to the plugged. In all cases, NOTIFY district office prior to any cert of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or resulting the plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water	be set plugging; ud date. I cementing. Pentry;
The undersigned hereby affirm It is agreed that the following 1. Notify the appropriate of 2. A copy of the approved 3. The minimum amount of through all unconsolidated. It the well is dry hole, at 5. The appropriate district of the approved with the state of the appropriate of the approved by: I have the appropriate of the approved approved by: I have the appropriate of the approved approved by: I have the appropriate of the approved approved by: I have the appropriate of the approved approved by: I have the appropriate of the approved approved by: I have the appropriate of the approved	ms that the drilling, minimum requirement of surface pipe as a sted materials plus a surface will be notifice of the surface pipe as surface will be notifice of the surface pipe as surface p	completion and eventual ents will be met: no spudding of well; drill shall be posted on specified below shall be a minimum of 20 feet inteen the operator and the defore well is either puction pipe shall be can unsas surface casing ord spud date or the well shall are true and to the best ator or Agent:	Will Cores be taken? If Yes, proposed zone: Squirrel FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall the underlying formation. district office on plug length and placement is necessary prior to alged or production casing is cemented in; inted from below any usable water to surface within 120 days of spier #133,891-C, which applies to the KCC District 3 area, alternate it is be plugged. In all cases, NOTIFY district office prior to any certof my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or resulting the plugging report (CP-4) after plugging is completed;	be set plugging; ud date. I cementing menting.
TS: APT# 15-2 The undersigned hereby affirm It is agreed that the following 1. Notify the appropriate of 2. A copy of the approved 3. The minimum amount of through all unconsolidar 4. It the well is dry hole, a 5. The appropriate district 6. If an ALTERNATE II CO or pursuant to Append must be completed with I hereby certify that the states Date: 1/-6-06 For KCC Use ONLY API # 15 - 207-2 Conductor pipe required Minimum surface pipe required Approved by: 144-1-9-1	ms that the drilling, minimum requirement of surface pipe as a sted materials plus a surface will be notifice of the surface pipe as surface will be notifice of the surface pipe as surface p	completion and eventual ents will be met: no spudding of well; drill shall be posted on specified below shall be a minimum of 20 feet inteen the operator and the defore well is either puction pipe shall be can unsas surface casing ord spud date or the well shall are true and to the best ator or Agent:	if Yes, proposed zone: Squirrel FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall the underlying formation. district office on plug length and placement is necessary prior to a larged or production casing is cemented in; anded from below any usable water to surface within 120 days of spir #133,891-C, which applies to the KCC District 3 area, alternate to the plugged. In all cases, NOTIFY district office prior to any cert of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or results. Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) pleat check the box below and return to the address below.	be set plugging; ud date. I cementing menting.
The undersigned hereby affirm It is agreed that the following 1. Notify the appropriate of 2. A copy of the approved 3. The minimum amount of through all unconsolidat 4. It the well is dry hole, at 5. The appropriate district 6. If an ALTERNATE II CO Or pursuant to Append must be completed with I hereby certify that the states Pate: //	ms that the drilling, minimum requirement of surface pipe as stated materials plus a an agreement between the office will be notified DMPLETION, produlix "B" - Eastern Kahin 30 days of the saments made herein Signature of Operating Total Policy (Control of the Signature of Operating Total Policy (Control of the Signature of Operating Total of Total of the Signature of Operating Total of	completion and eventual ents will be met: no spudding of well; drill shall be posted on specified below shall be a minimum of 20 feet inteen the operator and the defore well is either puction pipe shall be can unsas surface casing ord spud date or the well shall are true and to the best ator or Agent:	Will Cores be taken? If Yes, proposed zone: Squirrel FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall the underlying formation. district office on plug length and placement is necessary prior to alged or production casing is cemented in; inted from below any usable water to surface within 120 days of spier #133,891-C, which applies to the KCC District 3 area, alternate it is be plugged. In all cases, NOTIFY district office prior to any certof my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or resulting the plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.	be set plugging; ud date. I cementing menting.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

CORRECTED If the Intended well is in a prorated or spaced fleid, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 . 207- 27078-0000	Location of Well: County: Woodson
Operator: I. & B Crude, Inc	feet from N / X S Line of Section
Lease: Leedy	feet from X E / W Line of Section
Well Number:	Sec. 25 Twp. 23 S. R. 16 X East West
Field: LeRoy-Neosho Falls	
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR / QTR of acreage:	if Section is irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

Old P.L.		- Meosho River - 90 Acres
	#20	EXAMPLE :
		1980
		3390'

NOTE: In all cases locate the spot of the proposed drilling locaton.

in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

RECEIVED KANSAS CORPORATION COMMISSION

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

NOV 0 7 2006



APPLICATION FOR SURFACE PIT CONSERVATION DIVISION WICHITA, KS

Submit in Duplicate

Operator Name: L & B Crude, Inc.			License Number: 30661		
Operator Address: 402 W. 7th					
Contact Person: Jay E. Leedy			Phone Number: (620) 963=7303		
Lease Name & Well No.: Leed y #2	0		Pit Location (QQQQ):		
Type of Pit:	Pit is:		_SESENE		
Emergency Pit Burn Pit	X Proposed Existing		Sec. <u>25</u> Twp. <u>23</u> R. <u>16</u> X East West		
Settling Pit X Drilling Pit	If Existing, date constructed:		3420 Feet from North / X South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		1020 Feet from X East / West Line of Section Woodson County		
Is the pit located in a Sensitive Ground Water	Is the pit located in a Sensitive Ground Water Area? X Yes No		Chloride concentration:mg/i (For Emergency Pits and Settling Pits only)		
is the bottom below ground level? X Yes No	Artificial Liner? Yes No		How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits): 40 Length (feet) 8 Width (feet) N/A: Steel Pits Depth from ground level to deepest point: 5 (feet)					
		Depth to shallo Source of infor	owest fresh waterfeet. rmation:		
NA feet Depth of water wellfeet		meası	ured well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover:			
		Number of working pits to be utilized:			
Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. I hereby certify that the above statements are true and correct to the best of my knowledge and belief. I hereby certify that the above statements are true and correct to the best of my knowledge and belief. I hereby certify that the above statements are true and correct to the best of my knowledge and belief. I hereby certify that the above statements are true and correct to the best of my knowledge and belief. I hereby certify that the above statements are true and correct to the best of my knowledge and belief. I hereby certify that the above statements are true and correct to the best of my knowledge and belief. I hereby certify that the above statements are true and correct to the best of my knowledge and belief. I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
KCC OFFICE USE ONLY					
Date Received: 11 7 06 Permit Number: Permit Date: 11 7 06 Lease Inspection: Yes X No					