Effective Date: 11-18-06

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Form C-1

NOTICE OF INTENT TO DRILL Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date November 16, 2006	Spot √ East
month day year	NE SE Sec. 14 Twp. 28 S. R. 16 West
33344	1980 feet from N / V S Line of Section
OPERATOR: License# 33344 Name: Quest Cherokee LLC	660 feet from VE / W Line of Section
Address: 9520 North May Avenue, Suite 300	Is SECTION RegularIrregular?
Address: City/State/Zip: Oklahoma City, Oklahoma 73120	
Contact Person: Richard Marlin	(Note: Locate well on the Section Plat on reverse side) County: Wilson
Phone: (405) 286-9316	Lease Name: Myers, David Well #: 14-2
	Field Name: Cherokee Basin CBM
CONTRACTOR: License# Will be licensed by the KCC	Is this a Prorated / Spaced Field?
Name: Will advise on the ACO-1	Target Formation(s): Cherokee Coals
	Nearest Lease or unit boundary: 660
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 915
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OAWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100
Seismic;# of Holes Other	Depth to bottom of usable water. 200 150
✓ Other Coalbed Methane	Surface Pipe by Alternate: 1 2
If OMNANO, and well information on follows:	Length of Surface Pipe Planned to be set: 25
If OWWO: old well information as follows:	Length of Conductor Pipe required:
Operator:	Projected Total Depth: 1500
Well Name:Original Total Depth:	Formation at Total Depth: Cherokee Coals
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other Air
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? Yes ✓ No
No o bit in a second se	
	If Yes, proposed zone:
	If Yes, proposed zone:
AFF	If Yes, proposed zone:
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl	DAVIT Ugging of this well will comply with K.S.A. CORPORATION COMMISSION
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:	If Yes, proposed zone:
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the description of the surface pipe as specified before well is either pluguation of the surface pipe is either pluguation. The appropriate district office will be notified before well is either pluguation of the surface pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the surface pipe shall be completed within 30 days of the spud date or the well shall the surface pipe shall be completed within 30 days of the spud date or the well shall the surface pipe shall be completed within 30 days of the spud date or the well shall the surface pipe shall be set to surface pipe shall be pipe shall be surface pipe shall be	If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. CONSERVATION COMMISSION NOV 1 3 2006 Ch drilling rig; CONSERVATION DIVISION to by circulating cement to the top; in all cases surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the	If Yes, proposed zone: DAVIT Ugging of this well will comply with K.S.A. CORPORATION COMMISSION NOV 1 3 2006 Ch drilling rig; CONSERVATION DIVISION To by circulating cement to the top; in all cases surface with a set of the underlying formation. In it is in the set of the set of the set of the set of the underlying formation. It is in the underlying formation is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the description of the surface pipe as specified before well is either pluguation of the surface pipe is either pluguation. The appropriate district office will be notified before well is either pluguation of the surface pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the surface pipe shall be completed within 30 days of the spud date or the well shall the surface pipe shall be completed within 30 days of the spud date or the well shall the surface pipe shall be completed within 30 days of the spud date or the well shall the surface pipe shall be set to surface pipe shall be pipe shall be surface pipe shall be	DAVIT ugging of this well will comply with K.S.A. CONSERVATION COMMISSION NOV 1 3 2006 Ch drilling rig; to by circulating cement to the top; in all cases surface within a surface set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP
The undersigned hereby affirms that the drilling, completion and eventual plants is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the well is either plugion of the proposition of	If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. CORPORATION COMMISSION NOV 1 3 2006 Ch drilling rig; CONSERVATION DIVISION to by circulating cement to the top; in all cases surface within a series of the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the fit well is dry hole, an agreement between the operator and the description of 5. The appropriate district office will be notified before well is either plug for a natternation of 20 feet into the description of 20 feet per Alt. I hereby certify that the statements made herein are true and to the description of 20 feet per Alt. For KCC Use ONLY API # 15 - 205 - 27015 - Cood feet per Alt. Minimum surface pipe required 10 feet per Alt. Approved by: Put 11-13-09	DAVIT ugging of this well will comply with K.S.A. CONSERVATION COMMISSION NOV 1 3 2006 Ch drilling rig; to by circulating cement to the top; in all cases surface within 120 days of spud date. it en underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual plants is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the described of the well is district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall in the less of the properties of the statements made herein are true and to the best of the properties of the spud date or the well shall in the less of the spud shall be completed. For KCC Use ONLY API # 15 - 205 - 27015 - 0000 For KCC Use ONLY API # 15 - 205 - 27015 - 0000 Conductor pipe required Now feet per Alt. (2) Approved by: Public 13 - 000 This authorization expires: 5-13-07	DAVIT ugging of this well will comply with K.S.A. CONSERVATION COMMISSION NOV 1 3 2006 ch drilling rig; conservation division to by circulating cement to the top; in all cases surface and conservation division istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the fit well is dry hole, an agreement between the operator and the description of 5. The appropriate district office will be notified before well is either plug for a natternation of 20 feet into the description of 20 feet per Alt. I hereby certify that the statements made herein are true and to the description of 20 feet per Alt. For KCC Use ONLY API # 15 - 205 - 27015 - Cood feet per Alt. Minimum surface pipe required 10 feet per Alt. Approved by: Put 11-13-09	DAVIT ugging of this well will comply with K.S.A. CONSERVATION COMMISSION NOV 1 3 2006 ch drilling rig; to by circulating cement to the top; in all cases surface within 120 be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; the drom below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plants is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the described of the well is district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall in the less of the properties of the statements made herein are true and to the best of the properties of the spud date or the well shall in the less of the spud shall be completed. For KCC Use ONLY API # 15 - 205 - 27015 - 0000 For KCC Use ONLY API # 15 - 205 - 27015 - 0000 Conductor pipe required Now feet per Alt. (2) Approved by: Public 13 - 000 This authorization expires: 5-13-07	DAVIT RECEIVED ugging of this well will comply with K.S.A. A.
The undersigned hereby affirms that the drilling, completion and eventual plants is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of	DAVIT ugging of this well will comply with K.S.A. CONSERVATION COMMISSION NOV 1 3 2006 ch drilling rig; CONSERVATION DIVISION the production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 205-27015-0000	Location of Well: County: Wilson
Operator: Quest Cherokee LLC	1980 feet from N / S Line of Section
Lease: Myers, David	660 feet from F E / W Line of Section
Well Number: 14-2	Sec. 14 Twp. 28 S. R. 16 ✓ East Wes
Field: Cherokee Basin CBM	
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR / QTR / QTR of acreage:NE SE	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: ✓ NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee LLC		License Number: 33344	
Operator Address: 9520 North May	/ Avenue, Sui	te 300 Ok	lahoma City, Oklahoma 73120
Contact Person: Richard Marlin		Phone Number: (405) 286 -9316	
Lease Name & Well No.: Myers, David #14-2		Pit Location (QQQQ):	
Type of Pit:	Pit is:		<u>NE</u> . <u>SE</u>
Emergency Pit Burn Pit	✓ Proposed Existing		Sec14 _{Twp} 28 _R 16
Settling Pit	If Existing, date constructed:		1980 Feet from North / 🗸 South Line of Section
Workover Pit Haul-Off Pit	Pit capacity:		Feet from 🗸 East / 🗌 West Line of Section
(If WP Supply API No. or Year Drilled)	300	(bbls)	Wilson
Is the pit located in a Sensitive Ground Water	ocated in a Sensitive Ground Water Area? Yes V No		Chloride concentration: mg/l
is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?
Yes V No	Yes V	No	Flow is the pit lined if a plastic liner is not used:
Pit dimensions (all but working pits): 30 Length (feet) 10 Width (feet) N/A: Steel Pits			
Depth f	rom ground level to de	epest point:	(feet)
material, thickness and installation procedure.		edures for periodic maintenance and determining ncluding any special monitoring. Operation lasting approx 3 days	
Distance to nearest water well within one-mile of pit Depth to shall Source of info		owest fresh waterfeet. rmation: uredwell owner electric logKDWR	
1		uredwell owner electric logKDWR	
Emergency, Settling and Burn Pits ONLY: Drilling, Worl			
		al utilized in drilling/workover: Air Drilled	
		rking pits to be utilized: One	
Barrels of fluid produced daily: Abandonment procedure: Air Dry, Back Fill and Cover		procedure: Air Dry, Back Fill and Cover	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		be closed within 365 days of spud date.	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. KANSAS CORPORATION COMMISS			
November 9, 2006 Date	<i>Y</i> .	Land :	NOV 1 3 2006 Signature of Applicant or Agent CONSERVATION DIVISION WICHITA, KS
KCC OFFICE USE ONLY			
Date Received: [1] 13 [0] Permit Nur	nber:	Perm	nit Date: 11 13 0c Lease Inspection: Yes C No