For KCC Use: 11_10_da	
Effective Date: 11-18-06	
District #	
SGA? Yes X No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

OPERATOR: License# 3728 1255 feet from N / V S Name: Roger Kent dba RJ Enterprises 4965 feet from V E / V Address: 1203 East 4th Avenue Irregular? City/State/Zip: Garnett, KS 66032 (Note: Locate well on the Section Plat on reverse) Contact Person: Roger Kent County: Anderson	Yes ✓ No feet MSL Yes ✓ No Yes ✓ No
1255 feet from N / V State Address: 1203 East 4th Avenue Address: 1204 East Name: Wilson - Melcher Andreson Andreson Andreson Andreson Andreson Andreson Andreson East Name: Wilson - Melcher Field Name: Wilson - Melcher Field Name: Wilson - Melcher Field Name: Sush City Shoestring Is this a Prorated / Spaced Field? Target Formation(s): Squirnel Nearest Lease or unit boundary: 315 Address: Squirnel Nearest Lease or unit boundary: 315 Address: 1204 Andreson Andreson Andreson Andreson Andreson East Name: Wilson - Melcher Field Name: Squirnel Nearest Lease or unit boundary: 315 Andreson Andreson Andreson Andreson East Name: Wilson - Melcher Field Name: Squirnel Nearest Lease or unit boundary: 315 Andreson Andreson Andreson Andreson Andreson Andreson East Name: Wilson - Melcher Field Name: Wilson - Melcher Field Name: Squirnel Nearest Lease or unit boundary: 315 Andreson	S Line of Section N Line of Section Prese side) Well #: 1-A Yes No feet MSL Yes No Yes No
OPERATOR: License# 3/120 Name: Roger Kent dba RJ Enterprises Address: 1203 East 4ft Avenue Contact Person: Roger Kent Phone: (785) 448-6963 or (785) 448-7725 CONTRACTOR: License# 3728 Name: Roger Kent dba RJ Enterprises Well Drilled For: Well Class: Type Equipment: Gas Storage Pool Ext. Air Rotary OMMO Disposal Wildcat Cable Seismic; # of Holes Other Other Other If OWWO: old well information as follows: Operator: Well Name: Original Completion Date: Original Completion Date: Original Completion Date: Other Directional, Deviated or Horizontal wellbore? Bottom Hole Location: Water well with DWR Secure or Dilling Operations: Well Ves, true vertical depth: Bottom Hole Location: When I water supply well with one mile: Depth to bottom of fresh water: 125+ Surface Pipe by Alternate: Length of Conductor Pipe required: None Projected Total Depth: Squirrel Water Source for Drilling Operations: Well Ves, true vertical depth: Bottom Hole Location: When I water supply for Permit with DWR	V Line of Section erse side) Well #: 1-A Yes VNo Yes VNo
Name: Noger Kent doa Nd Enterprises Address: 1203 East 4th Avenue City/State/Zip; Garnett, KS 66032 Contact Person: Roger Kent Contact Pield Name: Bush City Shoestring Is this a Prorated / Spaced Field? Target Formation(s): Squirrel Nearest Lease or unit boundary: 315' Ground Surface Elevation: Name: Public water supply well within one mile: Depth to bottom of fresh water: 100+ Depth to bottom of fresh water: 100+ Depth to bottom of usable water: 115* Surface Pipe by Alternate: 1	Yes ✓ No feet MSL Yes ✓ No Yes ✓ No
Address: 1203 East 4th Avenue City/State/Zip: Garnett, KS 66032 Contact Person: Roger Kent Phone: (785) 448-6963 or (785) 448-7725 CONTRACTOR: License# 3728 Name: Roger Kent dba RJ Enterprises Well Drilled For: Well Class: Type Equipment: Gas Storage Pool Ext. Air Rotary Other Other Other Other Other Original Completion Date: Original Total Depth: Directional, Deviated or Horizontal wellbore? Is section Plat on reverance (Note: Apply for Permit with DWR In SECTION Regular Irregular/ (Note: Locate well on the Section Plat on reverance (Note: Apply for Permit with DWR (Note: Locate well on the Section Plat on reverance (Note: Apply for Permit with DWR (Note: Locate well on the Section Plat on reverance (Note: Apply for Permit with DWR (Note: Locate well on the Section Plat on reverance (Note: Apply for Permit with DWR (Note: Locate well on the Section Plat on reverance (Note: Apply for Permit with DWR (Note: Apply for Permit	Yes ✓ No feet MSL Yes ✓ No Yes ✓ No
Contact Person: Roger Kent Chone: (785) 448-6963 or (785) 448-7725 CONTRACTOR: License# 3728 Name: Roger Kent dba RJ Enterprises Well Drilled For: Well Class: Type Equipment: Gas Storage Pool Ext. Air Rotary Gown Disposal Wildcat Cable Other Other Other Ofiginal Completion Date: Original Completion Date: Original Completion Date: Offer Sets frue vertical depth: Bottom Hole Location: (Note: Apply for Permit with DWR] County: Anderson County: Anderson Lease Name: Wilson - Melcher Ease Name: Wilson - Melcher Field Name: Bush City Shoestring Is this a Prorated / Spaced Field? Target Formation(s): Squirrel Nearest Lease or unit boundary: 315' Nearest Lease or unit boundary: 315' Water well within one-quarter mile: Public water supply well within one mile: Depth to bottom of tresh water: 100+ Depth to bottom of usable water: 125+ Surface Pipe by Alternate: Length of Conductor Pipe required: none Projected Total Depth: Squirrel Water Source for Drilling Operations: Well Farm Pond Other DWR Permit #: (Note: Apply for Permit with DWR	Yes ✓ No feet MSL Yes ✓ No Yes ✓ No
County: Anderson Contact Person: Roger Kent Phone: (785) 448-6963 or (785) 448-7725 CONTRACTOR: License# 3728 CONTRACTOR: License# 3728 CONTRACTOR: License# 3728 COUNTY: Anderson Lease Name: Wilson - Melcher Field Name: Bush City Shoestring Is this a Prorated / Spaced Field? Target Formation(s): Squirrel Nearest Lease or unit boundary: 315' Nearest Lease or unit boundary: 94' Water well within one quarter mile: Public water supply well within one mile: Depth to bottom of tresh water: 100+ Depth to bottom of usable water: 125+ Surface Pipe by Alternate: 1 1 2 2 Length of Surface Pipe Planned to be set: Length of Conductor Pipe required: none Projected Total Depth: 900' Well Name: Original Completion Date: Original Total Depth: Water Source for Drilling Operations: Well Farm Pond Other DWR Permit #: Other: Apply for Permit with DWR	Yes ✓ No feet MSL Yes ✓ No Yes ✓ No
Contractor Con	Yes ✓ No feet MSL Yes ✓ No Yes ✓ No
Field Name: Bush City Shoestring Is this a Prorated / Spaced Field? Target Formation(s): Squirrel Nearest Lease or unit boundary: 315' Well Drilled For: Well Class: Type Equipment: Gas Storage Pool Ext. Air Rotary Other Gholes Other Other Other Other Original Completion Date: Original Total Depth: Original Completion Date: Original Total Depth: Squirrel Original Completion Date: Original Total Depth: Squirrel Other Original Completion Date: Original Total Depth: Other Othe	Yes ✓ No feet MSL Yes ✓ No Yes ✓ No
Is this a Prorated / Spaced Field? Target Formation(s): Squirrel Nearest Lease or unit boundary: 315' Nea	feet MSL Yes ✓ No Yes ✓ No
Well Drilled For: Well Class: Type Equipment: Nearest Lease or unit boundary: 315' Nearest Lease or unit bo	feet MSL Yes ✓ No Yes ✓ No
Well Drilled For: Well Class: Type Equipment: ☐ Gas ☐ Storage ☐ Pool Ext. ☐ Air Rotary ☐ Gwwo ☐ Disposal ☐ Wildcat ☐ Cable ☐ Other ☐ Other ☐ Other ☐ Other ☐ Other ☐ Other ☐ Original Completion Date: ☐ Original Total Depth: ☐ Original Total Depth: ☐ Original Completion Date: ☐ Original Total Depth: ☐ Other ☐ Original Completion Date: ☐	Yes ✓ No •
Ground Surface Elevation: Na Water well within one-quarter mile: Public water supply well within one mile: Depth to bottom of tresh water: 100+ Depth to bottom of usable water: 125+ Depth to bottom of usable water: 125+ Surface Pipe by Alternate: 1	Yes ✓ No •
Ground Surface Elevation: Na Water well within one-quarter mile: OWWD	Yes ✓ No •
Gas Storage Pool Ext. Air Rotary OWWD Disposal Wildcat Cable Depth to bottom of fresh water: 100+ Other Disposal Wildcat Depth to bottom of usable water: 125+ Other Surface Pipe by Alternate: 1	Yes VNo
OWWO Disposal Wildcat Cable Seismic; # of Holes Other Other Other Other Other Original Completion Date: Original Total Depth: Directional, Deviated or Horizontal wellbore? Yes, true vertical depth: OWWO Disposal Wildcat Cable Depth to bottom of fresh water: 100+ Depth to bottom of usable water: 125+ Surface Pipe by Alternate: 1	
Seismic; # of Holes Other Depth to bottom of tresh water: 125+	
Other	
Other	
OWWO: old well information as follows: Operator: Well Name: Original Completion Date: Original Total Depth: Directional, Deviated or Horizontal wellbore? Yes, true vertical depth: Sottom Hole Location: Length of Surface Pipe Planned to be set: Length of Conductor Pipe required: Projected Total Depth: Formation at Total Depth: Water Source for Drilling Operations: Well Farm Pond Other DWR Permit #: (Note: Apply for Permit with DWR	
Operator:	
Well Name: Original Total Depth: Projected Total Depth: Squirrel	
Original Completion Date:Original Total Depth:	-
Water Source for Drilling Operations: Water Source for Drilling Operations: Well	
Orectional, Deviated or Horizontal wellbore? Yes Von Well V Farm Pond Other DWR Permit #: (Note: Apply for Permit with DWR	
f Yes, true vertical depth:	
Sottom Hole Location: (Note: Apply for Permit with DWR	
CCC DKT #: Will Cores be taken?	
	Yes ✓ No
If Yes, proposed zone:	RECEIVED_
AFFIDAVIT KANSAS (CORPORATION COMM
	NOV 0 0 2000
· ·	NOV 0 9 2006
t is agreed that the following minimum requirements will be met:	
1. 140(iii) the appropriate district office prior to speading or non;	NSERVATION DIVISION
2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;	WICHITA, KS
3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pi	ipe shall be set
through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.	arior to alugaina:
4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;	prior to plugging,
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days	evs of soud date.
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, a	alternate II cementing
must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to	o any cementing.
•	,
hereby certify that the statements made herein are true and to the best of my knowledge and belief.	
Date: November 9, 2006 Signature of Operator or Agent: Wanna Thanda Title: Agent	
Jaie. Signature of Operator of Agent. W. S.	
Remember to:	
For KCC Use ONLY - File Drill Pit Application (form CDP-1) with Intent to Dri	ill;
API # 15 - 003-24378-000 - File Completion Form ACO-1 within 120 days of spud	
- File acreage attribution plat according to field profatic	on orders;
Thomas depropriate country and the second to	·
Minimum surface pipe required 20 feet per Alt. (2) - Submit plugging report (CP-4) after plugging is complete.	1
Approved by: Rt H 11-13-06 - Obtain written approval before disposing or injecting	salt water.
Z-12-177	date) please
this authorization expires:	
(This authorization void if drilling not started within 6 months of approval date.) Well Not Drilled - Permit Expired	
	1
Spud date: Agent: Signature or Operator or Agent: Date:	×
Mail to: KCC - Conservation Division 130 S. Market - Room 2078, Wichita, Kansas, 67202	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 003-24378-0000	Location of Well: County: Anderson
Operator: Roger Kent dba RJ Enterprises	•
Lease: Wilson - Melcher	feet from N / S Line of Section 4965 feet from F E / W Line of Section
Well Number: 1-A Field: Bush City Shoestring	Sec. 8 Twp. 21 S. R. 20 ✓ East Wes
Number of Acres attributable to well:	Is Section:
QTR / QTR / QTR of acreage: APNW - Nwsw - SW	If Section is irregular, tocate well from nearest corner boundary. Section comer used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	-						
	-						
	_	_					
		-					
	-			1 .	•	•	•
	•	-			• .		•
	-						•
			_				
		•		1			-
1	•	•	•		•		•
	•	•	•	·		•	•
1							
					. ,		
				l.			
							_
		-			-		-
							,
			•	•			
			•				•
			•		-		•
			•				
			•				
			•		•	• • •	
			•			• • •	
			•		•	• • •	
			•		•	• • •	
						• • •	



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Roger Kent dba R	J Enterprises		License Number: 3728	
Operator Address: 1203 East 4th /	Avenue, Garn	ett, KS 660	032	
Contact Person: Roger Kent			Phone Number: (785) 448 - 6	6963
Lease Name & Well No.: Wilson-Mele	cher 1-A		Pit Location (QQQQ):	•
Type of Pit:	Pit is:		ApNW NW SW SW	
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 8 Twp. 21 R. 20	Z East Mast
	If Existing, date constructed:		1255	
			1255 Feet from North / 4965	South Line of Section
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from 🗸 East /	West Line of Section
(II VII Gappy A Proc. of real Dimoc)	140	(bbls)	Anderson	Count
Is the pit located in a Sensitive Ground Water	r Area? ☐ Yes 🗸	No No	Chloride concentration:	mg/l
	T		(For Emergency Pits and Sett	
Is the bottom below ground level? Yes No	Artificial Liner? ☐ Yes ✓	No	How is the pit lined if a plastic liner is no	ot used?
			native clay	
Pit dimensions (all but working pits):	14 Length (fe	eet)10	Width (feet)	N/A: Steel Pits
Depth 1	from ground level to de		dures for periodic maintenance and detended in the detended in	
				NOV 0 9 2006 ISERVATION DIVISION
Distance to nearest water well within one-mi	le of pit	Depth to shallo Source of infor	west fresh waterfeet. mation:	WICHTA, KS
A		measu	redwell owner electric	logKDWR
Emergency, Settling and Burn Pits ONLY	:	Drilling, Work	over and Haul-Off Pits ONLY:	
Producing Formation:		Type of materia	al utilized in drilling/workover: drilling muc	d .
		king pits to be utilized: 2		
		procedure: air dry and backfill		
Does the slope from the tank battery allow a flow into the pit?	ll spilled fluids to	Dritt pits must	pe closed within 365 days of spud date.	
I hereby certify that the above state	ements are true and o	correct to the bes	of my knowledge and belief.	
November 9, 2006 Date	_6	ann	a Manda ignature of Applicant or Agent	
	KCC (OFFICE USE O	NLY	
			4	