For KCC Use: SGA? Yes X No

## Kansas Corporation Commission **OIL & GAS CONSERVATION DIVISION**

## **NOTICE OF INTENT TO DRILL**

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

musi de approved by KC	CC live (5) days prior to commencing well
Expected Spud DateNovember 14, 2006	Spot
month day year	ApNE - <u>Swsw</u> - <u>SW</u> Sec. 8 Twp. 21 S. R. 20 West
3728	640 feet from N / ✓ S Line of Section
OPERATOR: License# 3728  Name: Roger Kent dba RJ Enterprises	4625 feet from VE / W Line of Section
Address 1203 East 4th Avenue	Is SECTION RegularIrregular?
City/State/Zip: Garnett, KS 66032	(Ninter Locate well on the Cretion Blat on revenue pide)
Contact Person: Roger Kent	(Note: Locate well on the Section Plat on reverse side)  County: Anderson
Phone: (785) 448-6963 or (785) 448-7725	Lease Name: Wilson - Melcher Well #: 4-A
	Lease Name: Wilson - Melcher Well #: 4-A Field Name: Bush City Shoestring
CONTRACTOR: License# 3728	Is this a Prorated / Spaced Field? ✓ Yes ✓ No
Name: Roger Kent dba RJ Enterprises	Target Formation(s): Squirrel
	Nearest Lease or unit boundary: 640'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: n/a feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile: Yes ✓ No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100+
Seismic; # of Holes Other	Depth to bottom of usable water: 125+
Other	Surface Pipe by Alternate: 1 / 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'
Operator:	Length of Conductor Pipe required: none
Well Name:	Projected Total Depth: 900'
Original Completion Date:Original Total Depth:	Farmation of Total Book Squirrel
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓	No Well ✓ Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
	RECEIVED
	AFFIDAVIT KANSAS CORPORATION COMMISSION
It is agreed that the following minimum requirements will be met:	ntual plugging of this well will comply with K.S.A. 55 et. seq. NOV 0 9 2006
Notify the appropriate district office <i>prior</i> to spudding of well;	
<ol> <li>A copy of the approved notice of intent to drill shall be posted</li> <li>The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 fee</li> <li>If the well is dry hole, an agreement between the operator an</li> <li>The appropriate district office will be notified before well is eith</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be of pursuant to Appendix "B" - Eastern Kansas surface casing</li> </ol>	Il be set by circulating cement to the top; in all cases surface pipe shall be set at into the underlying formation.  It into the underlying formation.  It is necessary prior to plugging;
I hereby certify that the statements made herein are true and to the	best of my knowledge and belief.
Date: November 9, 2006 Signature of Operator or Agent:	anna Manda Tille: Agent
,	
For KCC Use ONLY  API # 15 - \( \infty \) 3 - 2 4381 - 0000  Conductor pipe required \( \text{None} \) feet  Minimum surface pipe required \( \text{20} \) feet per Alt.	- File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting saft water.
Approved by: Putt 1113-06	
This authorization expires: 5-13-07	If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
(This authorization void if drilling not started within 6 months of approval da	Well Not Drilled - Permit Expired
Soud date: Acont	Signature of Operator or Agent:
Spud date: Agent:	Date:
Mail to: KCC - Conservation Division	n. 130 S. Market - Room 2078. Wichita. Kansas 67202

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 003-24381-0000	Location of Well: County: Anderson
Operator: Roger Kent dba RJ Enterprises	640feet fromN / ✓ S Line of Section
Lease: Wilson - Melcher	4625 feet from
Well Number: 4-A	Sec. 8 Twp. 21 S. R. 20 ✓ East Wes
Field: Bush City Shoestring	
Number of Acres attributable to well:  ADNE SWSW SW	Is Section: 📝 Regular or 🔲 Irregular
QTR / QTR / QTR of acreage: ApNE _ Swsw _ SW	If Section is irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

			•
			-
		, ,	
1			
1			
		ĺ	
	•		•
			•
			•
-			-
	•		•
1.			
		1	
1 '			· ·
		1	•
		٠.	
-			•
<b>!</b>			
•	•		•
•			•
			-
1		ĺ	
		ĺ	
i	•		•
	•		•
	•		-
1 .		1	
			_
	•	ı	-
•	•	• •	•
	•		
			•
1 ,			
	_		
1	• • • • • • • • • • • • • • • • • • • •		



NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Roger Kent dba R	l Enterprises		License Number: 3728	
Operator Address: 1203 East 4th A	Avenue, Garn	nett, KS 660	032	
Contact Person: Roger Kent		Phone Number: ( 785 ) 448 - 6963		
Lease Name & Well No.: Wilson-Melcher 4-A		Pit Location (QQQQ):		
Type of Pit:	Pit is:		NE_SW_SW_	
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 8 Twp. 21 R. 20 ✓ East West	
Settling Pit	If Existing, date c	constructed:	640 Feet from North / 🗸 South Line of Secti	on
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity:		4625 Feet from ✓ East / West Line of Secti	on
(in the coppy of the content of the content of	140	(bbls)	Anderson Cour	ty
is the pit located in a Sensitive Ground Water	Area? ☐ Yes 🗸	☑ No	Chloride concentration:mg	
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?	$\dashv$
✓ Yes  No	☐ Yes 🗸	No	native clay	
Pit dimensions (all but working pits):	Length (fe	eet) 10	Width (feet) N/A: Steel Pits	
Depth fi	om ground level to de	eepest point: 5	(feet)	
If the gift is linear since a brief department of the	linaa	l Dagariba sasas		
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and determining ECEIVED Not an expectation of the component	om <b>uiss</b> io 6
	<b>.</b>	liner integrity, i	NOV 0 9 200  CONSERVATION DIVIS WICHITA, KS	om <b>uiss</b> io 6
material, thickness and installation procedure	e. e of pit	liner integrity, in the state of the shallo source of information in the shallo source of information	NOV 0 9 200  CONSERVATION DIVIS WICHITA, KS	om <b>uiss</b> io 6
material, thickness and installation procedure  Distance to nearest water well within one-mik	e of pit	Depth to shallo Source of infor measu Drilling, Work	NOV 0 9 200  CONSERVATION DIVIS WICHITA, KS  west fresh water	OMMISSIO 6 HOU
material, thickness and installation procedure  Distance to nearest water well within one-mik	e of pitfeet	Depth to shallo Source of infor measu  Drilling, Work	NOV 0 9 200  CONSERVATION DIVIS WICHITA, KS  west fresh waterfeet. mation: redwell owner electric logKDWR  over and Haul-Off Pits ONLY:  all utilized in drilling/workover: drilling mud	om <b>uiss</b> io 6
Distance to nearest water well within one-mik  NA feet Depth of water well  Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:	e of pitfeet	Depth to shallo Source of infor measu  Drilling, Work Type of materia	NOV 0 9 200  CONSERVATION DIVIS WICHITA, KS  west fresh waterfeet. mation: redwell owner electric logKDWR  over and Haul-Off Pits ONLY: all utilized in drilling/workover: drilling mud  king pits to be utilized: 2	OMMISSIO 66 100 15-003-2
material, thickness and installation procedure  Distance to nearest water well within one-mik  NA feet Depth of water well  Emergency, Settling and Burn Pits ONLY:  Producing Formation:	e of pit feet	Depth to shallo Source of infor measu Drilling, Work Type of materia Number of wor Abandonment	NOV 0 9 200  CONSERVATION DIVIS WICHITA, KS  west fresh waterfeet. mation: redwell owner electric logKDWR  over and Haul-Off Pits ONLY:  all utilized in drilling/workover: drilling mud	OMMISSIO 66 100 15-003-2
Distance to nearest water well within one-mike  NA feet Depth of water well  Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all	e of pitfeetspilled fluids to	Depth to shallo Source of informeasu  Drilling, Work  Type of materia  Number of wor  Abandonment  Drill pits must I	NOV 0 9 200  CONSERVATION DIVIS WICHITA, KS  west fresh water feet. mation: red well owner electric log KDWR  over and Haul-Off Pits ONLY: all utilized in drilling/workover: drilling mud king pits to be utilized: 2 procedure: air dry and backfill  pe closed within 365 days of spud date.	OMMISSIO 66 100 15-003-2
Distance to nearest water well within one-mike    N A   feet   Depth of water well     Emergency, Settling and Burn Pits ONLY:   Producing Formation:       Number of producing wells on lease:       Barrels of fluid produced daily:       Does the slope from the tank battery allow all flow into the pit?   Yes   No	e of pitfeetspilled fluids to	Depth to shallo Source of infor measu Drilling, Work Type of materia Number of wor Abandonment Drill pits must I	NOV 0 9 200  CONSERVATION DIVIS WICHITA, KS  west fresh water feet. mation: red well owner electric log KDWR  over and Haul-Off Pits ONLY: all utilized in drilling/workover: drilling mud king pits to be utilized: 2 procedure: air dry and backfill  pe closed within 365 days of spud date.	OMMISSIO 6 HOU
Distance to nearest water well within one-mik    N A   feet   Depth of water well     Emergency, Settling and Burn Pits ONLY:   Producing Formation:     Number of producing wells on lease:     Barrels of fluid produced daily:     Does the slope from the tank battery allow all flow into the pit?   Yes   No  I hereby certify that the above state    November 9, 2006	spilled fluids to	Depth to shallo Source of infor measu Drilling, Work Type of materia Number of wor Abandonment Drill pits must I	NOV 0 9 200  CONSERVATION DIVIS WICHITA, KS  west fresh water	OMMISSIO 66 100 15-003-2