For KCC Use: Effective Date: SGA? Yes X No

Kansas Corporation Commission Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

November 40, 2000	
Expected Spud Date November 13, 2006	Spot East
month day year	<u>NE</u> - <u>SW</u> Sec. 3 Twp. 28 S. R. 16 West
OPERATOR: License#	1980feet fromN / _V S Line of Section
Name. Quest Cherokee LLC	1980feet from E / W Line of Section
Address: 9520 North May Avenue, Suite 300	Is SECTIONRegularIrregular?
City/State/Zip: Oklahoma City, Oklahoma 73120	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Richard Marlin	County: Wilson
Phone: (405) 286-9316	Lease Name: Wing Living Trust Well #: 3-1
_	Field Name: Cherokee Basin CBM
CONTRACTOR: License# Will be licensed by the KCC	
Name: Will advise on the ACO-1	Is this a Prorated / Spaced Field? Yes ✓ No Therefore Coals
Tidillo.	Target Formation(s): Cherokee Coals
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 660
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: 1032 feet MSL
✓ Gas Storage Pool Ext. ✓ Air Rotary	Water well within one-quarter mile:
OWO Disposal Wildcat Cable	Public water supply well within one mile:
	Depth to bottom of fresh water:
Seismic; # of Holes Other Other Coalbed Methane	Depth to bottom of usable water: 294/59
✓ Other	Surface Pipe by Alternate: 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25
Operator:	Length of Conductor Pipe required:
Well Name:	Projected Total Depth: 1500
Original Completion Date:Original Total Depth:	Formation at Total Depth: Cherokee Coals
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other Air
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
	11 165, proposed 20116
	IDAVIT RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual pl	lugging of this well will comply with K.S.A. 55 et
It is agreed that the following minimum requirements will be met:	THOUS CONFORMING COMMISSI
Notify the appropriate district office <i>prior</i> to spudding of well;	NOV 0 8 2006
 Notify the appropriate district office prior to spudding of well, A copy of the approved notice of intent to drill shall be posted on each 	
3. The minimum amount of surface pipe as specified below shall be se	et by circulating cement to the top; in all cases surface CHISERWITION DIVISION
through all unconsolidated materials plus a minimum of 20 feet into the	he underlying formation.
4. If the well is dry hole, an agreement between the operator and the d	district office on plug length and placement is necessary prior to plugging;
5. The appropriate district office will be notified before well is either plug	ged or production casing is cemented in;
If an ALTERNATE II COMPLETION, production pipe shall be cement	ted from below any usable water to surface within 120 days of spud date.
Or pursuant to Appendix "B" - Eastern Kansas surface casing order	#133,891-C, which applies to the KCC District 3 area, alternate II cementing
must be completed within 30 days of the spud date or the well shall	be plugged. In all cases, NOTIFY district office prior to any cementing.
I hereby certify that the statements made herein are true and to the best of	f my knowledge and belief.
	7 - 21 /
Date: November 6, 2006 Signature of Operator or Agent:	Title: VP
	Remember to:
For KCC Use ONLY	- File Drill Pit Application (form CDP-1) with Intent to Drill;
API # 15 - 205-27008-0020	- File Completion Form ACO-1 within 120 days of spud date;
API # 15 - 4/	- File acreage attribution plat according to field proration orders;
Conductor pipe required feet	Notify appropriate district office 48 hours prior to workover or re-entry;
Minimum surface pipe required 20 feet per Alt. χ (2)	- Submit plugging report (CP-4) after plugging is completed;
Approved by: Put 11-13-00	- Obtain written approval before disposing or injecting salt water.
Approved by: 1-47 // 13-12-12-12-12-12-12-12-12-12-12-12-12-12-	- If this permit has expired (See: authorized expiration date) please
This authorization expires: 5-13-07	check the box below and return to the address below.
(This authorization void if drilling not started within 6 months of approval date.)	Well Not Drilled - Permit Expired
Soud date: Agent:	Signature of Operator or Agent:
Spud date: Agent:	
	8.
Mail to: KCC - Conservation Division, 130	S. Market - Room 2078, Wichita, Kansas 67202

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 205-27008-0000	Location of Well: County: Wilson
Operator: Quest Cherokee LLC	1980 feet from N / S Line of Section
Lease: Wing Living Trust	1980 feet from E / V W Line of Section
Well Number: 3-1	Sec. 3 Twp. 28 S. R. 16 ✓ East West
Field: Cherokee Basin CBM	
Number of Acres attributable to well:	ls Section: ✓ Regular or ☐ Irregular
QTR / QTR / QTR of acreage: NE _ SW	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee L	LC		License Number: 33344
Operator Address: 9520 North May	y Avenue, Suite	300 Ok	lahoma City, Oklahoma 73120
Contact Person: Richard Marlin	_		Phone Number: (405) 286 - 9316
Lease Name & Well No.: Wing Living Trust #3-1		Pit Location (QQQQ):	
Type of Pit:	Pit is:		<u>NESW</u>
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 3 Twp. 28 R. 16 📝 East 🗌 West
Settling Pit	If Existing, date constructed:		1980 Feet from ☐ North / ✓ South Line of Section
Workover Pit Haul-Off Pit	Pit capacity:		1980 Feet from East / 📝 West Line of Section
(If WP Supply API No. or Year Drilled)	300	(bbls)	WilsonCounty
Is the pit located in a Sensitive Ground Water	Area? Yes ✓ No	, ,	Chloride concentration:mg/l
			(For Emergency Pits and Settling Pits only)
Is the bottom below ground level? Yes No	Artificial Liner? ☐ Yes ✓ No		How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	Length (feet)	10	Width (feet) N/A: Steel Pits
Depth f	rom ground level to deepe	est point:	10 (feet)
		•	
If the pit is lined give a brief description of the material, thickness and installation procedure	e liner C	Describe proce iner integrity, in	dures for periodic maintenance and determining notuding any special monitoring. Operation lasting approx 3 days
	e liner Di A	Describe proce iner integrity, in ir Drilling	dures for periodic maintenance and determining notuding any special monitoring. Operation lasting approx 3 days west fresh waterfeet.
material, thickness and installation procedure	e liner e. li A	Describe proceiner integrity, in Drilling Depth to shallo Source of infor	dures for periodic maintenance and determining notuding any special monitoring. Operation lasting approx 3 days west fresh waterfeet.
material, thickness and installation procedure. Distance to nearest water well within one-mile	e liner e. li A e of pit S feet	Describe proceiner integrity, in integrity, i	dures for periodic maintenance and determining necluding any special monitoring. Operation lasting approx 3 days west fresh waterfeet. mation:
Distance to nearest water well within one-mil	e liner e. A e of pit feet T	Describe proceiner integrity, in integrity integrity, integ	dures for periodic maintenance and determining notuding any special monitoring. Operation lasting approx 3 days west fresh waterfeet. mation: redwell owner electric logKDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: Air Drilled
Distance to nearest water well within one-mil NA feet Depth of water well Emergency, Settling and Burn Pits ONLY	e liner e. A e of pit feet T	Describe proceiner integrity, in integrity, i	dures for periodic maintenance and determining necluding any special monitoring. Operation lasting approx 3 days west fresh waterfeet. mation: redwell owner electric logKDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: Air Drilled king pits to be utilized: One
Distance to nearest water well within one-mil NA feet Depth of water well Emergency, Settling and Burn Pits ONLY Producing Formation:	e liner e. A e of pit feet T	Describe proceiner integrity, in integrity, i	dures for periodic maintenance and determining notuding any special monitoring. Operation lasting approx 3 days west fresh waterfeet. mation: redwell owner electric logKDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: Air Drilled
Distance to nearest water well within one-mil NA feet Depth of water well Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease:	e liner e. A e of pit feet I I I I I I I I I I I I I	Describe proceiner integrity, in Air Drilling Depth to shallo Source of infor measu Drilling, Worker Type of material Number of wor	dures for periodic maintenance and determining necluding any special monitoring. Operation lasting approx 3 days west fresh waterfeet. mation: redwell owner electric logKDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: Air Drilled king pits to be utilized: One
Distance to nearest water well within one-mile NA feet Depth of water well Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow at	e liner e. A e of pit feet T N A I spilled fluids to	Describe proceiner integrity, in integrity, i	dures for periodic maintenance and determining including any special monitoring. Operation lasting approx 3 days west fresh waterfeet. mation: redwell ownerelectric logKDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: Air Drilled king pits to be utilized: One procedure: Air Dry, Back Fill and Cover oe closed within 365 days of spud date.
Distance to nearest water well within one-mile NA feet Depth of water well Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow at flow into the pit? Yes No	e liner e. A e of pit feet T N A I spilled fluids to	Describe proceiner integrity, in integrity, i	dures for periodic maintenance and determining including any special monitoring. Operation lasting approx 3 days west fresh waterfeet. mation: redwell ownerelectric logKDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: Air Drilled king pits to be utilized: One procedure: Air Dry, Back Fill and Cover the closed within 365 days of spud date.
Distance to nearest water well within one-mil NA feet Depth of water well Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? I hereby certify that the above state	e liner e. A e of pit feet T N A I spilled fluids to	Describe proceiner integrity, in a content of the process of the p	dures for periodic maintenance and determining including any special monitoring. Operation lasting approx 3 days west fresh waterfeet. mation: redwell owner electric logKDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: Air Drilled king pits to be utilized: One procedure: Air Dry, Back Fill and Cover the closed within 365 days of spud date. The CEIVED KANSAS CORPORATION CO