API NO. 15- 009-24780-0000

STATE CORPORATION COMMISSION OF KANSAS OIL & GAS CONSERVATION DIVISION WELL COMPLETION FART G | NA

MELL COMPLETION FIND CONTROL ACO-1 WELL HISTORY DESCRIPTION OF WELL NO LEASE NAL	County BARTON 140 E & 116 S -SW - SW - NW Sec. 6 Twp. 16 Rge. 11 X W
Operator: License # 5259	2745 Feet from S (circle one) Line of Section
Name: MAI OIL OPERATIONS. INC.	1+76 Feet from E(W)(circle one) Line of Section
Address P.O. BOX 33	Footages Calculated from Nearest Outside Section Corner: NE, SE, NW or SW (circle one)
City/State/Zip RUSSELL, KS. 67665 Purchaser: NCRA	Lease Name WOYDZIAK UNIT Well # 1 Field Name KRAFT-PRUSA Producing Formation ARBUCKLE
Operator Contact Person: ALLEN BANGERT	Elevation: Ground <u>1868</u> ; KB <u>1873</u> !
Phone (<u>785 483 2169</u>	Total Depth 33361 PBTD 33361
Contractor: Name: MURFIN DRILLING CO., INC.	Amount of Surface Pipe Set and Cemented at 371 Feet
License: <u>30606</u>	Multiple Stage Cementing Collar Used?YesXNo
Wellsite Geologist: DAVE SHUMAKER	If yes, show depth setFeet
Designate Type of Completion X New Well Re-Entry Workover	If Alternate II completion, cement circulated from
X Oil	prilling Fluid Management Plan ALT I WHW 10-77-07 (Data must be collected from the Reserve Pit)
Operator:	Chloride content 25,000 ppm Fluid volume 50 bbls
Well Name:	Dewatering method used <u>LET DRY</u>
Comp. Date Old Total Depth	Location of fluid disposal if hauled offsite:
Deepening Re-perf. Conv. to Inj/SWD Plug Back PBTD Commingled Docket No. Dual Completion Docket No. Other (SWD or Inj?) Docket No.	Operator NameLicense No
1-16-2004 1-23-2004 1-23-2004	Quarter Sec TwpS RngE/W
Spud Date	County Docket No
- Room 2078, Wichita, Kansas 67202, within 120 days of the Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information on 12 months if requested in writing and submitted with the months). One copy of <u>all</u> wireline logs and geologist well with the MUST BE ATTACHED. Submit CP-4 form with all plugged well.	side two of this form will be held confidential for a period of a form (see rule 82-3-107 for confidentiality in excess of 12 report shall be attached with this form. ALL CEMENTING TICKETS lls. Submit CP-111 form with all temporarily abandoned wells.
£	-11-01+ K.C.C. OFFICE USE ONLY Letter of Confidentiality Attached Wireline Log Received Geologist Report Received
Subscribed and sworn to before me this What day of War 19 2004	CC SMD/Rep NGPA

VERNA MAY HUTCHINGS State of Kansas My Appt. Exp. 410-2005

Date Commission Expires

RECEIVED MAY 1 3 2004 KCC WICHITA

(Specify) Form ACO-1 (7-91)

Operator Name MAT	OIL OPER	ATTONS, INC.	Lease Name	WOYDZI	AK UNIT	Well #	1
sec. <u>6</u> Тыр. <u>16</u>	Rge. <u>11</u>	East West	County _	BARTON	HRO		•
INSTRUCTIONS: Show interval tested, time hydrostatic pressures if more space is need	e tool open a , bottom hole :	nd closed, flowing temperature, fluid r	and shut-in pres	ssures, wheth	ner shut-in pre	ssure read	ched static level
Drill Stem Tests Take		X Yes No	X Log	Formatio	n (Top), Depth	and Datums	
Samples Sent to Geolo	gical Survey	Tes 🛮 No	Name ANHYDE	ITE	753	1	Datum 1120
Cores Taken	es Taken Yes X No HOV		HOWARD	D 2606' -733			-733
Electric Log Run (Submit Copy.)		Yes No	TOPEKA HEEBNE TORONT	L'R	294 292 294	81	-770 -1055 -1074
List All E.Logs Run:			DOUGLA	LS.	295	91	-1085
_		ON, COMPENSA	TEP BROWN	Livi	3@20 3 @3		-1147 -1162
NEUTRON-DEN	SITY		BKC ARBUCK	~ T \T?	329	71	-1424 -1452
		CASING RECORD				7	<u> </u>
	Report al	ll strings set-condu	LX _{New} L _U uctor, surface, i		production, et	c.	
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs./Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
SURFACE	12 1/4"	8 5/8"	20	371'	COMMON	195	3% GEL
PRODUCTION	7 7/811	5 1/2"	714	3328 ASC		150	
						<u> </u>	
	ADDITIONAL C	EMENTING/SQUEEZE REC	CORD				
Purpose: Perforate	Depth Top Bottom			Type and Percent Additives			es .
Protect Casing Plug Back TD				<u> </u>			
Plug Off Zone	<u> </u>		<u> </u>	<u> </u>	•		and a second
Shots Per Foot		RECORD - Bridge Pl			Fracture, Shot, d Kind of Mater		pueeze Record Depth
OPEN HOLE	3328-33	3361		2 25⊜ GAI	15% FR		
					<u> </u>		Salah Sa
		•					
TUBING RECORD	Size 2 <u>77/8th</u>	Set At 333@'	Packer At	Liner Run	☐ Yes ☐		
Date of First, Resum 2-20-04	ed Production,	SWD or Inj. Prod	ucing Method	lowing Apu	mping Gas L	ift 🗆 or	:her (Explain)
Estimated Production Per 24 Hours	oil 25	Bbls. Gas	Mcf Wate 2	r Bbls.	Gas-Oil		Gravity
isposition of Gas:	METHOD OF	COMPLETION		Pro	oduction Interv	al	
Vented Sold (If vented, sub			Hole Perf.			ingled 3	
		Utne	(apecity)			•	र अन्तरासम्बद्धाः चेदस्यः ।

LIED CEMENTING CO., INC. 13980

Fede	eral Tax I.D	
BOX 31 RUSSELL, KANSAS 67665	ORIGINAL	SERVICE POINT:
SEC. TWP. RANGE	CALLED OUT ON LOC	
		COUNTY STATE BOX F
LEASE LOCATION LOCATION	Whove IE to	DOJETU F)
OLD OR NEW (Chere one)		
	OWNER	
CONTRACTOR MUFFIN	-15 O	924780000
TYPE OF JOB SUFFACE HOLE SIZE 124 T.D. 372	CEMENT	·
MOLE SIZE 221	AMOUNT ORDERED	
CASI O JE	1950h Com 3-	7
TUBING SIZE DEPTH DRILL PIPE DEPTH		
TOOL DEPTH		2011 001
PRES. MAX MINIMUM	COMMON_/95	@_ <u>7.15</u> 1,394.25
MEAS. LINE SHOE JOINT	POZMIX	
CEMENT LEFT IN CSG. 15	GEL	
PERES.	CHLORIDE	@_ <u>30.00</u> _ <u> 80.00</u>
DISPLACEMENT 22-5		@ @
EQUIPMENT		
die de la company de la compan		
PUMP TRUCK CEMENTER 3		
# 345 HELPER DAJE	HANDLING 198	
BULK TRUCK	MILEAGE	
# DRIVER STENL	WILLAGE 10072	7
BULK TRUCK		TOTAL 2101.75
# DRIVER	·	101.12
REMARKS:		SERVICE
opens of		
D-10 15 01 83 note 3	7/ DEPTH OF JOB	
Non 10 gr of Sant	PUMP TRUCK CHAR	
Court W 1950h 3-2	EXTRA FOOTAGE	@
- Central of 1100	MILEAGE27 ~	@ 3.50 94.50
auma alus w 221 bbs	PLUG 1-8 5 woo	1 @ 45.00
7007100		@
Cent did Cike.		
	RECEIVED	
· · · · · · · · · · · · · · · · · · ·		TOTAL <u>459.50</u>
CHARGE TO: pai Oil of	MAY 1 3 2004	
· · · · · · · · · · · · · · · · · · ·	KCC WICHITA FLO	AT EQUIPMENT
STREET		
CITYSTATEZIP_		@
$r = \frac{1}{2} \left(\frac{1}{2} \right) \right) \right) \right) \right)}{1} \right) \right)}{1} \right)} \right)} \right)} \right)} \right)} \right)}}}} \right)}}}}} \right)}}}}}}}}$		
	Charles and the second of the	
		@
To Allied Cementing Co., Inc.	_	
You are hereby requested to rent cementing equ	nipment	TOTAL

and furnish cementer and helper to assist owner or

ALLIED CEMENTING CO., INC. Federal Tax I.D.#

You are hereby requested to rent cementing equipment

and furnish cementer and helper to assist owner or

CEDVICE DOINT:

TOTAL 2203 000

MIT TO P.O. B RUSS	OX 31 ELL, KA	NSAS 676	565			SER		B
DATE / 1/28/04	SEC.	TWP.	RANGE	C	ALLED OUT	ON LOCATION	JOB START	JOB FINISH
Worldzian	****** * #	1	LOCATION J). h.	ghe IE	1/2 5	COUNTY	STATE
LEASE A VANC	WELL#		LOCATION &	1 suc	796 /2		La le la	
OLD OF NEW (Cir	rcie one)							
CONTRACTOR	Munf	in #1	Lo		OWNER		·	
TYPE OF JOB 2	onas	trina				15009247	780000	
	18	T.I). <i>3336</i> -		CEMENT			ا مر
CASING SIZE	5/2~	DE	PTH 3327			RDERED 175		En Coel
TUBING SIZE		DE	PTH '		3/40519	A	Floseal	
DRILL PIPE		DE	PTH		20# Deco	amer A /	50 Cx1-1	15FA-2
TOOL	Rate of the state		PTH				29	
PRES. MAX			NIMUM	1 0 0 =	COMMON_	175	_ <u>@_9\$</u> _	
MEAS. LINE		SH	OE JOINT 32	30	POZMIX			.
CEMENT LEFT IN	I CSG.				GEL	33	_@_ <u>_</u> 10000	<u> </u>
PERFS.		·/ -			CHLORIDE _		_@ <u></u> _	75.50
DISPLACEMENT	<u>80</u>	123N			WEB-2	750 gals		75000 67650
	EQU	UIPMENT	r		CD-37	1231	@_ <u>559</u>	2940
, e, , ,					Floseal	57큐	_@40	
PUMP TRUCK	CEMENT	TER 7	in				_@	
	HELPER	1.00	ve		TIANIDI INC	178		204.70
BULK TRUCK			¥.,		HANDLING			240.30
and the same of th	DRIVER	Crar	√ ×		MILEAGE	24/3	(tume	
BULK TRUCK			<i>T</i> .				mom. I	
#	DRIVER						IOIAL	3505,90
								3303.70
	DE	MARKS:	,			SERVI	CE	
Add Silver	go sar!		. 8.	a				
Cent-pn7	4910,0		91,89,88		DEPTH OF I	OB		
MAYEN 78	20 gc	(WF	12-2 - 1-011	<u> </u>	DEPTH OF JO	OB		112000
150,5X	Place	DIELEC	2 Phys. L	CINZVE	EXTRA FOO	TACE	@	7470
@ Ja 190 .	Flour	HEV			MILEAGE		@ <u>35</u>	9450
See 1		**			-			
M = 24 1 0	0 100				1200		_ @	
Mones ha					CCEN/ED		_	 Acceptation of the control of the cont
Rathole	150	<u> </u>			ECEIVED			**************************************
				M	AY 1 3 2004		mom t	1224 50
	۱۸ ،	Du.	<i>Ο</i> Λ	• -			TOTAL	1/24
CHARGE TO:	Mai .		per.	—KC	C WICHITA			
STREET		-			~	FLOAT EQU	IPMENT	
CITY	S".	TATE	ZIP		11/11/2	e)		10
	š			1013 f	+acker	Shull	_@	<u>132500</u>
				IUIJ F	<u></u>	own Assem.	@	350°°
						lent 8	_@_5 *	128°
4					Basket		_ @ @	
To Allied Cemen	ting Co.,	Inc.						