For KCC Use:	11-12-01-
Effective Date: _	11-19-06
District #	4
SGA? Yes	X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date November 9, 2006	Spot East
month day year	NE - NW - SW Sec. 9 Twp. 14 S. R. 20 V West
OPERATOR: License# 33335	2000 feet from N / V S Line of Section
Name: IA Operating, Inc.	1050 feet from E / V W Line of Section
Address: 900 N. Tyler Rd #14	Is SECTION Regular Irregular?
City/State/Zip: Wichita KS 67212	
Contact Person: Hal Porter	(Note: Locate well on the Section Plat on reverse side) County: Ellis
Phone: 316-721-0036	Lease Name: Seibel Farms Well #: 9-1
/	Field Name: EDSEIBEL
CONTRACTOR: License# 30606	
Name: Murfin Drilling Company, Inc.	Is this a Prorated / Spaced Field?
	Target Formation(s): LKC, ARB, Reagan
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 640
Oil Enh Rec Infield I Mud Rotary	Ground Surface Elevation: 2160 approx teet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
O/W/O Disposal Wildcat Cable	Public water supply well within one mile:
Seismic; # of Holes Other	Depth to bottom of fresh water: 180
Other	Depth to bottom of usable water 228 650
*******	Surface Pipe by Alternate: 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 200 feet
Operator:	Length of Conductor Pipe required: None
Well Name:	Projected Total Depth: 3850
Original Completion Date:Original Total Depth:	Formation at Total Depth: ARB or Reagan
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
	Well Farm Pond Other X
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? Yes ✓ No
	VIII Coles be taken:
	If Yes, proposed zone:
ΔFFI	If Yes, proposed zone:
	If Yes, proposed zone:
The undersigned hereby affirms that the drilling, completion and eventual plus	If Yes, proposed zone:
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:	If Yes, proposed zone:
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	DAVIT ugging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. Activities the drilling rig;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the discontinuation.	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set. the underlying formation. strict office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the difficulty of the surface plugical series of the sur	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> , through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either pluging. The appropriate district office will be notified before well is either pluging. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set. the underlying formation. Istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> , through all unconsolidated materials plus a minimum of 20 feet into the second of th	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set. the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plants is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the shall unconsolidated materials plus a minimum of 20 feet into the shall unconsolidated materials plus a minimum of 20 feet into the shall the well is dry hole, an agreement between the operator and the displants of the shall be completed if an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing orders must be completed within 30 days of the spud date or the well shall the shall the shall be completed within 30 days of the spud date or the well shall the shall the shall be completed within 30 days of the spud date or the well shall be completed.	DAVIT Lugging of this well will comply with K.S.A. 55 et. seq. The drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set. The underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; The driving of this well will comply with K.S.A. 55 et. seq. The proposed zone:
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> , through all unconsolidated materials plus a minimum of 20 feet into the second of th	DAVIT Lugging of this well will comply with K.S.A. 55 et. seq. The drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set. The underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; The driving of this well will comply with K.S.A. 55 et. seq. The proposed zone:
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each as through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the desired plus and the district office will be notified before well is either pluging. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing orders must be completed within 30 days of the spud date or the well shall be the production of the well shall be certify that the statements made herein are true and to the best of	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set. the underlying formation. Istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plants is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the shall unconsolidated materials plus a minimum of 20 feet into the shall unconsolidated materials plus a minimum of 20 feet into the shall the well is dry hole, an agreement between the operator and the displants of the shall be completed if an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing orders must be completed within 30 days of the spud date or the well shall the shall the shall be completed within 30 days of the spud date or the well shall the shall the shall be completed within 30 days of the spud date or the well shall be completed.	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set. the underlying formation. Istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: President
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the set	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set. the underlying formation. Istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: President Remember to:
The undersigned hereby affirms that the drilling, completion and eventual plants is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the an ALTERNATE II COMPLETION, production pipe shall be comented. Or pursuant to Appendix "B" - Eastern Kansas surface casing orders must be completed within 30 days of the spud date or the well shall be the produced of the spud date or the well shall be completed. Signature of Operator or Agent: Date: November 9, 2006 Signature of Operator or Agent: Signature of O	DAVIT Jugging of this well will comply with K.S.A. 55 et. seq. The drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set. It by circulating cement to the top; in all cases surface pipe shall be set. It by circulating cement to the top; in all cases surface pipe shall be set. It by circulating cement to the top; in all cases surface pipe shall be set. It by circulating cement to the top; in all cases surface pipe shall be set. It by circulating cement to the top; in all cases surface pipe shall be set. It by circulating cement to surface within 120 days of spud date. It is a surface prior to any cementing. It is president Title: President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an expensive and the approved and the second and the second and the complete and the second and the seco	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set. the underlying formation. Istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: President Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the approved notice of intent to drill <i>shall be</i> posted on each and the search of th	DAVIT Jugging of this well will comply with K.S.A. 55 et. seq. The drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set. It by circulating cement to the top; in all cases surface pipe shall be set. It by circulating cement to the top; in all cases surface pipe shall be set. It by circulating cement to the top; in all cases surface pipe shall be set. It by circulating cement to the top; in all cases surface pipe shall be set. It by circulating cement to the top; in all cases surface pipe shall be set. It by circulating cement to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. It is president Title: President Title: President Title: President File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the specified all unconsolidated materials plus a minimum of 20 feet into the specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the specified specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the specified specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the specified below <i>shall be set</i> through a specified below <i>shall be posted into the state plus a minimum of 20 feet into the specified below <i>shall be set</i> through a specified below <i>shall be posted into the state plus a minimum of 20 feet into the set of the specified below <i>shall be posted into the set of the specified below <i>shall be posted into the set of the specified below <i>shall be posted into the set of the specified below <i>shall be posted into the set of the specified below <i>shall be posted into the specified below <i>shall be posted into the specified below shall be posted into the specified below <i>shall be posted into the specified below shall be posted into the specified below <i>shall be posted into the specified below shall be posted into the specified below <i>shall be posted into the specified below shall be posted into the specified below <i>shall be posted into the specified below shall be posted into the specified below <i>shall be posted into the specified below shall be posted into the specified below <i>shall be</i></i></i></i></i></i></i></i></i></i></i></i></i></i>	DAVIT Lugging of this well will comply with K.S.A. 55 et. seq. SER 2006 The drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set. It by circulating cement to the top; in all cases surface pipe shall be set. It by circulating cement to the top; in all cases surface pipe shall be set. It by circulating cement to the top; in all cases surface pipe shall be set. It by circulating cement to the top; in all cases surface pipe shall be set. It by circulating cement to the top; in all cases surface pipe shall be set. It by circulating cement to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title: President Title: President Title: President File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing orders must be completed within 30 days of the spud date or the well shall be remented to the statements made herein are true and to the best of the post of the production pipe shall be completed. For KCC Use ONLY API # 15 - OSI - 25594-000 Conductor pipe required	DAVIT Jugging of this well will comply with K.S.A. 55 et. seq. Jugging of this well will comply with K.S.A. 55 et. seq. Jugging of this well will comply with K.S.A. 55 et. seq. Jugging of this well will comply with K.S.A. 55 et. seq. Jugging of this well will comply with K.S.A. 55 et. seq. Jugging of this well will comply with K.S.A. 55 et. seq. Jugging of this well will comply with K.S.A. 55 et. seq. Jugging of this well will comply with K.S.A. 55 et. seq. Jugging of this well will comply with K.S.A. 55 et. seq. Jugging of this well will comply with K.S.A. 55 et. seq. Jugging of this well will comply with K.S.A. 55 et. seq. Jugging of this well will comply with K.S.A. 55 et. seq. Jugging of this well will comply with K.S.A. 55 et. seq. Jugging of this well will comply with K.S.A. 55 et. seq. Jugging of this well will comply with K.S.A. 55 et. seq. Jugging of this well will comply with K.S.A. 55 et. seq. Jugging of this well will comply with K.S.A. 55 et. seq. Jugging of this well will comply with K.S.A. 55 et. seq. Jugging of this well will comply will k.S.A. 55 et. seq. Jugging of this well will comply will k.S.A. 55 et. seq. Jugging of this well will comply will k.S.A. 55 et. seq. Jugging of this well will comply will k.S.A. 55 et. seq. Jugging of this well will comply will k.S.A. 55 et. seq. Jugging of this well will comply will k.S.A. 55 et. seq. Jugging of this well will k.S.A. 55 et. seq. Jugging of this well will k.S.A. 55 et. seq. Jugging of this well will k.S.A. 55 et. seq. Jugging of this well will k.S.A. 55 et. seq. Jugging of this well will k.S.A. 55 et. seq. Jugging of this well will k.S.A. 55 et. seq. Jugging of this well will k.S.A. 55 et. seq. Jugging of this well will k.S.A. 55 et. seq. Jugging of this well will k.S.A. 55 et. seq. Jugging of this well will k.S.A. 55 et. seq. Jugging of this well will k.S.A. 55 et. seq. Jugging of this well will k.S.A. 55 et. seq. Jugging of this well will k.S.A. 55 et. seq. Jugging of this well will k.S.A. 55 et. 56 et. 56
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the search of the well is dry hole, an agreement between the operator and the difference of the appropriate district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing orders must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: November 9, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 051 - 25594-000 Conductor pipe required Nove feet per Alt. (2) Approved by: Unit-14-06	DAVIT Jugging of this well will comply with K.S.A. 55 et. seq. Jugging of this well will comply with K.S.A. 55 et. seq. Jugging of this well will comply with K.S.A. 55 et. seq. Jugging of this well will comply with K.S.A. 55 et. seq. Jugging of this well will comply with K.S.A. 55 et. seq. Jugging of this well will comply with K.S.A. 55 et. seq. Jugging of this well will comply with K.S.A. 55 et. seq. Jugging of this well will comply with K.S.A. 55 et. seq. Jugging of this well will comply with K.S.A. 55 et. seq. Jugging of this well will comply with K.S.A. 55 et. seq. Jugging of this well will comply with K.S.A. 55 et. seq. Jugging of this well will comply with K.S.A. 55 et. seq. Jugging of this well will comply with K.S.A. 55 et. seq. Jugging of this well will comply with K.S.A. 55 et. seq. Jugging of this well will comply with K.S.A. 55 et. seq. Jugging of this well will comply with K.S.A. 55 et. seq. Jugging of this well will comply with K.S.A. 55 et. seq. Jugging of this well will comply with K.S.A. 55 et. seq. Jugging of this well will comply will k.S.A. 55 et. seq. Jugging of this well will comply will k.S.A. 55 et. seq. Jugging of this well will comply will k.S.A. 55 et. seq. Jugging of this well will comply will k.S.A. 55 et. seq. Jugging of this well will comply will k.S.A. 55 et. seq. Jugging of this well will comply will k.S.A. 55 et. seq. Jugging of this well will k.S.A. 55 et. seq. Jugging of this well will k.S.A. 55 et. seq. Jugging of this well will k.S.A. 55 et. seq. Jugging of this well will k.S.A. 55 et. seq. Jugging of this well will k.S.A. 55 et. seq. Jugging of this well will k.S.A. 55 et. seq. Jugging of this well will k.S.A. 55 et. seq. Jugging of this well will k.S.A. 55 et. seq. Jugging of this well will k.S.A. 55 et. seq. Jugging of this well will k.S.A. 55 et. seq. Jugging of this well will k.S.A. 55 et. seq. Jugging of this well will k.S.A. 55 et. seq. Jugging of this well will k.S.A. 55 et. seq. Jugging of this well will k.S.A. 55 et. 56 et. 56
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing orders must be completed within 30 days of the spud date or the well shall be cemented. I hereby certify that the statements made herein are true and to the best of the production of the statements of the spud date or the well shall be set to state the operator of Agent: For KCC Use ONLY API # 15 - 051 - 25594-000 Conductor pipe required	DAVIT Jugging of this well will comply with K.S.A. 55 et. seq. Jugging of this well will comply with K.S.A. 55 et. seq. Jugging of this well will comply with K.S.A. 55 et. seq. Jugging of this well will comply with K.S.A. 55 et. seq. Jugging of this well will comply with K.S.A. 55 et. seq. Jugging of this well will comply with K.S.A. 55 et. seq. Jugging of this well will comply with K.S.A. 55 et. seq. Jugging of this well will comply with K.S.A. 55 et. seq. Jugging of this well will comply with K.S.A. 55 et. seq. Jugging of this well will comply with K.S.A. 55 et. seq. Jugging of this well will comply with K.S.A. 55 et. seq. Jugging of this well will comply with K.S.A. 55 et. seq. Jugging of this well will comply with K.S.A. 55 et. seq. Jugging of this well will comply with K.S.A. 55 et. seq. Jugging of this well will comply with K.S.A. 55 et. seq. Jugging of this well will comply with K.S.A. 55 et. seq. Jugging of this well will comply with K.S.A. 55 et. seq. Jugging of this well will comply with K.S.A. 55 et. seq. Jugging of this well will comply will k.S.A. 55 et. seq. Jugging of this well will comply will k.S.A. 55 et. seq. Jugging of this well will comply will k.S.A. 55 et. seq. Jugging of this well will comply will k.S.A. 55 et. seq. Jugging of this well will comply will k.S.A. 55 et. seq. Jugging of this well will comply will k.S.A. 55 et. seq. Jugging of this well will k.S.A. 55 et. seq. Jugging of this well will k.S.A. 55 et. seq. Jugging of this well will k.S.A. 55 et. seq. Jugging of this well will k.S.A. 55 et. seq. Jugging of this well will k.S.A. 55 et. seq. Jugging of this well will k.S.A. 55 et. seq. Jugging of this well will k.S.A. 55 et. seq. Jugging of this well will k.S.A. 55 et. seq. Jugging of this well will k.S.A. 55 et. seq. Jugging of this well will k.S.A. 55 et. seq. Jugging of this well will k.S.A. 55 et. seq. Jugging of this well will k.S.A. 55 et. seq. Jugging of this well will k.S.A. 55 et. seq. Jugging of this well will k.S.A. 55 et. 56 et. 56
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the search of the well is dry hole, an agreement between the operator and the difference of the appropriate district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing orders must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: November 9, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 051 - 25594-000 Conductor pipe required Nove feet per Alt. (2) Approved by: Unit-14-06	DAVIT Lugging of this well will comply with K.S.A. 55 et. seq. SER 2006 In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set. As the underlying formation. In this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as a copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the search of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing orders must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of Date: November 9, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 051 - 25594-000 Conductor pipe required Nore feet per Alt. (2) Approved by: While 14-06 This authorization expires: 5-14-07 (This authorization void if drilling not started within 6 months of approval date.)	DAVIT Lugging of this well will comply with K.S.A. 55 et. seq. SER 2006 The drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set. Le underlying formation. In strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; Led from below any usable water to surface within 120 days of spud date. Let 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the d. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing orders must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of Date: November 9, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 051 - 25594-000 Conductor pipe required 1000 feet per Alt. (2) Approved by: 441-14-06 This authorization expires: 5-14-07	DAVIT Lugging of this well will comply with K.S.A. 55 et. seq. SER 2006 The drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set. The underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133.891-C, which applies to the KCC District 3 area, alternate II cementing are plugged. In all cases, NOTIFY district office prior to any cementing. Title: President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 051-25594-000	Location of Well: County: Ellis
Operator: IA Operating, Inc.	
Lease: Seibel Farms	2000 feet from N / V S Line of Section 1050 feet from E / V W Line of Section
Well Number: 9-1 Field: EDSEIBEL	Sec. 9 Twp. 14 S. R. 20 East Wes
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR / QTR / QTR of acreage: NE _ NW _ SW	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

RECEIVE SEP 2 6 28 KCC WICHI	· · · · · · · · · · · · · · · · · · ·							
EXAMPLE		· ·] 	: - : :	· ·	0'-9-	-105
3390'		· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·		20	
SEWARD CO.			· · · · · · · · · · · · · · · · · · ·		· · · · · · · ·	· · · · · ·		

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

RECEIVED

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 1 section with 8 surrounding sections, 2006 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.

KCC WICHITA

4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached; (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: IA Operating, Inc.			License Number: 33335		
Operator Address: 900 N Tyler F	Rd #14, Wic	hita KS 6	7212		
Contact Person: Hal Porter			Phone Number: (316) 721 - 0036		
Lease Name & Well No.: Seibel Far	ms 9-1		Pit Location (QQQQ):		
Type of Pit:	Pit is:		ΝΕ_ Νω_ Sω		
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 9 Twp. 14 R. 20	East 💢 West	
Settling Pit Prilling Pit	If Existing, date constructed:			n / 🔀 South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		1050 Feet from East	/ 🗶 West Line of Section	
(If WP Supply API No. or Year Drilled)	600	(bbls)		County	
Is the pit located in a Sensitive Ground Water Area? Yes V No			Chloride concentration:	mg/l	
Is the bottom below ground level? Ves No	Artificial Liner? V Yes !	No	How is the pit lined if a plastic liner	is not used?	
Pit dimensions (all but working pits):	00 Length (fe	et)100	Width (feet)	N/A: Steel Pits	
Depth fr	om ground level to de	epest point: 4	(feet)		
				SEP 2 8 2006	
Distance to nearest water well within one-mile	Depth to shallo Source of infor	west fresh water <u>unknown</u> mation:	SCE WICHITA		
N/A feet Depth of water well	measu	red well owner ele	ctric logKDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover: Bentonite		nite	
Number of producing wells on lease:		Number of working pits to be utilized: 4 Abandonment procedure: Allow to dry, backfill and level			
Barrels of fluid produced daily:		Abandonment	procedure: 7 mov to dry, buokim t	11010101	
Does the slope from the tank battery allow all flow into the pit? Yes No	Drill pits must	be closed within 365 days of spud da	ite.		
I hereby certify that the above state	ements are true and o	correct to the Bes	of my knowledge and belief.		
11/9/2006		phil	Clorter	RECEIVED	
Date		S	ignature of Applicant or Agent	NOV 1 3 2006	
KCC OFFICE USE ONLY KCC WICHITA					
Date Received: 11/13/06 Permit Num	nber:	Perm	it Date: 11/14/06 Lease Insp	pection: Yes V No	