For KCC Use:
Effective Date:
Userial Hamiltonian SGA?

For KCC Use:

I A Do Old

No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Form C-1

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

November 21, 2006		
Expected Spud Date	Spot	ıst
month day year	NESE - NW - SW Sec. 4 Twp. 5 S. R. 24 W	ast
OPERATOR: License# 33266 33268	1740 feet from N / ✓ S Line of Section	
Name: RL Investment, LLC	1030 Feet from E / V W Line of Section	
Address: 217 Saint Peter Street	Is SECTION Regular trregular?	
City/State/Zip: Morland, KS 67650	- •	
City/State/Zip:	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Leon Pfeifer	County: Norton	
Phone: (785) 627-5711	Lease Name: Well #: 1	
CONTRACTOR: License# 32810	Field Name: wildcat	
Name: Professional Pulling Services	Is this a Prorated / Spaced Field?	No
Name:	Target Formation(s): Lansing-Kansas City	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 1030'	
✓ Oil ✓ Enh Rec Infield ✓ Mud Rotary ✓	Ground Surface Elevation: 2328 feet M	SL
	Water well within one-quarter mile: Yes ✓	No _
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	-
OWD Disposal Wildcat Cable	Depth to bottom of fresh water: 150'	
Seismic; # of Holes Other	Depth to bottom of usable water: 1.200'	_
Other	Surface Pipe by Alternate: 1 2	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 200'	
12 2 2	Length of Conductor Pipe required: none	_
Operator:	Projected Total Depth: 3,950	_
Well Name:	Formation at Total Depth: Kansas City	_
Original Completion Date:Original Total Depth:	Torridation at local Deptir.	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:	
If Yes, true vertical depth:	Well ✓ Farm Pond Other	—
Bottom Hole Location:	DWR Permit #:	_
* * ***	(Note: Apply for Permit with DWR)	
KCC DKT #:	Will Cores be taken? Yes ✓I	No
	If Yes, proposed zone:	
AFF	DAVIT KANSAS CORPORATION COM	13100
The undersigned hereby affirms that the drilling, completion and eventual pl	ugging of this well will comply with K.S.A. 55 et. seq.	NIOO
	NOV 1 5 2006	
It is agreed that the following minimum requirements will be met:	1404 . 3 2000	
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	1101	
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each 	ch drilling rig; CONSERVATION DIVISIO	N
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be se</i> 	ch drilling rig; the drilling rig;	N
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 	CONSERVATION DIVISION of by circulating cement to the top; in all cases surface piper	
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the d 	ch drilling rig; If by circulating cement to the top; in all cases surface pipe Chille & Set ne underlying formation. It is trict office on plug length and placement is necessary prior to plugging:	
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the d The appropriate district office will be notified before well is either plug 	ch drilling rig; The drilling rig; The by circulating cement to the top; in all cases surface piper to plug length and placement is necessary prior to plugging; ged or production casing is cemented in;	
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the d The appropriate district office will be notified before well is either plug If an ALTERNATE II COMPLETION, production pipe shall be cement 	ch drilling rig; The drilling r	;
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the d The appropriate district office will be notified before well is either plug If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order 	ch drilling rig; th by circulating cement to the top; in all cases surface piper to plugging; the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing.	;
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the down the appropriate district office will be notified before well is either pluging the notified before well in the notified before well is either pluging the notified before well in the notified before w	ch drilling rig; If by circulating cement to the top; in all cases surface pipe characters to be underlying formation. In this istrict office on plug length and placement is necessary prior to plugging, ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.	;
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the d The appropriate district office will be notified before well is either plug If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order 	ch drilling rig; If by circulating cement to the top; in all cases surface pipe characters to be underlying formation. In this istrict office on plug length and placement is necessary prior to plugging, ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.	;
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the description. The appropriate district office will be notified before well is either pluging the number of an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of 	ch drilling rig; The drilling rig; The by circulating cement to the top; in all cases surface piper to plugging; is the underlying formation. The interest is necessary prior to plugging; is defined below any usable water to surface within 120 days of spud date. The interest is necessary prior to plugging; is defined below any usable water to surface within 120 days of spud date. The interest is necessary prior to plugging; is defined below any usable water to surface within 120 days of spud date. The interest is necessary prior to plugging; is defined below any usable water to surface within 120 days of spud date. The interest is necessary prior to plugging; is defined below any usable water to surface within 120 days of spud date.	;
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the down the appropriate district office will be notified before well is either pluging the notified before well in the notified before well is either pluging the notified before well in the notified before w	ch drilling rig; If by circulating cement to the top; in all cases surface pipe characters to be underlying formation. In this istrict office on plug length and placement is necessary prior to plugging, ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.	;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of Date: November 15, 2006 Signature of Operator or Agent:	ch drilling rig; The drilling rig; The by circulating cement to the top; in all cases surface piper to plugging; is the underlying formation. The interest is necessary prior to plugging; is defined below any usable water to surface within 120 days of spud date. The interest is necessary prior to plugging; is defined below any usable water to surface within 120 days of spud date. The interest is necessary prior to plugging; is defined below any usable water to surface within 120 days of spud date. The interest is necessary prior to plugging; is defined below any usable water to surface within 120 days of spud date. The interest is necessary prior to plugging; is defined below any usable water to surface within 120 days of spud date.	;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the description of the sequence of the well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of the complete of the plant o	CONSERVATION DIVISION of by circulating cement to the top; in all cases surface piper to plugging, is the underlying formation. In a strict office on plug length and placement is necessary prior to plugging, ged or production casing is cemented in; and the strict office on plug length and placement is necessary prior to plugging, ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. The strict Agent **Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;	;
 Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on eac The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the description of the surface of the spudding shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of the spudding shall be completed. Signature of Operator or Agent: November 15, 2006 Signature of Operator or Agent: November 15, 2006 	CONSERVATION DIVISION of by circulating cement to the top; in all cases surface piper to be considered in the construction of	;
1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the description of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of the post of the spud date. November 15, 2006	ch drilling rig; th by circulating cement to the top; in all cases surface pipe	;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the specified before well is either pluging the surface of the specified before well is either pluging the surface of the specified before well is either pluging the surface of the specified before well is either pluging the surface of the specified before well is either pluging the surface of the specified before well is either pluging the surface of the specified before well is either pluging the surface of the surface of the specified before well is either pluging the surface of	ch drilling rig; th by circulating cement to the top; in all cases surface pipe Childres et ne underlying formation. istrict office on plug length and placement is necessary prior to plugging, ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cemention to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the decomposition of the second of the well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of Date: November 15, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 137 - 20461-0000 Conductor pipe required November 15, 2006 Minimum surface pipe required Feet Minimum surface pipe required Feet per Alt. 1. A copy of the spud date or the well shall the production of the position of the production of the position of the production of the production of the position of the production of the position of the production of t	ch drilling rig; th by circulating cement to the top; in all cases surface pipe set to by circulating cement to the top; in all cases surface pipe set to enderlying formation. istrict office on plug length and placement is necessary prior to plugging, ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;	;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the decomposition of the second of the well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of Date: November 15, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 137 - 2046/-0000 Conductor pipe required November 15, 2006 Feet Minimum surface pipe required Approved by: Put 1/- 1/5-000	CONSERVATION DIVISION of by circulating cement to the top; in all cases surface piper to be underlying formation. In instrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. In which is made to the control of the c	;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the decomposition of the second of the well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of Date: November 15, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 137 - 20461-0000 Conductor pipe required November 15, 2006 Minimum surface pipe required Feet Minimum surface pipe required Feet per Alt. 1. A copy of the spud date or the well shall the production of the position of the production of the position of the production of the production of the position of the production of the position of the production of t	CONSERVATION DIVISION of by circulating cement to the top; in all cases surface piper to be underlying formation. In istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Implication from ACO-1 within 120 days of spud date; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	;
1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the description of the sequence of the well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of the complete of the plug of the spud date of the well shall the hereby certify that the statements made herein are true and to the best of the plug of the spud date of the well shall the hereby certify that the statements made herein are true and to the best of the plug of the spud date of the well shall the hereby certify that the statements made herein are true and to the best of the plug of the spud date of the well shall the hereby certify that the statements made herein are true and to the best of the plug of the spud date of the well shall be the plug of the spud date of the well shall be completed as a surface plug of the spud date of the well shall be completed as a surface plug of the spud date of the	CONSERVATION DIVISION of by circulating cement to the top; in all cases surface piper to be underlying formation. In instrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. In which is made to the control of the c	;
1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of	CONSERVATION DIVISION of by circulating cement to the top; in all cases surface piper to be underlying formation. In istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Implication from ACO-1 within 120 days of spud date; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	;
1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of	CONSERVATION DIVISION of by circulating cement to the top; in all cases surface pipel surface to be underlying formation. In instrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. In which we will be prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 137-20461-0000	Location of Well: County: Norton
API No. 15 - AD / Operator: RL Investment, LLC	1740 feet from N / S Line of Section
Lease: Berry	1030 feet from ☐ E / ✓ W Line of Section
Well Number: 1	Sec. 4 Twp. 5 S. R. 24 ☐ East ✓ Wes
Field: wildcat	Is Section: 🗸 Regular or 🔲 Irregular
Number of Acres attributable to well:	15 Octobri.
QTR / QTR / QTR of acreage: NESE - NW - SW - SW	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

							1
ł			.				l
	•	•	.				;
	•	•	·	•	•		
ĺ	-		.	•	-		
			.				
	_		.				
1							
į.							i
ì						,	
						•	
ŀ							
1							
		-				-	
	•		•				
		•	•		•		
					-		
					<u> </u>		
		•	•		•	•	
	•	•		•	•	-	
		•		•	•	-	
	•	•		•	•	-	
	•	•		•	•	-	
	•						
	· ·	· · · · · ·			•		
	· ·						
	· ·	· · · · · ·					
			· · · · · · · · · · · · · · · · · · ·				
	· ·		· · · · · · · · · · · · · · · · · · ·				
			· · · · · · · · · · · · · · · · · · ·				
			· · · · · · · · · · · · · · · · · · ·				
	•		· · · · · · · · · · · · · · · · · · ·				
	•						
	•		-				
	•		-				
	•		-				



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: RL Investment, LLC			License Number: 33268			
Operator Address: 217 Saint Pete	r Street, Morl	and, KS 67	650			
Contact Person: Leon Pfeifer	· · · · · · · · · · · · · · · · · · ·		Phone Number: (785) 627 - 5711			
Lease Name & Well No.: Berry #1		** ****	Pit Location (QQQQ):			
Type of Pit:	Pit is:		NE _ SE _ NW _ SW			
Emergency Pit Burn Pit	Proposed Existing		Sec. 4 Twp. 5 R. 24 ☐ East 🗸	West		
Settling Pit	If Existing, date constructed:		1740 Feet from North / 🗸 South Line of	of Section		
Workover Pit Haul-Off Pit	Pit capacity:	· · · · · · · · · · · · · · · · · · ·	1030 Feet from East / V West Line	of Section		
(If WP Supply API No. or Year Drilled)	0.500	(bbls)	Norton	County		
Is the pit located in a Sensitive Ground Water	r Area? Yes	No-	Chloride concentration: (For Emergency Pits and Settling Pits only)	mg/l		
Is the bottom below ground level? Yes No	Artificial Liner? ☐ Yes ✓	No	How is the pit lined if a plastic liner is not used? native clay			
Pit dimensions (all but working pits):	70 Length (fe	eet) 70	Width (feet) N/A: Steel	Pits		
Depth f	rom ground level to de	eepest point: 4	(feet)			
Distance to nearest water well within one-mil	e of pit	Depth to shallo	west fresh water158feet.			
	•	Source of infor	mation: 44 Kes	,		
1873 feet Depth of water well				DWR		
Emergency, Settling and Burn Pits ONLY: Producing Formation:		J	over and Haul-Off Pits ONLY: Il utilized in drilling/workover: drilling mud			
Number of producing wells on lease:			king pits to be utilized: ³			
			Abandonment procedure: air dry and backfill			
Does the slope from the tank battery allow al flow into the pit? Yes No	l spilled fluids to		e closed within 365 days of spud date.			
I hereby certify that the above state	ements are true and o	correct to the best	of my knowledge and belief. KANSAS CORPORATION	VED ON COMM		
November 15, 2006 Date	_ (u	onna	gnature of Applicant or Agent CONSERVATION	2006		
	KCC (OFFICE USE OF	TAMBILA, K	*9		
Date Received: ////5/06 Permit Num	nber:	Permi	t Date: <u>// (/ S / o c</u> Lease Inspection: 🕟 Yes [No		



CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR BRIAN J. MOLINE, CHAIR ROBERT E. KREHBIEL, COMMISSIONER MICHAEL C. MOFFET, COMMISSIONER

November 15, 2006

Mr. Leon Pfeifer RL Investments, LLC 217 Saint Peter St Morland, KS 67650

RE: Drilling Pit Application

Berry Lease Well No. 1 SW/4 Sec. 04-05S-24W Norton County, Kansas

Dear Mr. Pfeifer:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased. **Please keep all pits away from any draws.**

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 625-0550 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Environmental Protection and Remediation Department

cc: File