For KCC Use: //-20-Ulo Effective Date: ______3

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

december 01 2006	- · · · · · · · · · · · · · · · · · · ·
Expected Spud Date	Spot Spot East West Spot West Spot Sp
OPERATOR: License# 32073 V	3925 feet from N / S Line of Section
Name. thompson oil company	199€ from ∠ E / W Line of Section
Address: 402 south ohio street	is SECTION RegularIrregular?
City/State/Zip: iola kansas 66749	(Note: Locate well on the Section Plat on reverse side)
Contact Person, Jerome thompson	County: allen
Phone: 620-363-1045	Lease Name: monfort Well #: 12
,	Field Name: iola
CONTRACTOR: License# 5495	Is this a Prorated / Spaced Field?
Name: Mcphearson drilling	Target Formation(s): bartlesville
Mc Pherson	Nearest Lease or unit boundary: 835ft
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation:feet MSL
✓ Oil Enh Rec ✓ Infield Mud Rotary	Water well within one-quarter mile: Yes ✓ No ✓
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile: Yes ✓ No
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 30ft
Seismic;# of Holes Other	Depth to bottom of usable water 150
Other	Surface Pipe by Alternate: 1 2
WOUNTS III WE'VE WATER OF FEBRUAR	Length of Surface Pipe Planned to be set: 20ft
If OWWO: old well information as follows:	Length of Conductor Pipe required: 0
Operator:	Projected Total Depth: 900ft
Well Name:	Formation at Total Depth: bartlesville
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other city water
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores he taken?
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
AFFII The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:	If Yes, proposed zone:
	DAVIT Ugging of this well will comply with K.S.A. 55 et. seq. NOV 1 3 2006
AFFII The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	DAVIT Jugging of this well will comply with K.S.A. 55 et. seq. NOV 1 3 2006 The drilling rig; The by circulating cement to the top; in all cases surface pipe and the sequence of the seque
AFFII The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	DAVIT Jugging of this well will comply with K.S.A. 55 et. seq. NOV 1 3 2006 The drilling rig; The by circulating cement to the top; in all cases surface pipe and the part of the underlying formation.
AFFII The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di	DAVIT Jugging of this well will comply with K.S.A. 55 et. seq. NOV 1 3 2006 The drilling rig; The by circulating cement to the top; in all cases surface pipe and the eunderlying formation. Strict office on plug length and placement is necessary prior to plugging;
AFFII The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either pluggen.	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. NOV 1 3 2006 th drilling rig; thy circulating cement to the top; in all cases surface pipe and the underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
AFFII The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. NOV 1 3 2006 In drilling rig; It by circulating cement to the top; in all cases surface pipe and the e underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 deys of spud date.
AFFII The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. NOV 1 3 2006 th drilling rig; thy circulating cement to the top; in all cases surface pipe and the underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
AFFII The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. NOV 1 3 2006 In drilling rig; It by circulating cement to the top; in all cases surface pipe and place are underlying formation. In strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
AFFII The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order is	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. NOV 1 3 2006 In drilling rig; It by circulating cement to the top; in all cases surface pipe and place are underlying formation. In strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
AFFII The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th. 4. If the well is dry hole, an agreement between the operator and the di. 5. The appropriate district office will be notified before well is either pluge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. NOV 1 3 2006 In drilling rig; It by circulating cement to the top; in all cases surface pipe and place are underlying formation. In strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the drift that well is dry hole, an agreement between the operator and the difference of the specified before well is either pluggenerated. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. NOV 13 2006 In drilling rig; It by circulating cement to the top; in all cases surface pipe and the e underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. In the complete of the complete of the complete prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order at must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: Notify the appropriate district office prior to the description of the prior to the set of the spud date or the well shall be set of the prior to the prior t	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. NOV 13 2006 In drilling rig; It by circulating cement to the top; in all cases surface pipe and the e underlying formation. strict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Implementation: Title: Owner
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the difference of the surface of the surfa	DAVIT Urgging of this well will comply with K.S.A. 55 et. seq. NOV 13 2006 In drilling rig; It by circulating cement to the top; in all cases surface pipe and the e underlying formation. It strict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. It 33,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If Yes, proposed zone: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the difference of the surface of the spudding of the set of the surface casing order of the surface of the surfac	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. NOV 13 2006 In drilling rig; It by circulating cement to the top; in all cases surface pipe and the prior to plugging; action of the drilling rig; action of the drilling rig; by circulating cement to the top; in all cases surface pipe and the plugging; action of the drilling rig; by circulating cement to the top; in all cases surface pipe and the plugging; action of the p
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th. 4. If the well is dry hole, an agreement between the operator and the di. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order at must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: Notify the appropriate district office prior to specified before well;	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. NOV 13 2006 In drilling rig; It by circulating cement to the top; in all cases surface pipe and the e underlying formation. strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: owner Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the dient of the surface of the spudding of the surface casing order of the must be completed within 30 days of the spuddate or the well shall be thereby certify that the statements made herein are true and to the best of the plust of the spuddate or the well shall be completed. For KCC Use ONLY API # 15 - OOI - 29551-DOOO Conductor pipe required	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. NOV 13 2006 In drilling rig; It by circulating cement to the top; in all cases surface pipe and the e underlying formation. strict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. In which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: owner Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the dient of the surface of the spudding of the surface casing order of the must be completed within 30 days of the spuddate or the well shall be thereby certify that the statements made herein are true and to the best of the plust of the spuddate or the well shall be completed. For KCC Use ONLY API # 15 - OOI - 29551-DOOO Conductor pipe required	DAVIT agging of this well will comply with K.S.A. 55 et. seq. NOV 1 3 2006 In drilling rig; In by circulating cement to the top; in all cases surface pipe and the eunderlying formation. In strict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. It 33,891-C, which applies to the KCC District 3 area, alternate II cementing are plugged. In all cases, NOTIFY district office prior to any cementing. In which application (form CDP-1) with intent to Drill; File Drill Pit Application (form CDP-1) with intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th. 4. If the well is dry hole, an agreement between the operator and the di. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order at must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: November 07,2006	DAVIT agging of this well will comply with K.S.A. 55 et. seq. NOV 1 3 2006 In drilling rig; In by circulating cement to the top; in all cases surface pipe and the eunderlying formation. In strict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. It 33,891-C, which applies to the KCC District 3 area, alternate II cementing are plugged. In all cases, NOTIFY district office prior to any cementing. In which application (form CDP-1) with intent to Drill; File Drill Pit Application (form CDP-1) with intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th. 4. If the well is dry hole, an agreement between the operator and the di. 5. The appropriate district office will be notified before well is either pluge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order at must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: November 07,2006	DAVIT agging of this well will comply with K.S.A. 55 et. seq. NOV 13 2006 In drilling rig; It by circulating cement to the top; in all cases surface pipe service e underlying formation. In strict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. It 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. In when to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th. 4. If the well is dry hole, an agreement between the operator and the di. 5. The appropriate district office will be notified before well is either pluge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order at must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: November 07,2006	DAVIT Ingging of this well will comply with K.S.A. 55 et. seq. NOV 13 2006 In drilling rig; If by circulating cement to the top; in all cases surface pipe service e underlying formation. In strict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. It is 33,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If the Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th. 4. If the well is dry hole, an agreement between the operator and the di. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order at must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: November 07,2006	DAVIT Daying of this well will comply with K.S.A. 55 et. seq. NOV 13 2006 In drilling rig; It by circulating cement to the top; in all cases surface pipe scales e underlying formation. Strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Owner Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Agent:
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th. 4. If the well is dry hole, an agreement between the operator and the di. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order at must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: November 07,2006	DAVIT Ingging of this well will comply with K.S.A. 55 et. seq. NOV 1 3 2006 In drilling rig; It by circulating cement to the top; in all cases surface pipe sections are underlying formation. In strict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. It is a cases, NOTIFY district office prior to any cementing are plugged. In all cases, NOTIFY district office prior to any cementing. In which applies to the KCC District 3 area, alternate II cementing are plugged. In all cases, NOTIFY district office prior to any cementing. Title: Owner Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15- 001-29551-0000	Location of Well: County: allen		
Operator: thompson oil company	3925feet from N / ✓ S Line of Section		
Lease: monfort	feet from 🗸 E / 🗌 W Line of Section		
Well Number: 12	Sec15 Twp24 S. R183925 ✓ East West		
Field: iola			
Number of Acres attributable to well: QTR / QTR / QTR of acreage: se nw	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section comer used: NE NW SE SW		

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

	Su	bmit in Duplicat	•	
Operator Name: thompson oil company		License Number: 32073		
Operator Address: 402 south ohio	street iola ka	nsas		
Contact Person: jerome thompson		Phone Number: (620) 363 - 1045		
Lease Name & Well No.: monfort #12		Pit Location (QQQQ):		
Type of Pit: Burn Pit Burn Pit	Pit is: ✓ Proposed Existing			
Settling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	If Existing, date constructed: Pit capacity: 150 bbl (bbls)		3925 Feet from North / ✓ So 3565 Feet from ✓ East / ✓ W	Vest Line of Section
Is the pit located in a Sensitive Ground Water Is the bottom below ground level? Yes No	Area? Yes Artificial Liner?		Chloride concentration: (For Emergency Pits and Settling How is the pit lined if a plastic liner is not us natural clay	Pits only)
Pit dimensions (all but working pits): Depth from ground level to deepest point: 4 ft				
Distance to nearest water well within one-mil	•	Source of info		
NA feet Depth of water wellfeet		+	ıred well owner electric log	KDWR
Producing Formation: Type of ma Number of producing wells on lease: Number of		Type of materi	erial utilized in drilling/workover: air/fresh water working pits to be utilized: 1 ent procedure: air dry backfill	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		be closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
Date Received: 11/13/06 Permit Number: Permit Date: 11/14/04 Lease Inspection: Yes No				