For KCC Use: Effective Date:	11-21-06
District #	3
SGA? Yes	X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed

All blanks must be Filled

Expected Spud Date 11/23/06	Spot ✓ East
month day year	sw - sw - nw Sec. 10 Twp. 24 S. R. 16 West
OPERATOR: License# 32955 V	3090feet from N / ✓ S Line of Section
Name: Kenneth & Regina Laymon, LLC	4950feet from F W Line of Section
1998 Squirrel Road	Is SECTION ✓ RegularIrregular?
Address:	
City/State/Zip:	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Kenneth Laymon	County: Woodson Lease Name: Nusz Well #: 16-06
Phone: 620-963-2495	Lease Name: Nusz Weil #: 16-06
CONTRACTOR: License# 5661	Field Name: Vernon
Name: Kelly Down Drilling Co., Inc	Is this a Prorated / Spaced Field?
ivame:	Target Formation(s): Squirrel
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 165
✓ Oil ✓ Enh Rec ✓ Infield ✓ Mud Rotary	Ground Surface Elevation: n/a feet MSL
	Water well within one-quarter mile: Yes ✓ No
	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 125'
Seismic; # of Holes Other	Depth to bottom of usable water: 450'
Other	Surface Pipe by Alternate: 1 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40'
Operator:	Length of Conductor Pipe required: none
	Projected Total Depth: 1150
Well Name:	Formation at Total Depth: Squirrel
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well ✓ Farm Pond Other
If Yes, true vertical depth:	
Bottom Hole Location:	
	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? Yes ✓ No
KCC DKT #:	Will Cores be taken? If Yes, proposed zone: FIDAVIT
AFI The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemed or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; augged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing ill be plugged. In all cases, NOTIFY district office prior to any cementing.
AFI The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plue 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; augged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing ill be plugged. In all cases, NOTIFY district office prior to any cementing.
AFI The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud date. ar #133,891-C, which applies to the KCC District 3 area, alternate II cementing in the plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief.
AFI The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud date. ar #133,891-C, which applies to the KCC District 3 area, alternate II cementing in the plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief.
AFI The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemed or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. at #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title:
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plue. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemered or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best that the statements made herein are true and to the best conductor pipe required Signature of Operator or Agent: For KCC Use ONLY API # 15 - 27786 Conductor pipe required feet per Alt. 10	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud date. ar #133,891-C, which applies to the KCC District 3 area, alternate II cementing ill be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plue 6. If an ALTERNATE II COMPLETION, production pipe shall be cemerated or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date:	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. at #133,891-C, which applies to the KCC District 3 area, alternate II cementing. If be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plue. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemed or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: 11/13/06 Signature of Operator or Agent: Signature of Operator or Agent: 40 feet per Alt. 12 Approved by: 44 11-10-06 This authorization expires: 5-16-07	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. ar #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plue. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemed or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: 11/13/06 Signature of Operator or Agent: Signature of Operator or Agent: 40 feet per Alt. 12 Approved by: 41/110-06	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. ar #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 207 - 2 7086-0000 Operator: Kenneth & Regina Laymon, LLC Lease: Nusz Well Number: 16-06 Field: Vernon	Location of Well: County: Woodson 3090
Number of Acres attributable to well:	Is Section: 🗸 Regular or 🔲 Irregular
QTR / QTR / QTR of acreage:swsw nw	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

					• • •		
	·		· · · ·				
•	495		· -> 			, · 	
30%	· · ·		•	, : 			
	· · · · ·	·	· · · · · · ·			,	
	· · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · ·			· · · · ,	



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.

RECEIVED

4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KCC WICHITA

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1
April 2004
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

		bilint iii bupiicat			
Operator Name: Kenneth & Regina Laymon, LLC			License Number: 32955		
Operator Address: 1998 Squirrel Road, Neosho Falls, KS			66758		
Contact Person: Kenneth Laymon			Phone Number: (620) 963 - 2495		
Lease Name & Well No.: Nusz #16-06	6		Pit Location (QQQQ):		
Type of Pit:	Pit is:		SW SW NW N		
Emergency Pit Burn Pit	Proposed Existing		Sec. 10 _{Twp.} 24 _{R.} 16		
Settling Pit	If Existing, date constructed:		3090 Feet from North / V South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		4950 Feet from ▼ East / West Line of Section		
(If WP Supply API No. or Year Drilled)	240	(bbls)	Woodson		
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes 🗸] No	Chloride concentration:mg/l		
			(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?	A 1.	How is the pit lined if a plastic liner is not used?		
Yes No	Yes ✓	NO	Native Clay		
Pit dimensions (all but working pits):5	0 Length (fe	eet) 8	Width (feet) N/A: Steel Pits		
Depth from	om ground level to de	eepest point: 4	(feet)		
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.					
Distance to nearest water well within one-mile of pit Depth to shallo Source of infor		owest fresh waterfeet.			
. 1		measu	easured well owner electric log KDWR		
		Drilling, Work	g, Workover and Haul-Off Pits ONLY:		
Producing Formation: Type of ma		Type of materia	naterial utilized in drilling/workover: drilling gel		
Number of producing wells on lease: Number of		Number of wor	of working pits to be utilized: One		
Barrels of fluid produced daily: Abandonme		Abandonment	nment procedure: backfill with dirt		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits mu		Drill pits must l	st be closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
\bigcirc .2					
11/13/06 Signature of Applicant or Agent					
Date	6	<i>1</i> 's	ignature of Applicant or Agent		
KCC OFFICE USE ONLY					
Date Received: 11/16/06 Permit Num	ber:	Perm	it Date: 11/16/06 Lease Ins RecEIVED No		