KANSAS CORPORATION COMMISSION

OIL & GAS CONSERVATION DIVISION

Form C-1 December 2002 Form must be Tuned

Effective Date: 11-22-06 NOTICE OF INT	ENT TO DRILL Form must be Signed
Effective Date: Must be approved by KCC five (5)	
SGA? Yes X No	
	Spot
Expected Spud Date $\geq 11 - 22 - 06$	NE NE SE Sec 2 Twp 28 S.R 34 X West
month day year	2310 Sept from N/S V Line of Section
	leet from N/3 A Line of Section
OPERATOR: License # 5278	363 feet from X E / W Line of Section
Name: EOG Resources, Inc. Address: 3817 NW Expressway, Suite 500	Is SECTION X Regular Irregular?
Audiess.	(Note: Locate well on Section Plat on Reverse Side)
City/State/Zip: Oklahoma City, Oklahoma 73112 Contact Person: MINDY BLACK	County: HASKETL
(AOE) 246 2120	Lease Name: SELBY Well #: 2 #1
Phone: (405) 246-3130	Field Name:
CONTRACTOR: License #:30684	Is this a Prorated/Spaced Field? Yes X No
Name: ABERCROMBIE RID, INC.	Target Formation(s): ST. LOUIS
	Nearest Lease or unit boundary: _330 '
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 3064 feet MSL
X Oil Enh Rec Infield X Mud Rotary	Water well within one-quarter mile: yes no
Gas Storage Pool Ext. Air Rotary	Public water supply within one mile: yes X no
OWWO Disposal X Wildcat Cable	Depth to bottom of fresh water:6401
Seismic: # of Holes Other	Depth to bottom of usable water: 880'
Other	Surface Pipe by Alternate: X 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 1700'
Operator:	Length of Conductor pipe required:
Well Name:	Projected Total Depth: _58001
Original Completion Date: Original Total Depth	Formation at Total Depth: ST. LOUIS
Directional, Deviated or Horizontal wellbore? Yes X No	Water Source for Drilling Operations:
If yes, true vertical depth:	Well X Farm Pond Other
Bottom Hole Location	DWR Permit #:
KCC DKT#	(Note: Apply for Permit with DWR X)
PRORATEO & SPACED HULDOTON & PANDMA-	Will Cores Be Taken?: Yes X No
•	if yes, proposed zone: KANSAS CECEIVED
AF	FIDAVIT KANSAS CORPORATION COMMISSION gging of this well will comply with K.S.A. 55- 101 et, seq.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	gging of this well will comply with K.S.A. 55- 101 et, seq, " The COMMISSION
it is agreed that the following minimum requirements will be met.	NOV 1 7 2006
Notify the appropriate district office <i>prior</i> to spudding of well;	CONSEDIATION
	CONSERVATION DIVISION ach drilling rig; WICHITA NO.
	et by circulating cement to the top; in all cases surface pipe shall be set
through all unconsolidated materials plus a minimum of 20 feet into	· ·
 If the well is dry hole, an agreement between the operator and the c The appropriate district office will be notified before well is either please. 	district office on plug length and placement is necessary prior to plugging;
	nted from below any usable water to surface within 120 days of spud date.
Or pursuant to Appendix "B" - Eastern Kansas surface casing order	#133,891-C, which applies to the KCC District 3 area, alternate II cementing
must be completed within 30 days of the spud date or the well shall	be plugged. In all cases, NOTIFY district office prior to any cementing.
I hereby certify that the statements made herein are true and to the best of	my knowledge and belief.
Date: 11/15/06 Signature of Operator or Agent:	Title: OPERATIONS ASSISTANT
Date:	100
For KCC Use ONLY 081-21693-0000	- File Drill Pit Application (form CDP-1) with Intent to Drill;
NIAMA	- File Completion Form ACO-1 within 120 days of spud date;
Conductor pipe required	 File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
Minimum surface pipe required 700 feet per Alt(1) X Approved by: Let 11-17-00	- Notify appropriate district office 48 hours prior to workover or re-entry;
This authorization expires: 5-17-07	= 1 Cultural alumeira asses (CD 4) often alumeira is asses to de-
(This authorization void if drilling not started within 6 months of effective date	- Submit plugging report (CP-4) after plugging is completed, - Obtain written approval before disposing or injecting salt water.
(This authorization void if driving not started within 6 months of ellective date	- If permit has expired (See: authorized expiration date) please
Spud date: Agent	check the box below and return to the address below
Opud date Agent	Well Not Drilled - Permit Expired
	Signature of Operator or Agent:
	Date:

IN ALL CASES PLOT THE INTENTED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intented well is in a prorated or spaced field, please fully complete this side of the form. If the intented well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15- <u>081-21693-000</u>	Location of Well: County: HASKELL
Operator EOG Resources, Inc.	2310_ feet from N/S X Line of Section
Lease SELBY	363_ feet from X E / W Line of Section
Well Number 2 #1	Sec 2Two 28 S. R 34 East X We
Field	0. N
Number of Acres attributable to well:	Is Section X Regular or Irregular
QTR/QTR/QTR of acreage: <u>NE - NE - SE</u>	If Section is irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to nearest lease or unit boundary line)



In plotting the proposed location of the well, you must show;

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.;
- 2. The distance of the proposed drilling location from the section's south/north and east/west; and 3.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat mus be attached: (CO-7 for oil wells; CG-8 for gas wells).

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:		
FOG Resources, Inc.			5278	
Operator Address:				
3817 NW Expressway, Suite 500 C	Oklahoma City, OK	73112		
Contact Person:		:	Phone Number:	
MINDY BLACK			(405) 246–3130	
Lease Name & Well No.:			Pit Location (QQQQ):	
SELBY 2 #1	<u> </u>		E/2 NE NE SE	
Type of Pit:	Pit is			
Emergency Pit Burn Pit	X Proposed	Existing	Sec. 2 Twp. 28S R. 34 East X West	
Settling Pit X Drilling Pit	If existing, date co	nstructed	Feet from North/ 🔀 South Line of Section	
☐ Workover Pit ☐ Haul-Off Pit	Pit capacity		Feet from XEast/ West Line of Section	
(If WP Supply API No. or Year Drilled)	12,500	(bbls)	HASKELL County	
Is the pit located in a Sensitive Ground Water	r Area? Yes	X No	Chloride concentration: mg/l	
			(For Emergency Pits and Settling Pits, only)	
is the bottom below ground level?	Artificial Liner?		How is pit lined if a plastic liner is not used?	
X Yes No	☐ Yes	X No		
Pit dimensions (all but working pits):	125 Len	gth (feet)12	25 Width (feet) N/A Steel Pits	
Depth from ground level to deepest point (feet)				
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for period liner integrity, including any specific procedure.		edures for periodic maintenance and setamining icluding any special monitoriasis AS CORPORATION COMMISSION NOV 1 7 2006 CONSERVATION DIVISION WICHITA, KS		
Distance to nearest water well within one-mile of pit Depth to sha		allowest fresh water a10 310 feet.		
Source of info		1001.		
Producing Formation: Type of materi		over and Haul-Off Pits ONLY: al utilized in drilling/workover <u>CET.</u>		
Number of producing wells on lease: Number of wor		king pits to be utilized NONE		
Barrels of fluid produced daily: Abandonment		procedure: <u>EVAPORATION/DEWATER AND</u>		
Does the slope from the tank battery allow all spilled fluids to BACKFILING OF RE		IG OF RESERVE PIT.		
flow into the pond? Yes No Drill pits must be closed within 365 days of spud date.				
I hereby certify that the above stateme	nts are true and co	rrect to the bes	t of my knowledge and belief.	
1 2000 C				
11/15/06 Date Signature of Applicant or Agent				
KCC OFFICE USE ONLY				
Date Received:Permit N	lumber:	Permit Date	: 11/17/01 Lease Inspection: Yes YNo	

Mail to: Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

KANSAS

CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR
BRIAN J. MOLINE, CHAIR
ROBERT E. KREHBIEL, COMMISSIONER
MICHAEL C. MOFFET, COMMISSIONER

NOTICE TO OPERATORS DRILLING IN THE PANOMA-COUNCIL GROVE GAS POOL SPACED AREA

The enclosed intent is located within the Panoma-Council Grove gas pool space area. In May 1978, Panoma-Council Grove Proration Order (as amended), Docket No. 60,024-C (C-7058) under FINDINGS OF FACT AND LAW on page 31, the following language is stated that:

"The Commission finds that in order to prevent waste and protect correlative rights, the following stated rules pertaining to wells already completed, in the process of being drilled or for future wells to be drilled in the Panoma Council Grove Gas Pool Spaced area, and for wells producing from the Council Grove Formation outside of the Panoma Council Grove Gas Pool Spaced area within the Hugoton Gas Field, should be adopted."

- 1. "No dual completions between the Chase (Hugoton) and Council Grove Formations will be permitted for future wells drilled."
- 2. "Casing shall not be set above the top of the Council Grove Formation for a Council Grove producing well."
- 3. "The production casing of all new Council Grove wells should be cemented with a calculated volume of cement sufficient to encase the casing from the bottom of the casing to a point 500 feet above the Chase Formation."
- 4. "The casing shall be encased in cement in the interval between the base of the Council Grove and the top of the Chase Formation on all wells, irrespective of depth, completed below the Council Grove Formation, if they are located within the space area."
- 5. "The cement coverage heretofore required shall be confirmed by the running of a recognized survey, such as a temperature survey or cement bond log."

A copy of this survey and the cement tickets(s) showing that all cement work has been completed, must be filed with the ACO-1 Completion Report within 120 days from the wells "spud date."

Failure to comply with these provisions may cause the well to be shut-in until compliance has been achieved.

If you have any questions, please feel free to contact the Conservation Division's Production Department at (316) 337-6200.