For KCC Use: Effective Date:		11-22-do	
District #		3	
SGA?	Yes	X No	

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

## NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled
Ft. Scott

Must be approved by KCC five (5) days prior to commencing well

5	Spot ✓ East
Expected Spud Date	SW NW NW Sec. 26 Twp. 24 S. R. 23 West
33397	750 feet from N / S Line of Section
OPERATOR: License# Running Foxes Petroleum	580 feet from E / V W Line of Section
Name: Tuning Toxes Palueann Address: 7060-B So. Tucson Way	Is SECTION Regular Irregular?
City/State/Zip: Centennial, CO 80112	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Carol Sears	County: Bourbon
Phone: 303-327-7016	Lease Name: Wunderly Well #: 4-26 CBM
	Field Name: Wildcat
CONTRACTOR: License#5786	ls this a Prorated / Spaced Field? Yes ✓ No
lame: McGown Drilling	Target Formation(s): Mississippian
Mall Class Type Equipment	Nearest Lease or unit boundary: 580 FWL
Well Drilled For: Well Class: Type Equipment	Ground Surface Elevation: 885 feet MSL
Oil Enh Rec / Infield / Mud Rotary	Water well within one-quarter mile:
✓ Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWNO Disposal Wildcat Cable	Depth to bottom of fresh water: 100
Seismic; # of Holes Other	Depth to bottom of usable water.
Other	Surface Pipe by Alternate: 1 2
f OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'
Operator:	Length of Conductor Pipe required: None
Well Name:	Projected Total Depth: 600°
Original Completion Date:Original Total Depth:	Pormation at rotal Depth.
Northwell Bushed on Hedmantal wellboard	Water Source for Drilling Operations:
f Yes, true vertical depth:	
3ottom Hole Location:	
(CC DKT #:	<del>-</del> -
	If Yes, proposed zone:
The undersigned hereby affirms that the drilling, completion and a	AFFIDAVIT  Experimental plugging of this well will comply with K.S.A. 55 et. seq. NOV 1 7 2006
and annual angles of the control and the contr	
t is agreed that the following minimum requirements will be met:	17 2006
1. Notify the appropriate district office prior to spudding of we	ONSERVATION CONSERVATION CONSER
1. Notify the appropriate district office prior to spudding of we	ONSERVATION DIVISION
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of we</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> pos</li> <li>The minimum amount of surface pipe as specified below s</li> </ol>	ell;  ted on each drilling rig;  WICHTA 48 set  hell be set by circulating cement to the top; in all cases surface pipe shall 48 set
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of we</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> pos</li> <li>The minimum amount of surface pipe as specified below a through all unconsolidated materials plus a minimum of 20</li> </ol>	ell;  ted on each drilling rig;  WICHTAN DIVISION  half be set by circulating cement to the top; in all cases surface pipe shalf to set  feet into the underlying formation.
<ol> <li>Notify the appropriate district office prior to spudding of we</li> <li>A copy of the approved notice of intent to drill shall be pos</li> <li>The minimum amount of surface pipe as specified below s through all unconsolidated materials plus a minimum of 20</li> <li>If the well is dry hole, an agreement between the operator</li> <li>The appropriate district office will be notified before well is</li> </ol>	ell;  ted on each drilling rig;  half be set by circulating cement to the top; in all cases surface pipe shalf the set feet into the underlying formation.  and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in;
<ol> <li>Notify the appropriate district office prior to spudding of we</li> <li>A copy of the approved notice of intent to drill shall be pos</li> <li>The minimum amount of surface pipe as specified below a through all unconsolidated materials plus a minimum of 20</li> <li>If the well is dry hole, an agreement between the operator</li> <li>The appropriate district office will be notified before well is</li> <li>If an ALTERNATE II COMPLETION, production pipe shall</li> </ol>	ell;  Ited on each drilling rig;  Ited on each drilling ri
<ol> <li>Notify the appropriate district office prior to spudding of we</li> <li>A copy of the approved notice of intent to drill shall be pos</li> <li>The minimum amount of surface pipe as specified below a through all unconsolidated materials plus a minimum of 20</li> <li>If the well is dry hole, an agreement between the operator</li> <li>The appropriate district office will be notified before well is</li> <li>If an ALTERNATE II COMPLETION, production pipe shall or nursuant to Appendix "B" - Eastern Kansas surface can</li> </ol>	ell;  sted on each drilling rig;  hell be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation.  and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 days of spud date.  sing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>Notify the appropriate district office prior to spudding of we</li> <li>A copy of the approved notice of intent to drill shall be pos</li> <li>The minimum amount of surface pipe as specified below sethrough all unconsolidated materials plus a minimum of 20</li> <li>If the well is dry hole, an agreement between the operator</li> <li>The appropriate district office will be notified before well is</li> <li>If an ALTERNATE II COMPLETION, production pipe shall or pursuant to Appendix "B" - Eastern Kansas surface can must be completed within 30 days of the spud date or the</li> </ol>	ted on each drilling rig;  wiccurrent to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation.  and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 days of spud date. Sing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing.
<ol> <li>Notify the appropriate district office prior to spudding of we</li> <li>A copy of the approved notice of intent to drill shall be pos</li> <li>The minimum amount of surface pipe as specified below sethrough all unconsolidated materials plus a minimum of 20</li> <li>If the well is dry hole, an agreement between the operator</li> <li>The appropriate district office will be notified before well is</li> <li>If an ALTERNATE II COMPLETION, production pipe shall or pursuant to Appendix "B" - Eastern Kansas surface can must be completed within 30 days of the spud date or the</li> </ol>	ted on each drilling rig;  wiccurrent to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation.  and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 days of spud date. Sing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of we 2. A copy of the approved notice of intent to drill <i>shall be</i> pos 3. The minimum amount of surface pipe as specified below <i>s</i> through all unconsolidated materials plus a minimum of 20 4. If the well is dry hole, an agreement between the operator 5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall if or pursuant to Appendix "B" - Eastern Kansas surface can must be completed within 30 days of the spud date or the hereby certify that the statements made herein are true and to	ted on each drilling rig;  wiccurrent to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation.  and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 days of spud date. Sing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing.
<ol> <li>Notify the appropriate district office prior to spudding of we</li> <li>A copy of the approved notice of intent to drill shall be posed.</li> <li>The minimum amount of surface pipe as specified below as through all unconsolidated materials plus a minimum of 20.</li> <li>If the well is dry hole, an agreement between the operator.</li> <li>The appropriate district office will be notified before well is than ALTERNATE II COMPLETION, production pipe shall or pursuant to Appendix "B" - Eastern Kansas surface can must be completed within 30 days of the spud date or the hereby certify that the statements made herein are true and to</li> </ol>	ell;  Ited on each drilling rig;  Ited on each drilling ri
1. Notify the appropriate district office <i>prior</i> to spudding of we 2. A copy of the approved notice of intent to drill <i>shall be</i> pos 3. The minimum amount of surface pipe as specified below <i>s</i> through all unconsolidated materials plus a minimum of 20 4. If the well is dry hole, an agreement between the operator 5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall or pursuant to Appendix "B" - Eastern Kansas surface can must be completed within 30 days of the spud date or the hereby certify that the statements made herein are true and to  Date:  11/16/06  Signature of Operator or Agent:  For KCC Use ONLY	rited on each drilling rig;  **MICHTATION DIVISION**  **Inhall be set by circulating cement to the top; in all cases surface pipe strain se set feet into the underlying formation.  **and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 days of spud date. Sing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  **Title: Land Administrator**  **Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;
1. Notify the appropriate district office <i>prior</i> to spudding of we 2. A copy of the approved notice of intent to drill <i>shall be</i> pos 3. The minimum amount of surface pipe as specified below a through all unconsolidated materials plus a minimum of 20 4. If the well is dry hole, an agreement between the operator 5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall I Or pursuant to Appendix "B" - Eastern Kansas surface can must be completed within 30 days of the spud date or the hereby certify that the statements made herein are true and to Date:  11/16/06 Signature of Operator or Agent:	rited on each drilling rig;  half be set by circulating cement to the top; in all cases surface pipe strain se set feet into the underlying formation.  and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 days of spud date.  bing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shalf be plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Land Administrator  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
1. Notify the appropriate district office prior to spudding of we 2. A copy of the approved notice of intent to drill shall be pos 3. The minimum amount of surface pipe as specified below a through all unconsolidated materials plus a minimum of 20 4. If the well is dry hole, an agreement between the operator 5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall or pursuant to Appendix "B" - Eastern Kansas surface can must be completed within 30 days of the spud date or the hereby certify that the statements made herein are true and to Date:  11/16/06  Signature of Operator or Agent:  For KCC Use ONLY  API # 15	ted on each drilling rig;  half be set by circulating cement to the top; in all cases surface pipe state set feet into the underlying formation.  and the district office on plug length and placement is necessary prior to pluggling; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 days of spud date.  sing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shalf be plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Land Administrator  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
1. Notify the appropriate district office <i>prior</i> to spudding of we? 2. A copy of the approved notice of intent to drill <i>shall be</i> pos 3. The minimum amount of surface pipe as specified below a through all unconsolidated materials plus a minimum of 20 4. If the well is dry hole, an agreement between the operator 5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall 0 or pursuant to Appendix "B" - Eastern Kansas surface cannust be completed within 30 days of the spud date or the hereby certify that the statements made herein are true and to Date:  11/16/06 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - O 1/ - 23225 DOW  Conductor pipe required	red on each drilling rig;  **Michiel be set by circulating cement to the top; in all cases surface pipe strain se set feet into the underlying formation.  and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 days of spud date.  sing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Land Administrator  **Remember to:* - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
1. Notify the appropriate district office <i>prior</i> to spudding of we? 2. A copy of the approved notice of intent to drill <i>shall be</i> pos 3. The minimum amount of surface pipe as specified below a through all unconsolidated materials plus a minimum of 20 4. If the well is dry hole, an agreement between the operator 5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall 0 or pursuant to Appendix "B" - Eastern Kansas surface cannust be completed within 30 days of the spud date or the hereby certify that the statements made herein are true and to Date:  11/16/06 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 01/- 2325 DOX  Conductor pipe required 100 feet per Alt.	rited on each drilling rig;  **Notify appropriate district office 48 hours prior to workover or re-entry;  **Notify appropriate district office 48 hours prior to workover or re-entry;  **Submit Description   Completed;  **CONSERVATION DIVISION   Wild Policy   Wild Pol
1. Notify the appropriate district office prior to spudding of we? 2. A copy of the approved notice of intent to drill shall be posed. 3. The minimum amount of surface pipe as specified below a through all unconsolidated materials plus a minimum of 20. 4. If the well is dry hole, an agreement between the operator 5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall or pursuant to Appendix "B" - Eastern Kansas surface can must be completed within 30 days of the spud date or the linereby certify that the statements made herein are true and to Date:  11/16/06  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - O 1/ - 23225 DDD  Conductor pipe required	rell;  Ited on each drilling rig;  Ited be set by circulating cement to the top; in all cases surface pipe stall 69 set  If feet into the underlying formation.  Ited and the district office on plug length and placement is necessary prior to plugging;  Itelether plugged or production casing is cemented in;  Itelether plugged or production plugged or plugged of spud date.  Itelether plugged or production plugged or plugged
1. Notify the appropriate district office prior to spudding of we? 2. A copy of the approved notice of intent to drill shall be posen to the approved notice of intent to drill shall be posen.  3. The minimum amount of surface pipe as specified below surface pipe as specified below sufficiently the posen the well is dry hole, an agreement between the operator of the appropriate district office will be notified before well is of an ALTERNATE II COMPLETION, production pipe shall or pursuant to Appendix "B" - Eastern Kansas surface cannust be completed within 30 days of the spud date or the hereby certify that the statements made herein are true and to the linear production of the productio	rited on each drilling rig;  **Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed;  - Obtain written approval before disposing or injecting salt water.  - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
1. Notify the appropriate district office prior to spudding of we? 2. A copy of the approved notice of intent to drill shall be posen to the approved notice of intent to drill shall be posen. 3. The minimum amount of surface pipe as specified below surface the properties of the appropriate district office will be notified before well is for an ALTERNATE II COMPLETION, production pipe shall or pursuant to Appendix "B" - Eastern Kansas surface can must be completed within 30 days of the spud date or the linear than the statements made herein are true and to Date:  11/16/06  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - O 1/ - 23225 DDD  Conductor pipe required NonLy  Minimum surface pipe required feet per Alt.  Approved by: \$\mathbb{L}\text{L}\text{If-I7-0b}\$	rited on each drilling rig;  **Micro Division**  **Interview of the set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation.  **and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 days of spud date. Sing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  **Title:** Land Administrator**  **Remember to:*  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water.  - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
1. Notify the appropriate district office prior to spudding of we 2. A copy of the approved notice of intent to drill shall be pos 3. The minimum amount of surface pipe as specified below sethrough all unconsolidated materials plus a minimum of 20 4. If the well is dry hole, an agreement between the operator 5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall or pursuant to Appendix "B" - Eastern Kansas surface can must be completed within 30 days of the spud date or the 1 hereby certify that the statements made herein are true and to  Date:  11/16/06  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 01/- 23225-0000  Conductor pipe required	rited on each drilling rig;  **Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed;  - Obtain written approval before disposing or injecting salt water.  - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

Ft. Scott


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

APINO 15 -	011-23225-0020	Location of Well: County: Bourbon		
Operator: Running Foxes Petroleum		feet from N / S Line of Section		
Lease:	18 h card series	580 feet from ☐ E / ✔ W Line of Section		
Well Number:	4.00 CDM	Sec. 26 Twp. 24 S. R. 23 Vest		
Field:	Wildcat			
Number of Acres attributable to well: 40  QTR / QTR / QTR of acreage: SW - NW - NW		is Section: ✓ Regular or ☐ Irregular  If Section is Irregular, locate well from nearest corner boundary.  Section corner used: ☐ NE ☐ NW ☐ SE ☐ SW		


**PLAT** 

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)







NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

### APPLICATION FOR SURFACE PIT

Submit in Duplicate

Ft. Scott

Operator Name: Running Foxes Pe	troleum		License Number: 33397	
Operator Address: 7060-B So. Tu	cson Way			
Contact Person: Carol Sears			Phone Number: ( 303 ) 327 - 7016	
Lease Name & Well No.: Wunderly 4	-26 CBM		Pit Location (QQQQ):	
Type of Pit: Pit is:			NE _ SW _ NW _ NW	
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 26 Twp. 24S R. 23 Fast West	
Settling Pit  Drilling Pit	If Existing, date co	onstructed:	750 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit			580 Feet from East / West Line of Section	
(If WP Supply API No. or Year Drilled)	Pit capacity:	50 (bbls)	Roughon	
			Boulbott County	
Is the pit located in a Sensitive Ground Water	r Area? ∐ Yes 📝	No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?  Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	20 Length (fe	et) 20	Width (feet) N/A: Steel Pits	
•	from ground level to de			
			adures for periodic maintenance and determining including any special monitoring. ANSAS CORPORATION COMMISSION CONSERVATION DIVISION WICHTA KS	
Distance to nearest water well within one-mi	le of pit	Depth to shallowest healt waterreet.		
N/A feet Depth of water well	feet	measured well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY	<b>f</b> :	Source of information: measured well owner electric log KDWR  Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover: Fresh Water & Native mud		
Number of producing wells on lease:		Number of working pits to be utilized: 2		
Barrels of fluid produced daily:		Abandonment procedure: Evaporation and back fill		
Does the slope from the tank battery allow a flow into the pit? Yes No	all spilled fluids to	Drill pits must be closed within 365 days of spud date.		
I hereby certify that the above sta	tements are true and	согтесt to the bes	at of my knowledge and belief.	
11/16/06		Carol	. Sears	
Date			Signature of Applicant or Agent	
	ксс	OFFICE USE C	NLY	
Date Received: 11/17/06 Permit Nu	mber:	Pern	nit Date: 11/17/06 Lease Inspection: Yes 🕟 No	
	· <del>-</del> · · <del> · · - · · · · · · · · · · · · </del>			