For KCC	Use:	11-25-06	
Effective	Date:	116300	
District #		_2	
SGA?	Yes	No	

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

# NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date	December	8	2006	Spot . ✓ East		
	month	day	year	Aparal SE NW Sec. 9 Twp. 19 S. R. 1 West		
	5120			1985 feet from VN / S Line of Section		
OPERATOR: License# 5120				1690 feet from E / V W Line of Section		
125 N. Market Suite 1120				Is SECTION - Regular Irregular?		
Address:	dress:			(Note: Locate well on the Section Plat on reverse side)		
	ity/State/Zip:			County: Marion <		
Contact Person:	316-265-62	21		Lease Name: Bartel A - Well #: 2		
FIIONE	_			Field Name: Schlehuber -		
CONTRACTOR: License	e#	0141 /		Is this a Prorated / Spaced Field?		
Name: Summit Drilling Comapany			pany	Target Formation(s): Mississippian		
	14/-41 (01	T		Nearest Lease or unit boundary: 660'		
Well Drilled For:	Well Class:		Equipment:	Ground Surface Elevation: 1540 / feet MSL		
	Rec Infield	<u> </u>	Mud Rotarý	Water well within one-quarter mile: Yes ✓ No		
	rage ✓ Pool E	=	Air Rotary	Public water supply well within one mile:		
<u></u>	osal Wildca	c	Cable	Depth to bottom of fresh water: 110'-		
Seismic;#				Depth to bottom of usable water:140' ~		
Other		LIG. T		Surface Pipe by Alternate: 🗸 T 📋 2		
If OWWO: old well infor	mation as follows:			Length of Surface Pipe Planned to be set: 270'		
Operator:				Length of Conductor Pipe required:none		
Well Name:				Projected Total Depth: 2875'		
Original Completion				Formation at Total Depth: Mississippian -		
			/	Water Source for Drilling Operations:		
Directional, Deviated or				Well Farm Pond Other Haul purchased water		
If Yes, true vertical depth	h:			DWR Permit #:		
Bottom Hole Location:_				(Note: Apply for Permit with DWR )		
KCC DKT #:				Will Cores be taken? Yes ✓ No		
				If Yes, proposed zone:		
The undersigned hereb	y affirms that the d	rilling, comple		FIDAVIT Diugging of this well will comply with K.S.A. 55 et. seq.		
It is agreed that the foll  1. Notify the approp  2. A copy of the app  3. The minimum and through all uncor  4. If the well is dry  5. The appropriate of the approp	owing minimum recontate district office proved notice of internation of surface piph a solidated materials hole, an agreemen district office will be E II COMPLETION, appendix "B" - Easted within 30 days of the province of the surface of the surfa	puirements w prior to spuce ent to drill shape be as specified plus a mining t between the continuous production pern Kansas sof the spud d	etion and eventual pill be met: dding of well; hall be posted on each below shall be some of 20 feet into e operator and the ore well is either plupipe shall be cemersurface casing orde ate or the well shall	ch drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud date. In #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.		
It is agreed that the foll  1. Notify the approp  2. A copy of the app  3. The minimum and through all uncor  4. If the well is dry  5. The appropriate of the approp	owing minimum recontate district office proved notice of internation of surface piph a solidated materials hole, an agreemen district office will be E II COMPLETION, appendix "B" - Easted within 30 days of the province of the surface of the surfa	puirements we prior to spuce on to drill she as specified plus a mining to between the notified before production pern Kansas sof the spud defended are trained to spud defended are trained are trained as soft the spud defended are trained are tra	etion and eventual pill be met: dding of well; hall be posted on each below shall be some of 20 feet into e operator and the ore well is either plupipe shall be cemer surface casing order and to the best	ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ingged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.		
It is agreed that the foll  1. Notify the approp  2. A copy of the app  3. The minimum arr through all uncor  4. If the well is dry  5. The appropriate of  6. If an ALTERNATI Or pursuant to A must be completed  I hereby certify that the	owing minimum recontate district office proved notice of internation of surface piph a solidated materials hole, an agreemen district office will be E !! COMPLETION, Appendix "B" - East and within 30 days contact and a statements made	puirements we prior to spuce on to drill she as specified plus a mining to between the notified before production pern Kansas sof the spud defended are trained to spud defended are trained are trained as soft the spud defended are trained are tra	etion and eventual pill be met: dding of well; hall be posted on each below shall be some of 20 feet into e operator and the ore well is either plupipe shall be cemer surface casing order and to the best	ch drilling rig; set by circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation. district office on plug length and placement is necessary <b>prior to plugging</b> ; agged or production casing is cemented in; anted from below any usable water to surface within <b>120 days</b> of spud date. The #133,891-C, which applies to the KCC District 3 area, alternate it cementing to be plugged. In all cases, NOTIFY district office prior to any cementing.		
It is agreed that the foll  1. Notify the approp  2. A copy of the approp  3. The minimum am through all uncor  4. If the well is dry  5. The appropriate of the an ALTERNATI Or pursuant to A must be completed thereby certify that the Date:  11-16-06	owing minimum recorriate district office proved notice of interior nount of surface pipersolidated materials hole, an agreemen district office will be E !! COMPLETION, appendix "B" - East led within 30 days of a statements made	puirements w prior to spuce ent to drill shape as specific plus a minint to between the enotified before pern Kansas s of the spud d herein are tr	etion and eventual pill be met: dding of well; hall be posted on each below shall be some of 20 feet into e operator and the ore well is either plupipe shall be cemer surface casing order and to the best	ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud date. The surface within 120 days of spud date. The plugged. In all cases, NOTIFY district office prior to any cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Vice President  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;		
It is agreed that the foll  1. Notify the approp  2. A copy of the approp  3. The minimum am through all uncor  4. If the well is dry  5. The appropriate of the an ALTERNATI Or pursuant to A must be completed thereby certify that the Date:  11-16-06	owing minimum recorriate district office proved notice of interior nount of surface pipersolidated materials hole, an agreemen district office will be E !! COMPLETION, appendix "B" - East led within 30 days of a statements made	puirements w prior to spuce ent to drill shape as specific plus a minint to between the enotified before pern Kansas s of the spud d herein are tr	etion and eventual pill be met: dding of well; hall be posted on each below shall be some of 20 feet into e operator and the ore well is either plupipe shall be cemer surface casing order and to the best	ach drilling rig;  ach drilling rig;  ach drilling rig;  ach by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging;  agged or production casing is cemented in;  anted from below any usable water to surface within 120 days of spud date.  ar #133,891-C, which applies to the KCC District 3 area, alternate it cementing to be plugged. In all cases, NOTIFY district office prior to any cementing.  are production from CDP-1 with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;		
It is agreed that the foll  1. Notify the approp  2. A copy of the app  3. The minimum and through all uncor  4. If the well is dry  5. The appropriate of the approp	owing minimum recordate district office proved notice of internation of surface piph asolidated materials hole, an agreemen district office will be E II COMPLETION, appendix "B" - East and within 30 days of estatements made  Signature of	puirements w prior to spuce ent to drill she se as specifie plus a minint between the notified before production ern Kansas so the spud d herein are tr	etion and eventual pill be met: dding of well; hall be posted on each below shall be anum of 20 feet into e operator and the pripe shall be cemer surface casing order at each or the well shall be shall	cach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud date.  If #133,891-C, which applies to the KCC District 3 area, alternate it cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  of pny knowledge and belief.  Title: Vice President  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;		
It is agreed that the foll  1. Notify the approp  2. A copy of the app  3. The minimum arr through all uncor  4. If the well is dry  5. The appropriate of  6. If an ALTERNATI Or pursuant to A must be completed  I hereby certify that the  Date: 11-16-06  For KCC Use ONLY  API # 15 - 115-1  Conductor pipe require	owing minimum recorriate district office proved notice of internation of surface piph asolidated materials hole, an agreemen district office will be E !! COMPLETION, appendix "B" - Eastled within 30 days constant and a statements made Signature of the constant of the co	puirements w prior to spuce ent to drill sh se as specifie plus a minint between the notified befor production ern Kansas so the spud d herein are tr	etion and eventual pill be met: dding of well; hall be posted on each below shall be anum of 20 feet into e operator and the properator and the pipe shall be cemerate or the well shall be and to the best Agent:	ach drilling rig;  ach drilling		
It is agreed that the foll  1. Notify the approp  2. A copy of the approp  3. The minimum am through all uncor  4. If the well is dry  5. The appropriate of the appropriate of the second of the appropriate of the appropria	owing minimum reconstate district office proved notice of interest nount of surface pipersolidated materials hole, an agreemen district office will be E II COMPLETION Appendix "B" - Easted within 30 days of estatements made  Signature of Signature of TONE  red NONE  e required 200	puirements w prior to spuce ent to drill site as specifie plus a minint between the notified before production pern Kansas sof the spud d herein are tr	etion and eventual pill be met: dding of well; hall be posted on each below shall be anum of 20 feet into e operator and the pripe shall be cemer surface casing order at each or the well shall be shall	ch drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud date. The plugged. In all cases, NOTIFY district office prior to any cementing are plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Vice President  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;		
It is agreed that the foll  1. Notify the approp  2. A copy of the app  3. The minimum arr through all uncor  4. If the well is dry  5. The appropriate of  6. If an ALTERNATI Or pursuant to A must be completed  I hereby certify that the  Date: 11-16-06  For KCC Use ONLY  API # 15 - 115-1  Conductor pipe require	lowing minimum recorriate district office proved notice of interproved notice of interproved notice of interproved materials hole, an agreemen district office will be E II COMPLETION Appendix "B" - Easted within 30 days of estatements made  Signature of Signature of NONE red NONE required 200	puirements w prior to spuce ent to drill sh be as specifie plus a minint to between the notified before production pern Kansas s of the spud d herein are tr Operator or	etion and eventual pill be met: dding of well; hall be posted on each below shall be anum of 20 feet into e operator and the properator and the pipe shall be cemerate or the well shall be and to the best Agent:	ach drilling rig;  ach drilling rig;  ach drilling rig;  act by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging;  igged or production casing is cemented in;  inted from below any usable water to surface within 120 days of spud date.  If #133,891-C, which applies to the KCC District 3 area, alternate il cementing  ibe plugged. In all cases, NOTIFY district office prior to any cementing.  If the:  Vice President  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.		
It is agreed that the foll  1. Notify the approp  2. A copy of the app  3. The minimum am through all uncor  4. If the well is dry  5. The appropriate of the appropr	owing minimum recommend to the proved notice of interproved notice of interproved notice of interproved notice of interproved materials hole, an agreemen district office will be E !! COMPLETION, appendix "B" - East red within 30 days of a statements made statements made Signature of the provided NONE or required 200 mires: 5-20-6	puirements w prior to spuce ent to drill shoe as specifie plus a minint to between the notified before production ern Kansas s of the spud d herein are tr  Operator or	etion and eventual pill be met: dding of well; hall be posted on each below shall be and the posted on each below shall be some of 20 feet into e operator and the pre well is either plupipe shall be cemeratore casing orderate or the well shall be and to the best Agent:	ch drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud date. The plugged. In all cases, NOTIFY district office prior to any cementing are plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Vice President  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;		
It is agreed that the foll  1. Notify the approp  2. A copy of the app  3. The minimum arr through all uncor  4. If the well is dry  5. The appropriate of  6. If an ALTERNATI Or pursuant to A must be complete  I hereby certify that the  Date: 11-16-06  For KCC Use ONLY  API # 15 - 115-1  Conductor pipe requir Minimum surface pipe Approved by: 115-1	owing minimum recommend to the proved notice of interproved notice of interproved notice of interproved notice of interproved materials hole, an agreemen district office will be E !! COMPLETION, appendix "B" - East red within 30 days of a statements made statements made Signature of the provided NONE or required 200 mires: 5-20-6	puirements w prior to spuce ent to drill shoe as specifie plus a minint to between the notified before production ern Kansas s of the spud d herein are tr  Operator or	etion and eventual pill be met: dding of well; hall be posted on each below shall be and the posted on each below shall be some of 20 feet into e operator and the pre well is either plupipe shall be cemeratore casing orderate or the well shall be and to the best Agent:	ch drilling rig;  ach drilling r		
It is agreed that the foll  1. Notify the approp 2. A copy of the app 3. The minimum and through all uncor 4. If the well is dry 5. The appropriate of the appropriat	cowing minimum recommend to the proved notice of interproved notice of interproved notice of interproved notice of interproved materials hole, an agreemen district office will be E !! COMPLETION, appendix "B" - Easted within 30 days of the statements made statements made Signature of the provided NONE	puirements w prior to spuce ent to drill shoe as specifie plus a minint to between the notified before production ern Kansas s of the spud d herein are tr  Operator or	etion and eventual pill be met: dding of well; hall be posted on each below shall be and the posted on each below shall be some of 20 feet into e operator and the pre well is either plupipe shall be cemeratore casing orderate or the well shall be and to the best Agent:	cach drilling rig;  ach drilling		
It is agreed that the foll  1. Notify the approp  2. A copy of the app  3. The minimum and through all uncor  4. If the well is dry  5. The appropriate of the approp	cowing minimum recommend to the proved notice of interproved notice of interproved notice of interproved notice of interproved materials hole, an agreemen district office will be E !! COMPLETION, appendix "B" - Easted within 30 days of the statements made statements made Signature of the provided NONE	puirements w prior to spuce ent to drill shoe as specifie plus a minint to between the notified before production ern Kansas s of the spud d herein are tr  Operator or	etion and eventual pill be met: dding of well; hall be posted on each below shall be and the posted on each below shall be some of 20 feet into e operator and the pre well is either plupipe shall be cemeratore casing orderate or the well shall be and to the best Agent:	ach drilling rig;  ach drilling		

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 -	115-21363-00-00	Location of Well: County:	Marion
Operator:	Danna Oli Campani, Jan	1985	_ feet from ✓ N / S Line of Section
Lease:	Bartel A	1690	_ feet from VN / S Line of Section _ Feet from E / W Line of Section
Well Number: _	2	Sec. 9 Twp. 19	S. R1
Field:	Schlehuber		
	es attributable to well: TR of acreage: Approx Ctr. SE NW	Is Section: Regular of If Section is Irregular, local Section corner used: NE	te well from nearest comer boundary.

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

## In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

RECEIVED NOV 1 7 2006 KCC WICHITA

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Range	Oil Company, Inc.	License Number: 5120			
Operator Address: 125 N.	Market, Suite 1120	Wichita, KS 67202			
Contact Person: John W	ashburn	Phone Number: ( 316 ) 265 - 6231			
Lease Name & Well No.: Bartel	A #2	Pit Location (QQQQ):			
Type of Pit:  Emergency Pit  Burn Pit  Settling Pit  Workover Pit  Haul-Off Pit  (If WP Supply API No. or Year Drilled)  Is the pit located in a Sensitive Ground Water  Is the bottom below ground level?  Yes  No  Pit dimensions (all but working pits):	Pit is:  Proposed Existing  If Existing, date constructed:  Pit capacity:  320 (bbls)  Area? Yes No  Artificial Liner?  Yes No	Pit Location (QuQQ):  Approx. SE NW  Sec. 9 Twp. 19 R. 1 Feast West  1985 Feet from North / South Line of Section  1690 Feet from East / West Line of Section  Marion County  Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?  Native clay and drilling mud  Width (feet) N/A: Steel Pits			
	rom ground level to deepest point:	4			
Distance to nearest water well within one-miles and the second of the se	Source of info	owest fresh water60feet. rmation: ured well owner electric log KDWR cover and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover: fresh drilling mud			
Number of producing wells on lease:  Barrels of fluid produced daily:	Number of wo	Number of working pits to be utilized: None - only reserve pit  Abandonment procedure: Fill the reserve pit when it is dry			
Does the slope from the tank battery allow allow into the pit?  Yes  No	Il spilled fluids to  Drill pits must	enough to support equipment  Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  11-16-06  Date  Date    Date					
KCC OFFICE USE ONLY					
Date Received: 11/17/06 Permit Number: Permit Date: 11/17/06 Lease Inspection: Yes No					
Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 6720 RECEIVED					
		NOV 17 2003 KCC WICHITA			