CORRECTED

Kansas Corporation Commission Oil & Gas Conservation Division

For KCC Use:

Effective Date:_

NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

	Expected Spud Date November 30 2006 month day year	<u> </u>	East West
	OPERATOR: License# 30380 Name: Hupfer Operating, Inc.	1170 feet from N / X S Line of Sect 1800 feet from X E / W Line of Sect	
	Address P.O. Box 216	Is SECTION Regular Irregular?	
	City/State/Zip: Hays, KS 67601	(Note: Locate well on the Section Plat on reverse side)	
	Contact Person: Dennis D. Hupfer	County: Rice 2	
	Phone: (785) 628-8666	Lease Name: Bayer Well #: 2 Field Name: Chase-Silica	
	CONTRACTOR: Licenset 5142	1 1	X
	Name: Sterling Drilling Co.	Fernet Information(s): Arbuckle	
		Nearest Lease or unit boundary: 330	
	Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 1793 te	et MSL
	XOil Enh Rec X Infield Mud Rotary	Water well within one-quarter mile:	
	Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	No
	OWNO Disposal Wildcat Cable Seismic: # of Holes Other	Depth to bottom of fresh water: 125	
	Seismic:# of Holes Other	Depth to bottom of usable water:	
		Surface Pipe by Alternate: X 1 2	
	If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 240 Length of Conductor Pipe required: none	
	Operator:	Projected Total Depth: 3300	
	Well Name:	Formation at Total Depth: Arbuckle	
	Original Completion Date: Original Total Depth:	Water Source for Drilling Operations:	
	Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other	
	If Yes, true vertical depth:	DWR Permit #: 20020153	
	Bottom Hole Location:	(Note: Apply for Permit with DWR	
			1 Y N6
_	KCC DKT #:		XNo
FWA		Will Cores be taken? Yes If Yes, proposed zone:	XNo
FWA	s: SENWSE; IS: NWNESWSE AFFI	If Yes, proposed zone:	<u> X</u> No
f w A	s : SENWSE; IS: NWNESWSE	If Yes, proposed zone:	X
FWA	SE NW SE; IS: NW NE SW SE AFFI The undersigned hereby affirms that the drilling, completion and eventual pl it is agreed that the following minimum requirements will be met:	If Yes, proposed zone:	<u> </u>
FWA	AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the drilling and the drillin	If Yes, proposed zone: DAVIT Jugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If by circulating cement to the top; in all cases surface pipe shall be a ne underlying formation. Justicial office on plug length and placement is necessary prior to plugged or production casing is cemented in; Justice of the decident of the complete shall be a sequential or the complete shall be a s	set ging; ate. mentini
f wa	AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the drilling a	If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. In the drilling rig: If by circulating cement to the top; in all cases surface pipe shall be an enderlying formation. Ilistrict office on plug length and placement is necessary prior to plugged or production casing is cemented in; Indeed from below any usable water to surface within 120 days of spud displays of the plugged. In all cases NOTIFY district office prior to any cements of my knowledge and belief.	set eging; ate. mentin
f wa	AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the drilling and the drillin	If Yes, proposed zone: IDAVIT Jugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; In the proposed zone to the top; in all cases surface pipe shall be a ne underlying formation. Illistrict office on plug length and placement is necessary prior to plugged or production casing is cernented in; Jugged or production cas	set eging; ate. mentin
K 1014	The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the drilling and to drive well is dry hole, an agreement between the operator and the drilling and the d	If Yes, proposed zone: IDAVIT Sugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be a ne underlying formation. Illistrict office on plug length and placement is necessary prior to plugged or production casing is cemented in; In deform below any usable water to surface within 120 days of spud displays and placement of the plugged. In all cases NOTIFY district office prior to any cement of my knowledge and belief. Title: President Title: President File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-ent. Submit plugging report (CP-4) after plugging is completed;	set ging; ate. menting.
K 100 A	The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each through all unconsolidated materials plus a minimum, of 20 feet into the strongh all unconsolidated materials plus a minimum, of 20 feet into the strongh all unconsolidated materials plus a minimum, of 20 feet into the strongh all unconsolidated materials plus a minimum, of 20 feet into the strongh all unconsolidated materials plus a minimum, of 20 feet into the strongh all unconsolidated materials plus a minimum, of 20 feet into the strongh all unconsolidated materials plus a minimum, of 20 feet into the strongh all unconsolidated materials plus a minimum, of 20 feet into the strongh all unconsolidated materials plus a minimum, of 20 feet into the second through all unconsolidated materials plus a minimum, of 20 feet minimum surface plus and to surface plus and to surface casing order must be completed within 30 days of the spud date or life well shall. I hereby certify that the statements made herein are true and to the best of Date: Nov. 7, 2006 Signature of Operator or Agent: Dennis For KCC Use ONLY API # 15 - 159 - 22 5 22 - 2000 Conductor pipe required feet Minimum surface pipe required feet per Alt 1 Approved by: PHF 117-06 WHM [1-70-06]	If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. In this permit to the top; in all cases surface pipe shall be a ne underlying formation. Illistrict office on plug length and placement is necessary prior to plugged or production casing is cernented in; In the plugged or production casing is cernented in; In the plugged of production casing is cernented in; In the plugged of production casing is cernented in; In the plugged of production casing is cernented in; In the plugged of production of production of plugged or production applies to the KCC District 3 area, alternate it cerne plugged on all cases NOTIFY district office prior to any cement of my knowledge and belief. Title: President Title: President File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to fleid proration orders; Notify appropriate district office 48 hours prior to workover or re-ent cases. Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	set ging; ate. menting.
K 100 A	The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each at through all unconsolidated materials plus a minimum of 20 feet into the statement between the operator and the district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the statements of the spud date of the well shall. For KCC Use ONLY API # 15 - 159-22522 ODD For KCC Use ONLY API # 15 - 159-22522 ODD Minimum surface pipe required feet per Alt Approved by: Put 11-17-05 WHM 11-20-06	If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. In the drilling rig: If by circulating cement to the top; in all cases surface pipe shall be a ne underlying formation. Ilistrict office on plug length and placement is necessary prior to plugged or production casing is cemented in; Ided from below any usable water to surface within 120 days of spud displays of spud displays of the plugged. In all cases NOTIFY district office prior to any cements of my knowledge and belief. Title: President File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to fleid proration orders; Notify appropriate district office 48 hours prior to workover or re-ent. Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.	set ging; ate. menting.

KCC WICHITA

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 159-22522-0000	Location of Welt: County: Rice
Operator: Hupfer Operating, Inc.	1170 teet from N / X S Line of Section
Lease: Bayer	1800 feet from X E / W Line of Section
Well Number: #2	Sec. 31 Twp. 19 S. R. 10W East Was
Field: Chase-Silica	
Number of Acres attributable to well: 10	ls Section: 🔼 Regular or 🦳 Irregular
QTR / QTR / QTR of acreage:	if Section is irregular, locate well from nearest comer boundary.
	Section corner used: NE NW SE SE

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Hupfer Operating, Inc.			License Number: 30380			
Operator Address: P.O. Box 216 Hays, KS 67601						
Contact Person: Dennis D. Hup	fer	Phone Number: (785) 628 - 8666				
Lesse Name & Well No.: Bayer #2	·	Pit Location (QQQQ):				
Type of Pit:	Pit is:	· · ·	<u>ΝΕ΄. 5ω</u> - <u>SE/4</u>			
Emergency Plt Workover Pit	X Proposed Existing		Sec. 31 Twp. 19 R. 10 East 🖾 West			
Settling PitX Drilling Pit	If Existing, date constructed:		1170 Feet from North / South Line of Section			
Burn Pit Haul-Off Plt			1800 Feet from X East / West Line of Section			
(If WP Supply API No. or Year Drilled)	Pit capacity:					
	800		Rice County			
Is the pit located in a Sensitive Ground Water	Area? Yes X	No.	Chloride concentration:mg/l (For Emergency Pits and Sattling Pits only)			
Is the bottom below ground level?	Artificial Liner?		How is the pit fined if a plastic liner is not used?			
X Yes No	Yes X	No	Clay sides & bottom			
	60 115 (60	60	Width (feel)N/A: Steel Pits			
Pit dimensions (all but working pits): 60 Length (feet) 60 Width (feet) N/A: Steel Pits Depth from ground level to deepest point: 4 (feet)						
If the pit is lined give a brief description of the			dures for periodic maintenance and determining			
material, thickness and installation procedure		Let dry	ncluding any special monitoring.			
Distance to nearest water well within one-mil	e of plt	Depth to shallowest fresh water95feet. Source of information:				
810 feet Depth of water well	100 feet	measured X well owner electric logKDWR				
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:				
Producing Formation:		Type of material utilized in drilling/workover: Fresh water mud				
Number of producing wells on lease:		Number of working pits to be utilized:2				
Barrels of fluid produced daily:		Abandonment procedure: Let dry natural &				
Does the slope from the tank battery allow all flow into the pit? Yes No	l spilled fluids to	backf111 Drill pits must be closed within 365 days of spud date.				
I hereby certify that the above state	ements are true and	correct to the bes	t of my knowledge and belief.			
November 7, 2006 Dennis D. Hup Feareture of Applicator of gent NOV 0 9 2006						
KCC OFFICE USE ONLY KCC WICH REAS = 72						
Date Received: 11/9/06 Permit Num	1ber:	Perm	it Date: 11 17 de Lease Inspection: 1 Yes No			

15-159-225 ZZ 0006

KANSAS

CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR BRIAN J. MOLINE, CHAIR ROBERT E. KREHBIEL, COMMISSIONER MICHAEL C. MOFFET, COMMISSIONER

November 17, 2006

Mr. Dennis D. Hupfer Hupfer Operating, Inc. PO Box 216 Hays, KS 67601

Re:

Drilling Pit Application Bayer Lease Well No. 2 SE/4 Sec. 31-19S-10W Rice County, Kansas

Dear Mr. Hupfer:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level, and **all pits must be lined with bentonite**. The free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 72 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 630-4000 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Environmental Protection and Remediation Department

cc: Doug Louis