For KCC Use:	11-26-06	
District #		
SGA? Yes	<b>∑</b> No	

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

### NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

xpected Spud Date November 25 2006	Spot	East
month day year	W/2 - NW - SW Sec. 3 Twp. 16	
PERATOR: License# 5363		S Line of Section
me: Berexco Inc.	330 feet from E /	✓ W Line of Section
P.O. Box 20380	Is SECTIONRegularIrregular?	
y/State/Zip: Wichita, KS 67208	(Note: Locate well on the Section Plat on I	reverse side)
ontact Person: Jeremy Ensz	County: Ness	
none: (316) 265-3311	Lease Name: Harold	Well #:4
	Field Name: Ness-T	
ONTRACTOR: License# 5147	Is this a Prorated / Spaced Field?	Yes V No
ame: Beredco Inc.	Target Formation(s): Mississippi	
	Nearest Lease or unit boundary: 330'	
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 2550	feet MSL
Oil Enh Rec I Infield I Mud Rotary	Water well within one-quarter mile:	Yes V No
Gas Storage Pool Ext. Air Rotapy	Public water supply well within one mile:	Yes ✓ No
O/WO Disposal Wildcat Cable	Depth to bottom of fresh water: 200	
Seismic;# of Holes Other	Depth to bottom of usable water: 900	
Other	Surface Pipe by Alternate: 1 2	
OMBANO Andrewski information as follows:	Length of Surface Pipe Planned to be set: 250'	
OWWO: old well information as follows:	Length of Conductor Pipe required: N/A	
Operator:	Projected Total Depth: 4550	
Well Name:	Formation at Total Depth: Mississippi	
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:	
irectional, Deviated or Horizontal wellbore?		
Yes, true vertical depth:	DWR Permit #:	
ottom Hole Location:	(Note: Apply for Permit with DWR	
	1	
CONT #:	Will Cores be taken?	I Yes IV No
CC DKT #:	Will Cores be taken? If Yes, proposed zone:	Yes VNo
	If Yes, proposed zone:	
AFF	If Yes, proposed zone:	RECEIVED
AFF ne undersigned hereby affirms that the drilling, completion and eventual p	If Yes, proposed zone:	RECEIVED
AFF he undersigned hereby affirms that the drilling, completion and eventual p	If Yes, proposed zone:	RECEIVED S CORPORATION COMM
he undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	If Yes, proposed zone:  FIDAVIT  Slugging of this well will comply with K.S.A. 55 elections	RECEIVED
AFF he undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	If Yes, proposed zone:  IDAVIT  Sugging of this well will comply with K.S.A. 55 eKANSA	RECEIVED IS CORPORATION COMM
AFF the undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	If Yes, proposed zone:  FIDAVIT  Slugging of this well will comply with K.S.A. 55 electrons  ach drilling rig;  et by circulating cement to the top; in all cases surface	RECEIVED S CORPORATION COMM NOV 2 0 2006
AFF he undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone:  IDAVIT  Illugging of this well will comply with K.S.A. 55 example  Inch drilling rig;  et by circulating cement to the top; in all cases surfact  the underlying formation.	PASICEIVED S CORPORATION COMM NOV 2 0 2006 CONSESSMATION DIVISION WICHITA, KIS
AFF he undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plus	If Yes, proposed zone:  IDAVIT  Indugging of this well will comply with K.S.A. 55 examples  Inch drilling rig;  Inch drilling	PASCEIVED S CORPORATION COMM NOV 2 0 2006 CONSEGNATION DIVISION WICHTA, KS ary prior to plugging;
AFF ne undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen	If Yes, proposed zone:  IDAVIT  Indugging of this well will comply with K.S.A. 55 examples  Inch drilling rig;  Inch drilling	RECEIVED S CORPORATION COMM NOV 2 0 2006 CONSESSATION DIVISION WICHTA, KS ary prior to plugging; o days of spud date.
AFF ne undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plue 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order	If Yes, proposed zone:  IDAVIT  Indugging of this well will comply with K.S.A. 55 example  Inch drilling rig;  Inch drilling r	RECEIVED S CORPORATION COMM NOV 2 0 2006 CONSESSATION DIVISION WICHTA, KS ary prior to plugging; of days of spud date. a, alternate II cementing
AFF ne undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plue 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	If Yes, proposed zone:  IDAVIT  Idugging of this well will comply with K.S.A. 55 example  Inch drilling rig;  Inch drilling ri	RECEIVED S CORPORATION COMM NOV 2 0 2006 CONSESSATION DIVISION WICHTA, KS ary prior to plugging; of days of spud date. a, alternate II cementing
AFF he undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plue 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order	If Yes, proposed zone:  IDAVIT  Idugging of this well will comply with K.S.A. 55 example  Inch drilling rig;  Inch drilling ri	RECEIVED S CORPORATION COMM NOV 2 0 2006 CONSESSATION DIVISION WICHTA, KS ary prior to plugging; of days of spud date. a, alternate II cementing
AFF the undersigned hereby affirms that the drilling, completion and eventual prise agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constant of the set of the appropriate district office will be notified before well is either plus of the ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the set of the s	If Yes, proposed zone:  IDAVIT  Indugging of this well will comply with K.S.A. 55 example  Inch drilling rig;  Inch drilling r	RECEIVED S CORPORATION COMM NOV 2 0 2006 CONSERVATION DIVISION WICHTA, KS ary prior to plugging; of days of spud date. a, alternate II cementing or to any cementing.
he undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be setherough</i> all unconsolidated materials plus a minimum of 20 feet into tea.  4. If the well is dry hole, an agreement between the operator and the construction of the surface well is either plugible.  5. The appropriate district office will be notified before well is either plugible.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the spud date or the well shall the statements made herein are true and to the best of the spud date or the well shall the statements made herein are true and to the best of the spud date or the well shall the statements made herein are true and to the best of the spud date or the well shall the statements made herein are true and to the best of the spud date or the well shall the statements made herein are true and to the best of the spud date or the well shall the statements made herein are true and to the best of the spud date or the well shall the statements made herein are true and to the best of the spud date or the well shall the statements made herein are true and to the best of the spud date or the well shall the statements made herein are true and to the best of the spud date or the well shall the statements made herein are true and to the best of the spud date or the well shall the statements are true and to the spud date or the spud date or the spud date or the well shall the statements are true and to the spud date or the spud dat	If Yes, proposed zone:  IDAVIT  Idugging of this well will comply with K.S.A. 55 example  Inch drilling rig;  Inch drilling ri	RECEIVED S CORPORATION COMM NOV 2 0 2006 CONSERVATION DIVISION WICHTA, KS ary prior to plugging; of days of spud date. a, alternate II cementing or to any cementing.
AFF he undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constant of the set of the se	If Yes, proposed zone:  IDAVIT  Indugging of this well will comply with K.S.A. 55 example  Inch drilling rig;  Inch drilling r	RECEIVED S CORPORATION COMM NOV 2 0 2006 CONSERVATION DIVISION WICHTA, KS ary prior to plugging; of days of spud date. a, alternate II cementing or to any cementing.
he undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be surface</i> through all unconsolidated materials plus a minimum of 20 feet into the surface well is dry hole, an agreement between the operator and the constitution of the surface well is either plus of the surface of the surface of the surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the surface of t	If Yes, proposed zone:  IDAVIT  Indugging of this well will comply with K.S.A. 55 examples to the drilling rig;  In the underlying formation.  In the underlying formation is necessary and placement is necessary and placement in the underlying formation.  In the underlying for	RECEIVED S CORPORATION COMM NOV 2 0 2006 CONSESSATION DIVISION WIGHTA, KS ary prior to plugging; o days of spud date. a, alternate II cementing or to any cementing. Engineer
AFF the undersigned hereby affirms that the drilling, completion and eventual properties agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on eason and through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constant of the set of the well is dry hole, an agreement between the operator and the constant of the set of the well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be comen or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the set	If Yes, proposed zone:  IDAVIT  Indugging of this well will comply with K.S.A. 55 examples of the drilling rig;  In the underlying cement to the top; in all cases surfact the underlying formation.  Idistrict office on plug length and placement is necessed gged or production casing is cemented in; ted from below any usable water to surface within 120 are to be plugged. In all cases, NOTIFY district office print of my knowledge and belief.  Title: District E  Remember to:  File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of second and selections.	RECEIVED S CORPORATION COMM NOV 2 0 2006 CONSESSATION DIVISION WICHTA, KS ary prior to plugging; O days of spud date. a, alternate II cementing or to any cementing. Engineer Drill; pud date;
he undersigned hereby affirms that the drilling, completion and eventual prisagreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be sufficiently through all unconsolidated materials plus a minimum of 20 feet into the sufficient of the well is dry hole, an agreement between the operator and the constitution of the sufficient of the well is either plus.  5. The appropriate district office will be notified before well is either plus.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best constant:  Signature of Operator or Agent:  For KCC Use QNLY  API # 15 - 135 - 24576 - 00 00	If Yes, proposed zone:  IDAVIT  Indugging of this well will comply with K.S.A. 55 examples of the drilling rig;  In the underlying cement to the top; in all cases surfact the underlying formation.  Idistrict office on plug length and placement is necessed gged or production casing is cemented in; ted from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area be plugged. In all cases, NOTIFY district office prior from knowledge and belief.  Title: District E  Remember to:  File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of services.  File acreage attribution plat according to field pro-	RECEIVED S CORPORATION COMM NOV 2 0 2006 CONSESVATION DIVISION WICHTA, KS ary prior to plugging; or days of spud date. a, alternate II cementing or to any cementing. Engineer  Drill; pud date; ration orders;
AFF the undersigned hereby affirms that the drilling, completion and eventual properties agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ear and the substitution of surface pipe as specified below shall be substituted through all unconsolidated materials plus a minimum of 20 feet into the substitution of the su	If Yes, proposed zone:  IDAVIT  Indugging of this well will comply with K.S.A. 55 examples of the drilling rig;  In the underlying cement to the top; in all cases surfact the underlying formation.  Idistrict office on plug length and placement is necessed gged or production casing is cemented in; ted from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area be plugged. In all cases, NOTIFY district office prior from knowledge and belief.  Title: District E  Remember to:  File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of some file acreage attribution plat according to field proposition.	RECEIVED S CORPORATION COMM NOV 2 0 2006 CONSESVATION DIVISION WICHTA, KS ary prior to plugging; or days of spud date. a, alternate II cementing or to any cementing. Engineer  Drill; pud date; ration orders; vorkover or re-entry;
AFF ne undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of ate:	If Yes, proposed zone:  IDAVIT  Indugging of this well will comply with K.S.A. 55 examples of the drilling rig;  Inch drilling	RECEIVED S CORPORATION COMM NOV 2 0 2006 CONSESVATION DIVISION WICHITA, KS ary prior to plugging; or days of spud date. a, alternate II cementing or to any cementing.  Ingineer  Drill; pud date; ration orders; vorkover or re-entry; pmpleted;
AFF  the undersigned hereby affirms that the drilling, completion and eventual properties agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea.  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the composition of the set of the	If Yes, proposed zone:  IDAVIT  Indugging of this well will comply with K.S.A. 55 examples to the drilling rig;  In the underlying formation.  In the underlying formation is necessary and placement is necessary and placement in the underlying the underlying to the KCC District 3 are a placement of the plugged.  In the underlying form the KCC District 3 are a plugged.  In the underlying the underlying the plugged and belief.  In the underlying formation (form CDP-1) with Intent to be plugged.  In the underlying formation.  In the underlying	RESCRIVED S CORPORATION COMM NOV 2 0 2006 CONSESSATION DIVISION WICHTA, KS ary prior to plugging; o days of spud date. a, alternate II cementing or to any cementing.  Ingineer  Drill; pud date; ration orders; vorkover or re-entry; impleted; ing salt water.
AFF  the undersigned hereby affirms that the drilling, completion and eventual properties agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea.  3. The minimum amount of surface pipe as specified below shall be supprised all unconsolidated materials plus a minimum of 20 feet into the surface pipe as a properties district office will be notified before well is either pluging.  5. The appropriate district office will be notified before well is either pluging.  6. If an ALTERNATE II COMPLETION, production pipe shall be common or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the surface of	If Yes, proposed zone:  IDAVIT  Indugging of this well will comply with K.S.A. 55 examples of the drilling rig;  Inch drilling	RECEIVED S CORPORATION COMM NOV 2 0 2006 CONSESSATION DIVISION WIGHTA, KS ary prior to plugging; O days of spud date. a, alternate II cementing. The component of the component
AFF  the undersigned hereby affirms that the drilling, completion and eventual properties agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea.  3. The minimum amount of surface pipe as specified below shall be supproved all unconsolidated materials plus a minimum of 20 feet into to the first through all unconsolidated materials plus a minimum of 20 feet into to the surface pipe required to surface pipe as specified below shall be supproved by:  4. If the well is dry hole, an agreement between the operator and the construction of the surface pipe shall be cemented to the plus of the surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the surface pipe required to the surf	If Yes, proposed zone:  IDAVIT  Indugging of this well will comply with K.S.A. 55 examples to the drilling rig;  Inch drilling	RECEIVED S CORPORATION COMM NOV 2 0 2006 CONSESSATION DIVISION WIGHTA, KS ary prior to plugging; O days of spud date. a, alternate II cementing. The component of the component
AFF  the undersigned hereby affirms that the drilling, completion and eventual properties agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ead an accordance of the approved of the approved notice of intent to drill shall be posted on ead as through all unconsolidated materials plus a minimum of 20 feet into the determinant of the complete district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is eit	If Yes, proposed zone:  IDAVIT  Indugging of this well will comply with K.S.A. 55 examples of the drilling rig;  Inch drilling	RECEIVED S CORPORATION COMM NOV 2 0 2006 CONSESSATION DIVISION WIGHTA, KS ary prior to plugging; O days of spud date. a, alternate II cementing. The component of the component

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API NO. 15-135-24576-00-00	Location of Well: County: Ness
Operator: Berexco Inc.	
Lease: Harold	1980 feet from N / S Line of Section 330 feet from E / W Line of Section
Well Number: 4 Field: Ness-T	Sec. 3 Twp. 16 S. R. 25 East ✓ West
Number of Acres attributable to well:	Is Section: Pegular or Irregular
QTR / QTR / QTR of acreage: W/2 - NW - SW	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

					1/55
					T165
		•			
	· · · · · · · · · · · · · · · · · · ·				
				٠	•
	· · · · · · · · · · · · · · · · · · ·				
	· · · · ·		•		:
	• •			•	:
			3 — :	•	<del> </del>
330	,	:		:	
\	HAROLD #-	<b>4</b> :	•	•	•
	· · · · · ·				•
. 0861					
*	•	•	•		

RECEIVED KANSAS CORPORATION COMMISSION NOV 2 0 2006

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Berexco Inc.		License Number: 5363		
Operator Address: P.O. Box 20380	Wichita, KS 672	08		
Contact Person: Jeremy Ensz		Phone Number: ( 316 ) 265 - 3311		
Lease Name & Well No.: Harold #4		Pit Location (QQQQ):		
Type of Pit: Pit is	 S;			
Emergency Pit Burn Pit	Proposed Existing	Sec. 3 Twp. 16 S R. 25 East W West		
Settling Pit	xisting, date constructed:	1980 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	capacity: (bbls)	Ness Feet from East / West Line of Section		
Is the pit located in a Sensitive Ground Water Area? Yes V No		Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?  Artif  V Yes No	icial Liner? ☐ Yes 🔽 No	How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits): 100  Depth from gro	Length (feet) 100	Width (feet) N/A: Steel Pits (feet)		
Distance to nearest water well within one-mile of pit	Depth to shallo Source of info	west fresh water <u>וצ</u> feet.		
N/A feet Depth of water well 2		uredwell owner electric logKDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:		
		pe of material utilized in drilling/workover: Bentonite		
		working pits to be utilized: 4 ent procedure: Allow pits to evaporate until dry backfill when		
Barrels of fluid produced daily:	conditions r			
Does the slope from the tank battery allow all spilled flow into the pit? Yes No	i fluids to	Drill pits must be closed within 365 days of spud date.		
I hereby certify that the above statements	are true and correct to the bes	et of my knowledge and belief.  KANSAS CORPORATION CO		
11/20/06 Date		NOV 2 0 2006 Signalure of Applicant or Agent CONSERVATION DIVIS		
	KCC OFFICE USE O	NLY		
Date Received: ((   Zo / o > Permit Number:	Perm	nit Date: 11/21/05 Lease Inspection: Yes ( No		