For KCC Use: Effective Date: District #_ SGA? X Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date December 2, 2006			
month day year	Spot ✓ East		
	SENW - NW - SW Sec. 18 Twp. 22 S. R. 17 West		
OPERATOR: License#_4567	2190 feet from N / V S Line of Section		
Name: D.E. Exploration, Inc.	teet from VE / W Line of Section		
Address: P.O. Box 128	Is SECTION Regular Irregular?		
City/State/Zip: Wellsville, KS 66092	(Note: Locate well on the Section Plat on reverse side)		
Contact Person: Douglas G. Evans	County: Coffey		
Phone: (785) 883-4057	Lease Name: Gleue-Jet Well #-RI-1		
5989	Field Name: Neosho Falls - Leroy		
CONTRACTOR: License# 5989 / Name: Kurt Finney dba Finney Drilling company	Is this a Prorated / Spaced Field?		
vame: Turk Finitely about mixely braining company	Target Formation(s): Squirrel		
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 400'		
Oil Finh Rec Infield Mud Rotary	Ground Surface Elevation: n/a feet MSL		
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:		
OWNO Disposal Wildcat Cable	Public water supply well within one mile:		
Seismic; # of Holes Other	Depth to bottom of fresh water: 100+		
Other	Depth to bottom of usable water: 200+'		
	Surface Pipe by Alternate: 1 2		
f OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:		
Operator:	Length of Conductor Pipe required: none		
Well Name:	Projected Total Depth: 1,100'		
Original Completion Date:Original Total Depth:	Formation at Total Depth: Squirrel		
Nicesticani Designated and Manifestated supplies and	Water Source for Drilling Operations:		
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well ✓ Farm Pond Other		
f Yes, true vertical depth:	DWR Permit #:		
Bottom Hole Location:	(Note: Apply for Permit with DWR 🗌)		
(CC DKT #:	Will Cores be taken?		
	If Yes, proposed zone:		
AFF	IDAVIT KANSAS CORDORATION COLUMNICAL		
The undersigned hereby affirms that the drilling, completion and eventual p	TOTAL CONTROL COMMISSION CONTROL COMMISSION COMMISSION CONTROL CONT		
t is agreed that the following minimum requirements will be met:	NOV 2 7 2006		
1. Notify the appropriate district office prior to spudding of well;	20110		
i. Isomy the appropriate district office prior to spudding of well;			
2. A copy of the approved notice of intent to drill shall be posted on ear			
2. A copy of the approved notice of intent to drill shall be posted on ea3. The minimum amount of surface pipe as specified below shall be se	et by circulating cement to the top; in all cases surface partial acceptable.		
 A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 	et by circulating cement to the top; in all cases surface physicalist. Weset he underlying formation.		
 A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the constant. 	et by circulating cement to the top; in all cases surface plus comments. We set the underlying formation. Sistrict office on plug length and placement is necessary prior to plugging;		
 A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the construction. The appropriate district office will be notified before well is either plug 	et by circulating cement to the top; in all cases surface plus comments. We set the underlying formation. Sistrict office on plug length and placement is necessary prior to plugging;		
 A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the construction of the set of the	by circulating cement to the top; in all cases surface phicking, weset the underlying formation. District office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing		
 A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the construction of the set of the	by circulating cement to the top; in all cases surface physician, isset the underlying formation. District office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.		
 A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the construction of the set of the	be to be circulating cement to the top; in all cases surface purchased the underlying formation. District office on plug length and placement is necessary prior to plugging; good or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.		
 A copy of the approved notice of intent to drill shall be posted on ea. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the se	be to be circulating cement to the top; in all cases surface particles, **Gset* he underlying formation. District office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.		
 A copy of the approved notice of intent to drill shall be posted on ea. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be demented or pursuant to Appendix "8" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the set of	the by circulating cement to the top; in all cases surface partial, **(Sset he underlying formation. district office on plug length and placement is necessary prior to pluggling; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.		
A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into to 4. If the well is dry hole, an agreement between the operator and the cost of the second of the district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the second	the by circulating cement to the top; in all cases surface place. **Misset** the underlying formation. District office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. **In all cases, NOTIFY district office** prior to any cementing. If my knowledge and belief. Title: Agent		
A copy of the approved notice of intent to drill shall be posted on ea. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the set of the well is either plus of the appropriate district office will be notified before well is either plus of the an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the November 27, 2006 Signature of Operator or Agent:	the by circulating cement to the top; in all cases surface particle. **Moset** he underlying formation. District office on plug length and placement is necessary prior to plugging; good or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. **In all cases, NOTIFY district office** prior to any cementing. If my knowledge and belief. **Title: Agent** **Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;		
2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the set of the well is either plugible. The appropriate district office will be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the set of the s	by circulating cement to the top; in all cases surface purchased the underlying formation. district office on plug length and placement is necessary prior to plugging; good or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;		
2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the se	the underlying formation. Identification of the top; in all cases surface purpose the underlying formation. Identification of the top; in all cases surface purpose to plugging; good or production casing is cemented in; and the top the top		
2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the appropriate district office will be notified before well is either plug to the set of t	the by circulating cement to the top; in all cases surface publication. Itistrict office on plug length and placement is necessary prior to plugging; good or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;		
2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the well is dry hole, an agreement between the operator and the construction of the set of the set of the well is district office will be notified before well is either plug to the set of the set of the set of the set of the well shall be completed within 30 days of the spud date or the well shall be the set of the set of the well shall be the set of th	the by circulating cement to the top; in all cases surface publications. It is trict office on plug length and placement is necessary prior to plugging; good or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.		
2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constraint of the set of the well is district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the set of t	the underlying formation. District office on plug length and placement is necessary prior to plugging; god or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please		
2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constraint of the well is district office will be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date: November 27, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O31 - 2226 7-0000 Conductor pipe required None feet Minimum surface pipe required feet Approved by: Minimum surface pipe required feet per Alt.	the by circulating cement to the top; in all cases surface publications. Itistrict office on plug length and placement is necessary prior to plugging; good or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. It this permit has expired (See: authorized expiration date) please check the box below and return to the address below.		
2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of through a set through a set of the set of t	the by circulating cement to the top; in all cases surface purchast Moset he underlying formation. District office on plug length and placement is necessary prior to plugging; good or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired		
2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the set of the set	the by circulating cement to the top; in all cases surface publications. Itistrict office on plug length and placement is necessary prior to plugging; good or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. It this permit has expired (See: authorized expiration date) please check the box below and return to the address below.		

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 031-22267-0000	Location of Well: County: Coffey		
Operator: D.E. Exploration, Inc.	2190 feet from N / S Line of Section		
Lease: Gleue-Jet	4880 feet from ✓ E / W Line of Section		
Well Number: RI-1	Sec. 18 Twp. 22 S. R. 17 VE East Wes		
Field: Neosho Falls - Leroy	<u> </u>		
Number of Acres attributable to well: QTR / QTR / QTR of acreage: SENW - NW - SW	Is Section: Regular or irregular If Section is Irregular, locate well from nearest corner boundary. Section comer used: NE NW SE SW		

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

		•		•
				•
		-		-
			<u> </u>	
i			i	
i				
	•			_
		•		•
1				
		•		•
	• .			•
			1.	
		•		
	•			•
				-
		•		•
			1	
				•
		•	ł · ·	•
				-
				•
				•
1			1	
		-		
Ì				
		•		-



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: D.E. Exploration, Inc.		License Number: 4567		
Operator Address: P.O. Box 128,	Wellsville, KS	66092		
Contact Person: Douglas G. Evans			Phone Number: (785) 8	83 ⁻ 4057
Lease Name & Well No.: Gleue-Jet RI-1		Pit Location (QQQQ):		
Type of Pit:	Pit is:	 	SE NW NW	SW
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 18 Twp. 22 R. 1	7 🗸 East 🗌 West
Settling Pit	If Existing, date constructed:		2100	lorth / 🗸 South Line of Section
Workover Pit Haul-Off Pit	Pit capacity:		4880 Feet from ✓ E	East / West Line of Section
(If WP Supply API No. or Year Drilled)		(bbls)	Coffey	County
Is the pit located in a Sensitive Ground Water	1		Chloride concentration:	
			1	and Settling Pits only)
Is the bottom below ground level?	Artificial Liner?	-1-	How is the pit lined if a plastic li	iner is not used?
Yes No	Yes 🗸	No	native clay	
Depth f	from ground level to de	1	(feet)	
Distance to nearest water well within one-mile of pit Depth to shallo Source of infor		west fresh water mation:	ì	
	feet	measu	iredwell owner	electric logKDWR
Emergency, Settling and Burn Pits ONLY			over and Haul-Off Pits ONLY:	
		ial utilized in drilling/workover: drilling mud		
i i		ŀ	rking pits to be utilized: —	
Barrels of fluid produced daily: Abandonment pr			procedure: air dry and backfill	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		be closed within 365 days of spud date.		
I hereby certify that the above state	ements are true and o	correct to the best	t of my knowledge and belief.	RECEIVED ANSAS CORPORATION COMMISS
November 27, 2006	$\mathcal{D}_{\mathbf{z}}$	nna	Thanda	NOV 2 7 2006
Date		S	ignature of Applicant or Agent	CONSERVATION DIVISION
	V^^	DEELCE LISE OF	NI V	WICHINA, KS
	NGC 6	OFFICE USE OI	NLI	
Date Received: ///a?/oc Permit Num	nber:	Permi	it Date: <u>U/2?/</u> cc_ Lease I	nspection: Yes K No

KANSAS

CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR BRIAN J. MOLINE, CHAIR ROBERT E. KREHBIEL, COMMISSIONER MICHAEL C. MOFFET, COMMISSIONER

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.