SGA? X Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud DateDecember 2, 2006	Spot
month day year	NWNW NW Sw Sec. 18 Two. 22 S. R. 17 West
4567	2420 Sec. IWP. S. H. West
OPERATOR: License# 4567 ./	5060 feet from ✓ E / W Line of Section
Name: D.E. Exploration, Inc.	Is SECTION ✓ RegularIrregular?
Address: P.O. Box 128 Wellsville KS 66002	is SECTIONnegulaiirregulai:
Address: City/State/Zip: Wellsville, KS 66092	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Douglas G. Evans	County: Coffey
Phone: (785) 883-4057	Lease Name: Gleue-Jet Well #: SWD-1 Field Name: Neosho Falls - Leroy
CONTRACTOR: License# 5989	
Name: Kurt Finney dba Finney Drilling company	Is this a Prorated / Spaced Field?
Trullo.	Target Formation(s): Kansas City
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 220'
Oil Enh Rec / Infield / Mud Rotary	Ground Surface Elevation: Na feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
OWWO Disposal Wildcat Cable	Public water supply well within one mile: Yes ✓ No
Seismic; # of Holes Other	Depth to bottom of fresh water: 100+
Other	Depth to bottom of usable water:
	Surface Pipe by Alternate: 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40'
Operator:	Length of Conductor Pipe required: none
Well Name:	Projected Total Depth: 700'
Original Completion Date:Original Total Depth:	Formation at Total Depth: Kansas City
Bination Button of the Case	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well ✓ Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as a minimum of 20 feet into the surface pipe as a minimum of 20 feet into the surface pipe as a minimum of 20 feet into the surface pipe as a minimum of 20 feet into the surface pipe as a minimum of 20 feet into the surface pipe as a minimum of 20 feet into the surface pipe as a minimum of 20 feet into the surface pipe as a minimum of 20 feet into the surface pipe as a minimum of 20 feet into the surface pipe as a surface pipe as a surface pipe as a specified before well is either plus as a surface pipe as a surface pipe as a specified below shall be surface. 5. The appropriate district office will be notified before well is either plus as a surface pipe as a specified below shall be surface. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order.	et by circulating cement to the top; in all cases surface up stall the set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; sted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
Date: November 27, 2006 Signature of Operator or Agent: Wash	na Thanda Title: Agent
	Remember to:
For KCC Use ONLY API # 15 - 031 - 22266-000 Conductor pipe required None feet Minimum surface pipe required feet per Alt. (2) Approved by: 11-27-06	 File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
	If this permit has expired (See: authorized expiration date) please
	check the box below and return to the address below.
(This authorization void if drilling not started within 6 months of approval date.)	Well Not Drilled - Permit Expired
Spud date: Agent:	Signature of Operator or Agent:
	Date:
Mail to: KCC - Conservation Division, 130	S. Market - Room 2078, Wichita, Kansas 67202

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 031-2226-0000	Location of Well: County: Coffey
Operator: D.E. Exploration, Inc.	2420 feet from N / S Line of Section
Lease: Gleue-Jet	5060 feet from 🗸 E / 🗌 W Line of Section
Well Number: SWD-1	Sec. 18 Twp. 22 S. R. 17 Vest
Field: Neosho Falls - Leroy	
Number of Acres attributable to well: QTR / QTR / QTR of acreage: NWNW - NW - SW - SW	Is Section: Regular or Irregular If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

ŀ						
					-	•
					•	
		•			•	
		•				1
		•	•		•	
			•		•	
	-				•	•
					•	
				-		
				•		•
				•		•
				•	-	•
				•	-	•
				•	-	•
				•	-	•
			· · · · · ·		:	:
			· · · · · ·		:	
			· · · · · ·		:	
			· · · · · ·		:	
			· · · · · ·			



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: D.E. Exploration, I	nc.		License Number: 4567
Operator Address: P.O. Box 128,	Wellsville, KS	66092	
Contact Person: Douglas G. Evans			Phone Number: (785) 883 - 4057
Lease Name & Well No.: Gleue-Jet SWD-1		Pit Location (QQQQ):	
Type of Pit:	Pit is:		NW NW SW
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 18 Twp. 22 R. 17 Fast West
Settling Pit	if Existing, date or	onstructed:	2420 Feet from North / South Line of Section
Workover Pit Haul-Off Pit	Dit conscitu		5060 Feet from Fast / West Line of Section
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Coffey County
Is the pit located in a Sensitive Ground Water	1		Chloride concentration:mg/l
is the pit located in a Sensitive Ground Water	Alea: Elea F		(For Emergency Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner?	N 1_	How is the pit lined if a plastic liner is not used?
✓ Yes No	☐ Yes 🗸 i		native clay
Pit dimensions (all but working pits):	10 Length (fe	et) 10	Width (feet)
Depth f	from ground level to de	eepest point: 5	(feet)
If the pit is lined give a brief description of the	e line r	•	edures for periodic maintenance and determining including any special monitoring.
If the pit is lined give a brief description of the	e line r	•	•
If the pit is lined give a brief description of the material, thickness and installation procedur	e liner e.	liner integrity, i	ncluding any special monitoring. west fresh waterfeet.
If the pit is lined give a brief description of the material, thickness and installation procedure	e liner e. le of pit	liner integrity, in the control of t	ncluding any special monitoring. west fresh waterfeet.
f the pit is lined give a brief description of the naterial, thickness and installation procedure. Distance to nearest water well within one-mile.	e liner e. le of pit	Depth to shallo Source of infor	west fresh waterfeet.
The pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-mile. NA feet Depth of water well.	e liner e. le of pitfeet	Depth to shallo Source of infor measu Drilling, Work	west fresh waterfeet. mation: redwell owner electric logKDWR
If the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-mil N/A feet Depth of water well Emergency, Settling and Burn Pits ONLY:	e liner e. le of pitfeet	Depth to shallo Source of informeasu Drilling, Worke	west fresh waterfeet. mation: well owner electric log KDWR
If the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-mil N/A feet Depth of water well	e liner e. le of pitfeet	Depth to shallo Source of infor measu Drilling, Work Type of materia	west fresh waterfeet. mation: redwell ownerelectric logKDWR over and Haul-Off Pits ONLY: at utilized in drilling/workover: drilling mud
If the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-mil N/A feet Depth of water well Emergency, Settling and Burn Pits ONLY. Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow at	e liner e. le of pitfeet ;	Depth to shallo Source of informeasu Drilling, Work Type of materia Number of wor Abandonment	west fresh waterfeet. mation: well ownerelectric logKDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: drilling mud king pits to be utilized: 2
If the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-mil Ni A feet Depth of water well Emergency, Settling and Burn Pits ONLY. Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow at	e liner e. le of pitfeet :	Depth to shallo Source of informeasu Drilling, Work Type of materia Number of wor Abandonment Drill pits must to	west fresh waterfeet. mation: redwell owner electric logKDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: drilling mud king pits to be utilized: 2 procedure: air dry and backfill oe closed within 365 days of spud date.
If the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-mil NA feet Depth of water well Emergency, Settling and Burn Pits ONLY. Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit?	e liner e. le of pitfeet :	Depth to shallo Source of informeasu Drilling, Work Type of materia Number of wor Abandonment Drill pits must to	west fresh waterfeet. mation: redwell owner electric logKDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: drilling mud king pits to be utilized: 2 procedure: air dry and backfill oe closed within 365 days of spud date.
Distance to nearest water well within one-mil NA feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow at flow into the pit? I hereby certify that the above state	e liner e. le of pitfeet :	Depth to shallo Source of informeasu Drilling, Work Type of materia Number of wor Abandonment Drill pits must to correct to the best	west fresh waterfeet. mation: well ownerelectric logKDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: drilling mud king pits to be utilized: 2 procedure: air dry and backfill oe closed within 365 days of spud date. It of my knowledge and belief. RECEIVED KANSAS CORPORATION COMMI

KANSAS

CORPORATION COMMISSION

KATHLEEN SEBELLUS, GOVERNOR

BRIAN J. MOLINE, CHAIR

ROBERT E. KREHBIEL, COMMISSIONER

MICHAEL C. MOFFET, COMMISSIONER

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.