For KCC Use: 12 2-06
Effective Date: 3 SGA? Yes X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date		
month day year	Spot	. East
monut day year	Apse - NWNW - SE Sec. 4 Twp. 15 S. R.	
OPERATOR: License#		ine of Section
lame: Susie Glaze dba R.S. Glaze Drilling		ine of Section
ddress: 22139 South Victory Road	ts SECTION Regular Irregular?	
ity/State/Zip: Spring Hill, KS 66083	(Note: Locate well on the Section Plat on reverse	side)
ontact Person: Susie Glaze	County: Johnson	
hone: (913) 592-2033	Lease Name: Miller We	#: <u>2</u>
5985	Field Name: wildcat	
ONTRACTOR: License# 5885 Solitor	Is this a Prorated / Spaced Field?	Yes ✓ No
ame; Susie Glaze upa N.S. Glaze Drining	Target Formation(s): Bartlesville	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 350'	·····
	Ground Surface Elevation: n/a	feet MSL
Oil Enh Rec Infield Mud Rotary ✓ Gas Storage Pool Ext. ✓ Air Rotary	Water well within one-quarter mile:	Yes 🗸 No
	Public water supply well within one mile:	Yes ✓ No
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100+	
Seismic; # of Holes Other	Depth to bottom of usable water: 300+	
Other	Surface Pipe by Alternate: 1 2	
OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'	
Operator:	Length of Conductor Pipe required: none	
Well Name:	Projected Total Depth: 990'	
Original Completion Date:Original Total Depth:	Formation at Total Depth: Bartlesville	
/	Water Source for Drilling Operations:	_
irectional, Deviated or Horizontal wellbore?	Well ✓ Farm Pond Other	
Yes, true vertical depth:	DWR Permit #:	
ottom Hole Location:	(Note: Apply for Permit with DWR)	
CC DKT #:	Will Cores be taken?	Yes ✓ No
	If Yes, proposed zone:	
		70511/55
		CEIVED
he undersigned hereby affirms that the drilling, completion and eventual p	lugging of this well will comply with K.S.A. 55 ex section CURP	TORATION COMMI
is agreed that the following minimum requirements will be met:	NU/	/ 2 7 2006
and the same of th	1101	
 Notify the appropriate district office prior to spudding of well; 		, ,
2. A copy of the approved notice of intent to drill shall be posted on ear		, ,
 A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be se 	et by circulating cement to the top; in all cases surface pipa.	VATION DIVISION
 A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the 	et by circulating cement to the top; in all cases surface pipe the underlying formation.	VATION DIVISION
 A copy of the approved notice of intent to drill shall be posted on ea. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into tid. If the well is dry hole, an agreement between the operator and the content of the cont	et by circulating cement to the top; in all cases surface pipe the underlying formation. district office on plug length and placement is necessary price	VATION DIVISION
 A copy of the approved notice of intent to drill shall be posted on ea. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the 	et by circulating cement to the top; in all cases surface pipe the underlying formation. district office on plug length and placement is necessary price gged or production casing is cemented in;	VATION DIVISION CHITA KS or to plugging;
 A copy of the approved notice of intent to drill shall be posted on ea. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the control of the surface of the plus of the propriate district office will be notified before well is either plus of the ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order 	et by circulating cement to the top; in all cases surface pipe the underlying formation. district office on plug length and placement is necessary price gged or production casing is cemented in; ted from below any usable water to surface within 120 days #133,891-C, which applies to the KCC District 3 area, altern	VATION DIVISION CHITA, KS or to plugging; of spud date. nate II cementing
 A copy of the approved notice of intent to drill shall be posted on ea. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second of the seco	et by circulating cement to the top; in all cases surface piper the underlying formation. district office on plug length and placement is necessary price good or production casing is cemented in; ted from below any usable water to surface within 120 days #133,891-C, which applies to the KCC District 3 area, altern be plugged. In all cases, NOTIFY district office prior to an	VATION DIVISION CHITA, KS or to plugging; of spud date. nate II cementing
 A copy of the approved notice of intent to drill shall be posted on ea. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second of the seco	et by circulating cement to the top; in all cases surface piper the underlying formation. district office on plug length and placement is necessary price good or production casing is cemented in; ted from below any usable water to surface within 120 days #133,891-C, which applies to the KCC District 3 area, altern be plugged. In all cases, NOTIFY district office prior to an	VATION DIVISION CHITA, KS or to plugging; of spud date. nate II cementing
 A copy of the approved notice of intent to drill shall be posted on ea. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second of the seco	et by circulating cement to the top; in all cases surface piper the underlying formation. district office on plug length and placement is necessary prices and or production casing is cemented in; ted from below any usable water to surface within 120 days #133,891-C, which applies to the KCC District 3 area, altern be plugged. In all cases, NOTIFY district office prior to an of my knowledge and belief.	VATION DIVISION CHITA, KS or to plugging; of spud date. nate II cementing
 A copy of the approved notice of intent to drill shall be posted on ea. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second of the seco	et by circulating cement to the top; in all cases surface piper the underlying formation. district office on plug length and placement is necessary price good or production casing is cemented in; ted from below any usable water to surface within 120 days #133,891-C, which applies to the KCC District 3 area, altern be plugged. In all cases, NOTIFY district office prior to an	VATION DIVISION CHITA, KS or to plugging; of spud date. nate II cementing
 A copy of the approved notice of intent to drill shall be posted on ea. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second of the seco	et by circulating cement to the top; in all cases surface piper the underlying formation. district office on plug length and placement is necessary prices and production casing is cemented in; ted from below any usable water to surface within 120 days #133,891-C, which applies to the KCC District 3 area, altern be plugged. In all cases, NOTIFY district office prior to an of my knowledge and belief. Title: Agent	VATION DIVISION CHITA, KS or to plugging; of spud date. nate II cementing
2. A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the surface of the well is dry hole, an agreement between the operator and the construction of the district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the surface of the surface of the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the surface of the surfa	et by circulating cement to the top; in all cases surface piper the underlying formation. district office on plug length and placement is necessary prices and production casing is cemented in; ted from below any usable water to surface within 120 days #133,891-C, which applies to the KCC District 3 area, altern be plugged. In all cases, NOTIFY district office prior to an office my knowledge and belief. Title: Agent Remember to:	VATION DIVISION CHITA, KS or to plugging; of spud date. nate II cementing
2. A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the surface of the well is dry hole, an agreement between the operator and the constant of the surface	et by circulating cement to the top; in all cases surface piper the underlying formation. district office on plug length and placement is necessary prices and production casing is cemented in; ted from below any usable water to surface within 120 days #133,891-C, which applies to the KCC District 3 area, altern be plugged. In all cases, NOTIFY district office prior to an of my knowledge and belief. Title: Agent	or to plugging; of spud date. nate II cementing by cementing.
2. A copy of the approved notice of intent to drill shall be posted on ear 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second of the second o	the by circulating cement to the top; in all cases surface piper the underlying formation. district office on plug length and placement is necessary prices and production casing is cemented in; ted from below any usable water to surface within 120 days #133,891-C, which applies to the KCC District 3 area, alternate be plugged. In all cases, NOTIFY district office prior to an office my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;	or to plugging; of spud date. nate II cementing ny cementing.
2. A copy of the approved notice of intent to drill shall be posted on ear 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second of the second o	the by circulating cement to the top; in all cases surface piper the underlying formation. District office on plug length and placement is necessary price good or production casing is cemented in; ted from below any usable water to surface within 120 days #133,891-C, which applies to the KCC District 3 area, altern be plugged. In all cases, NOTIFY district office prior to an of my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud dat File acreage attribution plat according to field proration of Notify appropriate district office 48 hours prior to workover.	or to plugging; of spud date. nate II cementing ny cementing.
2. A copy of the approved notice of intent to drill shall be posted on ear 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second of the second o	the by circulating cement to the top; in all cases surface piper the underlying formation. District office on plug length and placement is necessary price good or production casing is cemented in; ted from below any usable water to surface within 120 days #133,891-C, which applies to the KCC District 3 area, altern be plugged. In all cases, NOTIFY district office prior to an of my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud dat File acreage attribution plat according to field proration of Notify appropriate district office 48 hours prior to workover. Submit plugging report (CP-4) after plugging is completed.	or to plugging; of spud date. nate II cementing ny cementing. e; rders; r or re-entry;
2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second of the secon	the by circulating cement to the top; in all cases surface piper the underlying formation. District office on plug length and placement is necessary price good or production casing is cemented in; ted from below any usable water to surface within 120 days #133,891-C, which applies to the KCC District 3 area, altern be plugged. In all cases, NOTIFY district office prior to an of my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud dat File acreage attribution plat according to field proration of Notify appropriate district office 48 hours prior to workover.	or to plugging; of spud date. nate II cementing ny cementing. e; rders; r or re-entry;
2. A copy of the approved notice of intent to drill shall be posted on ear 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the construction of the surface of the specified before well is either plug to the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the surface case of the surface of the sur	et by circulating cement to the top; in all cases surface piper the underlying formation. district office on plug length and placement is necessary prices good or production casing is cemented in; ted from below any usable water to surface within 120 days #133,891-C, which applies to the KCC District 3 area, altern be plugged. In all cases, NOTIFY district office prior to are from knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud dat File acreage attribution plat according to field proration or Notify appropriate district office 48 hours prior to workover. Submit plugging report (CP-4) after plugging is completed. Obtain written approval before disposing or injecting salt	or to plugging; of spud date. nate II cementing ny cementing. e; rders; r or re-entry; t; water.
2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the construction of the second of the	the by circulating cement to the top; in all cases surface piper the underlying formation. district office on plug length and placement is necessary prices good or production casing is cemented in; ted from below any usable water to surface within 120 days #133,891-C, which applies to the KCC District 3 area, altern be plugged. In all cases, NOTIFY district office prior to an firmy knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud dat File acreage attribution plat according to field proration or Notify appropriate district office 48 hours prior to workover. Submit plugging report (CP-4) after plugging is completed. Obtain written approval before disposing or injecting salt	or to plugging; of spud date. nate II cementing ny cementing. e; rders; r or re-entry; t; water.
2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into to 4. If the well is dry hole, an agreement between the operator and the construction of the surface of the appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the second of the statements of Operator or Agent: For KCC Use ONLY API # 15 - 091-23104-000 Conductor pipe required None feet per Alt. (2) Approved by: 11-27-06 This authorization expires: 5-27-07	et by circulating cement to the top; in all cases surface piper the underlying formation. district office on plug length and placement is necessary prices good or production casing is cemented in; ted from below any usable water to surface within 120 days #133,891-C, which applies to the KCC District 3 area, altern be plugged. In all cases, NOTIFY district office prior to are from knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud dat File acreage attribution plat according to field proration or Notify appropriate district office 48 hours prior to workover. Submit plugging report (CP-4) after plugging is completed. Obtain written approval before disposing or injecting salt	or to plugging; of spud date. nate II cementing ny cementing. e; rders; r or re-entry; t; water.
2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into to 4. If the well is dry hole, an agreement between the operator and the construction of the surface of the appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the second of the statements of Operator or Agent: For KCC Use ONLY API # 15 - 091-23104-000 Conductor pipe required None feet per Alt. (2) Approved by: 11-27-06 This authorization expires: 5-27-07	the by circulating cement to the top; in all cases surface piper the underlying formation. district office on plug length and placement is necessary prices good or production casing is cemented in; ted from below any usable water to surface within 120 days #133,891-C, which applies to the KCC District 3 area, altern be plugged. In all cases, NOTIFY district office prior to an of my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud dat File arreage attribution plat according to field proration or Notify appropriate district office 48 hours prior to workover. Submit plugging report (CP-4) after plugging is completed. Obtain written approval before disposing or injecting salt If this permit has expired (See: authorized expiration date) check the box below and return to the address below.	or to plugging; of spud date. nate II cementing ny cementing. e; rders; r or re-entry; t; water.
2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into to 4. If the well is dry hole, an agreement between the operator and the construction of the surface pipe as specified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within a plug of the spud date or the well shall be completed within a plug of the spud date or the well shall be completed within 6 months of approval date.) For KCC Use ONLY API # 15	the by circulating cement to the top; in all cases surface piper the underlying formation. district office on plug length and placement is necessary prices good or production casing is cemented in; ted from below any usable water to surface within 120 days #133,891-C, which applies to the KCC District 3 area, altern be plugged. In all cases, NOTIFY district office prior to an of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill;	or to plugging; of spud date. nate II cementing ny cementing. e; rders; r or re-entry; t; water.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 09/-23/04-0000	Location of Well: County: Johnson
Operator: Susie Glaze dba R.S. Glaze Drilling	2990 feet from N / S Line of Section
Lease: Miller	2990 feet from E / V W Line of Section
Well Number: 2 Field: wildcat	Sec. 4 Twp. 15 S. R. 25 Vess Wes
Number of Acres attributable to well: QTR / QTR / QTR of acreage: ApSE _ NWNW _ SE	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section comer used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

			ŀ				
•				•	-		
•	•						
•							
	-						
		•					
					•		
•	•						
			:		:		:
•							
•							
•					•		
•					•		
٠	•	•		•			
•	٠	•	T	,			
				-			-
•							
•		•					
٠							
			-	-	•		
•		•			-		
•		•			-	-	
•					-		
	· .				•	-	
•	•			-			
•				•			
•				٠			



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Country Name Co. 1 Cl		License Number: 5885		
Operator Name: Susie Glaze dba R.S. Glaze Drilling				
Operator Address: 22139 South Victory Road, Spring Hill, KS 66083				
Contact Person: Susie Glaze		Phone Number: (913) 592 - 2033		
Lease Name & Well No.: Miller #2		Pit Location (QQQQ):		
Type of Pit:	Pit is:		ApSE NW NW SE	
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 4 Twp. 15 R. 25	
Settling Pit	If Existing, date o	onstructed:	2990 Feet from V North / South Line of Section	
Workover Pit Haul-Off Pit			2990 Feet from East / V West Line of Section	
(If WP Supply API No. or Year Drilled)	Pit capacity: 80 (bbls)		lohneon	
			County	
is the pit located in a Sensitive Ground Water Area? Yes V No		Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Artificial Liner?		How is the pit lined if a plastic liner is not used?		
✓ Yes No	Yes No		native clay	
Pit dimensions (all but working pits): 20 Length (feet) 8		Width (feet) N/A: Steel Pits		
Depth from ground level to deepest point: 6 (feet)				
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic material, thickness and installation procedure. liner integrity, including any special numbers of the liner integrity, including any special numbers.		ncluding any special monitoring.		
Distance to nearest water well within one-mile of pit Depth to shalk Source of info		west fresh water 60 feet.		
3 ਰ 8ਠ feet Depth of water well	250_feet		red well owner electric log KDWR	
		over and Haul-Off Pits ONLY:		
· · · · · · · · · · · · · · · · ·		al utilized in drilfing/workover: drilling mud		
		king pits to be utilized: 1		
		Abandonment	procedure: air dry and backfill	
Does the slope from the tank battery allow all spilled fluids to		be closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief KANSAS CORPORATION COMMISSION				
November 27, 2006 Wonna Shanda		NOV 2 7 2006 NOV 2 7 2006 ignature of Applicant or Agent CONSERVATION DIVISION WICHTA, KS		
	KCC	OFFICE USE O		
Date Received: 1 27 06 Permit Number: Permit Date: 1 27 06 Lease Inspection: Yes X No				