For KCC Use:

Effective Date: 12-2-06

District # 3

SGA? Yes X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud DateDecember 2, 2006	Spot
month day year	SE - SE - SW Sec. 31 Twp. 14 S. R. 23 West
ODSDATOR: 1 income# 4567	330
OPERATOR: License# Name: D.E. Exploration, Inc.	2970 feet from VE / W Line of Section
Name: D.E. Exploration, Inc. P.O. Box 128	Is SECTION RegularIrregular?
Address: Wellsville, KS 66092	
City/State/Zip: Wellsville, KS 66092 Contact Person: Douglas G. Evans	(Note: Locate well on the Section Plat on reverse side) County: Johnson
Phone: (785) 883-4057	Lease Name: Pretz Well #: 1-R
Phone:	Field Name: Gardner South
CONTRACTOR: License# 8509	Is this a Prorated / Spaced Field? Yes V No
Name: Evans Energy Development, Inc.	Target Formation(s): Bartlesville
Well Drilled For: Well Class: / Type Equipment:	Nearest Lease or unit boundary: 330'
Oil / Enh Rec / Infield Mud Rotary	Ground Surface Elevation: Na feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile: Yes ✓ No
OWWO Disposal Wildcat Cable	Public water supply well within one mile: Yes ✓ No
Seismic;# of Holes Other	Depth to bottom of fresh water: 100'
Other	Depth to bottom of usable water:
	Surface Pipe by Alternate: 1 2 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'
Operator:	Length of Conductor Pipe required: none Projected Total Depth: 900'
Well Name:	Formation at Total Depth: Bartlesville
Original Completion Date:Original Total Depth:	romation at lotal Depth
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations: Well
if Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
	If Yes, proposed zone:
	If Yes, proposed zone: RECEIVED RANSAS CORPORATION COMMISSION ugging of this well will comply with K.S.A. 55 et. seq.
AFFI	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION ugging of this well will comply with K.S.A. 55 et. seq.
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSIO
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	If Yes, proposed zone: IDAVIT IVANSAS CORPORATION COMMISSION RECEIVED KANSAS CORPORATION COMMISSION ROUTE 1 2006 Conservation division
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i>	If Yes, proposed zone: Comparison of this well will comply with K.S.A. 55 et. seq.
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone: DAVIT RECEIVED
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the driver.	If Yes, proposed zone: PACCIVED KANSAS CORPORATION COMMISSION Under the complete of the com
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug	If Yes, proposed zone: PACCIVED KANSAS CORPORATION COMMISSION Under the complete of the com
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION Under the property of the top; in all cases surface pinner to plugging; The underlying formation. The interior office on plug length and placement is necessary prior to plugging; The ged or production casing is cemented in; The deform below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION Underlying of this well will comply with K.S.A. 55 et. seq. NOV 2 7 2006 Conservation division The by circulating cement to the top; in all cases surface pinnermation. The underlying formation. The interior office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date.
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order	If Yes, proposed zone: PASCEIVED KANSAS CORPORATION COMMISSION Region of this well will comply with K.S.A. 55 et. seq. NOV 2 7 2006 Ch drilling rig; CONSERVATION DIVISION The by circulating cement to the top; in all cases surface pignificant and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION Under the proposed sense of the
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION Under the proposed sense of the
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" · Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of Date: November 27, 2006 Signature of Operator or Agent: For KCC Use ONLY	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION Under the proposed sense of the
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the surface will be notified before well is either plug. 5. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of Date: November 27, 2006 Signature of Operator or Agent: For KCC Use ONLY	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION Under the property of the top of the content of the
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the decompleted district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the November 27, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O91-23111-0000	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION Underlying of this well will comply with K.S.A. 55 et. seq. NOV 2 7 2006 Ch drilling rig; CONSERVATION DIVISION To by circulating cement to the top; in all cases surface pigmetric properties and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the description of the sequence of	IDAVIT WANSAS CORPORATION COMMISSION The drilling rig; CONSERVATION DIVISION In by circulating cement to the top; in all cases surface pipulating formation. In istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the decompleted district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the November 27, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O91-23111-0000	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION Under the proposed sense of the
The undersigned hereby affirms that the drilling, completion and eventual pleating agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the description of the surface pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of Date: November 27, 2006	IDAVIT KANSAS CORPORATION COMMISSION Conservation DIVISION The proposed growing of this well will comply with K.S.A. 55 et. seq. NOV 2 7 2006 Conservation DIVISION The proposed growing of this well will comply with K.S.A. 55 et. seq. NOV 2 7 2006 Conservation DIVISION The proposed growing of this well will comply with K.S.A. 55 et. seq. Conservation DIVISION The proposed growing of this well will comply the proposed growing of the proposed growing
The undersigned hereby affirms that the drilling, completion and eventual pleating agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the driving all unconsolidated materials plus a minimum of 20 feet into the drill the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of Date: November 27, 2006	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION Conservation Division The proposed set of this well will comply with K.S.A. 55 et. seq. NOV 2 7 2006 Conservation Division The proposed set of the top; in all cases surface pipuletinions The underlying formation. The underlying formation. The interpretation of the top; in all cases surface pipuletinions The underlying formation. The interpretation of the top; in all cases surface pipuletinions The underlying formation. The interpretation of the top; in all cases surface pipuletinions The underlying formation. The interpretation of the top; in all cases surface pipuletinions The underlying formation. The interpretation of the top; in all cases surface pipuletinions The plugging of this well will commission The underlying formation of the plugging of the plugging is completed; The interpretation of the top; in all cases surface pipuletinion of the plugging is completed; The interpretation of the top; in all cases surface pipuletinion of the plugging is completed; The interpretation of the top; in all cases surface pipuletinion of the plugging is completed; The interpretation of the top; in all cases surface pipuletinion of the plugging is completed; The interpretation of the top; in all cases surface pipuletinion of the plugging is completed; The interpretation of the top; in all cases surface pipuletinion of the plugging is completed; The interpretation of the top; in all cases surface pipuletinion of the plugging is completed; The interpretation of the top; in all cases surface pipuletinion of the plugging is completed; The interpretation of the plugging is the plugging is completed; The interpretation of the plugging is the plugging is the plugging the plugging is the
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the surface pipe and the description of the surface of the surface and the description of the surface	DAVIT RECEIVED KANSAS CORPORATION COMMISSION Reging of this well will comply with K.S.A. 55 et. seq. NOV 2 7 2006 Ch drilling rig; CONSERVATION DIVISION To by circulating cement to the top; in all cases surface pinnet to the underlying formation. Instrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the surface pipe and the description of the surface of the surface and the description of the surface	DAVIT KANSAS CORPORATION COMMISSION RECEIVED KANSAS CORPORATION COMMISSION Report of this well will comply with K.S.A. 55 et. seq. NOV 2 7 2006 Ch drilling rig; CONSERVATION DIVISION To by circulating cement to the top; in all cases surface pinnething the underlying formation. Instrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 091-23111-000	Location of Well: County: Johnson
Operator: D.E. Exploration, Inc.	
Lease: Pretz	2970 feet from ✓ E / W Line of Section
Well Number: 1-R	Sec. 31 Twp. 14 S. R. 23 Fast West
Field: Gardner South	_
Number of Acres attributable to well: QTR / QTR of acreage: SE SE SW	Is Section:
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

1					•	
	-		•			•
				,		•
				_		
	•	•		_	-	
ŀ			-			*
						· · · · · · ·
i						_
ŀ	•		•	•	•	•
	•	-	•		-	•
ł						•
		-				
	•					
						•
				1		
	•	-	•	•	•	•
i			•		-	•
						· · · · · · · · · · · · · · · · · · ·
	•		•	•		•
1						
						-
					•	•
	•				•	
	•				•	
				[:]		· ·
		· · · · · · · · · · · · · · · · · · ·	· 			· · · · · · · · · · · · · · · · · · ·
		· · · · · · · · · · · · · · · · · · ·	· 			· · · · · · · · · · · · · · · · · · ·
			· 			· · · · · · · · · · · · · · · · · · ·
		· · · · · · · · · · · · · · · · · · ·	· 			· · · · · · · · · · · · · · · · · · ·
			·			· · · · · · · · · · · · · · · · · · ·
			·			· · · · · · · · · · · · · · · · · · ·
			·			
			·			
			·			
			·			
			·			
			·			
			·			
			·			
			·			



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: D.E. Exploration, Inc.		License Number: 4567			
Operator Address: P.O. Box 128, Wellsville, KS 66092					
Contact Person: Douglas G. Evans			Phone Number: (785) 883 - 4057		
Lease Name & Well No.: Pretz 1-R		Pit Location (QQQQ):			
Type of Pit:	Pit is:		SESESW		
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 31 Twp. 14 R. 23 Fast West		
Settling Pit Drilling Pit	If Existing, date constructed:		330 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit			2970 Feet from 🗸 East / West Line of Section		
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Johnson County		
Is the pit located in a Sensitive Ground Water			Chloride concentration:mg/l		
is the pit located in a sensitive Ground water	Atea: 163 V		(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?	.	How is the pit lined if a plastic liner is not used?		
✓ Yes No	Yes 🗸		native clay		
Pit dimensions (all but working pits):			Width (feet) N/A: Steel Pits		
Depth fr	om ground level to de	epest point: 15	(feet) -		
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and determining ncluding any special monitoring.		
		west fresh water 12 feet. mation: LAKS (10)			
1882 feet Depth of water well	36 feet		redwell owner electric logKDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:		
Producing Formation: Type of materi		al utilized in drilling/workover: drilling mud			
Number of producing wells on lease: Number of wor		king pits to be utilized: 2			
Barrels of fluid produced daily: Abandonment		procedure: air dry and backfill			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		be closed within 365 days of spud date.			
November 27, 2006 Date I hereby certify that the above statements are true and correct to the best of my knowledge and belief. RECEIVED KANSAS CORPORATION COMMISSION NOV 2 7 2006 Signature of Applicant or Agent COMPENSATION DATE: A PROPERTY AND ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERT					
	V00	VEEICE HEE O	CONSERVATION DIVISION WICHITA, KS		
KCC OFFICE USE ONLY Date Received: U 27/0 ← Permit Number: Permit Date: U 27/0 ← Lease Inspection: Yes < No					