KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-t
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date	Spot
month day year	<u>SWSW - SE - NE Sec. 20 Twp. 23 S. R. 16 West</u>
30948	2520feet from V N / S Line of Section
OPERATOR: License# 30948 / Name: Harry Conley	1066 Feet from F W Line of Section
Address: 317 S. Highland	Is SECTION Regular Irregular?
Address: Chanute, KS 66720	•
City/State/Zip:	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Jerald Bolinger	County: Woodson Lease Name: Yoho Well #: 3
Phone: (918) 637-4059	
CONTRACTOR: License# 30948	Field Name: wildcat
Name: Harry Conley	Is this a Prorated / Spaced Field?
Name: ————	Target Formation(s): Squirrel
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 1,066'
✓ Oil ✓ Enh Rec Infield ✓ Mud Rotary ✓	Ground Surface Elevation: n/a feet MSL
	Water well within one-quarter mile:Yes ✓ No
	Public water supply well within one mile:
	Depth to bottom of fresh water: 100'
Seismic;# of Holes Other	Depth to bottom of usable water: 150'
Other	Surface Pipe by Alternate: 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40'
	Length of Conductor Pipe required: none
	Projected Total Depth: 1,100'
Well Name:	Formation at Total Depth: Squirrel
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well ✓ Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
	· · · · · · · · · · · · · · · · · · ·
KUTTINK L #e	Manual Corner he token?
KCC DKT #:	Will Cores be taken? Yes ✓ No
KCC DKT #:	If Yes, proposed zone:
AFFI	If Yes, proposed zone:
AFFI	If Yes, proposed zone:
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl	If Yes, proposed zone: DAVIT RECEIVED ugging of this well will comply with K.S.A. SCANSAS:CORPORATION COMMISS
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:	If Yes, proposed zone:
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	DAVIT Ugging of this well will comply with K.S.A. SCANSAS CORPORATION COMMISS NOV 2 7 2006
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	DAVIT Ugging of this well will comply with K.S.A. SCANSAS CORPORATION COMMISS NOV 2 7 2006
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. SCANSAS CORPORATION COMMISS NOV 2 7 2006 The drilling rig; the by circulating cement to the top; in all cases surface by circulating formation.
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the drilling of the surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the drilling of the surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the drilling of the surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the drilling of the surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the drilling of the surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the drilling of the surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the drilling of the surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below the surface pipe as sp	DAVIT ugging of this well will comply with K.S.A. SCANSAS CORPORATION COMMISS NOV 2 7 2006 ch drilling rig; by circulating cement to the top; in all cases surface by circulating cement to the top; in all cases surface by CHIA, KS. Scansas Corporation DIVISION in the underlying formation. istrict office on plug length and placement is necessary prior to plugging;
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug	DAVIT ugging of this well will comply with K.S.A. SCANSAS CORPORATION COMMISS NOV 2 7 2006 the drilling rig; by circulating cement to the top; in all cases surface properties are underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and to 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement	DAVIT ugging of this well will comply with K.S.A. SCANSAS CORPORATION COMMISS NOV 2 7 2006 th drilling rig; by by circulating cement to the top; in all cases surface by circulating cement to the top; in all cases surface by circulating set in the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date.
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order	DAVIT ugging of this well will comply with K.S.A. SCANSAS CORPORATION COMMISS NOV 2 7 2006 the drilling rig; the by circulating cement to the top; in all cases surface pipe set in the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it	DAVIT ugging of this well will comply with K.S.A. ***CANSAS***CORPORATION COMMISS** NOV 2 7 2006 The drilling rig; the by circulating cement to the top; in all cases surface programs of the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate It cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order	DAVIT ugging of this well will comply with K.S.A. ***CANSAS***CORPORATION COMMISS** NOV 2 7 2006 The drilling rig; the by circulating cement to the top; in all cases surface programs of the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate It cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill shall be posted on each through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the drilling that the set of the appropriate district office will be notified before well is either plug for the sum of the drilling that the statements of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of	DAVIT ugging of this well will comply with K.S.A. ***CANSAS***CORPORATION COMMISS** NOV 2 7 2006 The drilling rig; the by circulating cement to the top; in all cases surface programs of the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate It cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the foundation of the surface of the specified before well is either plug for the surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of	DAVIT ugging of this well will comply with K.S.A. SCANSAS CORPORATION COMMISS NOV 2 7 2006 The drilling rig; the by circulating cement to the top; in all cases surface biperation division istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate It cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the well is dry hole, an agreement between the operator and the search of the searc	DAVIT ugging of this well will comply with K.S.A. SCANSAS CORPORATION COMMISS NOV 2 7 2006 The drilling rig; the by circulating cement to the top; in all cases surface production project on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to:
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the Dest of Date: November 27, 2006 Signature of Operator or Agent: For KCC Use ONLY	DAVIT ugging of this well will comply with K.S.A. SCANSAS CORPORATION COMMISS NOV 2 7 2006 ch drilling rig; by by circulating cement to the top; in all cases surface by child a set on the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate It cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of 5. The appropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the later of the well shall be completed. I hereby certify that the statements made herein are true and to the Dest of Date: November 27, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 207 - 27092 - 0000	DAVIT ugging of this well will comply with K.S.A. **CANSAS***CORPORATION COMMISS** NOV 2 7 2006 The drilling rig; the by circulating cement to the top; in all cases surface production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate It cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. **Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACC-1 within 120 days of spud date.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office of intent to drill <i>shall be</i> posted on each and the district office of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug of the sum appropriate district office will be notified before well is either plug of the sum appropriate district office will be notified before well is either plug of the sum appropriate district office will be notified before well is either plug of the sum appropriate district office will be notified before well is either plug of the sum appropriate district office will be notified before well is either plug of the sum appropriate district office will be notified before well is either plug of the sum appropriate district office will be notified before well is either plug of the sum appropriate district office will be notified before well is either plug of the sum appropriate district office will be notified before well is either plug of the sum appropriate district office will be notified before well is either plug of the sum appropriate district office will be notified before well is either plug of the sum appropriate district office will be notified before well is either plug of the sum appropriate district office will be notified before well is either plug of the sum appropriate district office will be notified before well is either plug of the sum appropriate district office will be notified before well is either plug of the sum appropriate district office will be notified before well is either plug of the sum appropriate district office will be notified before well is either plug of the sum appropriate district office will be notified before well is	DAVIT ugging of this well will comply with K.S.A. SCANSAS CORPORATION COMMISS NOV 2 7 2006 ch drilling rig; the by circulating cement to the top; in all cases surface biperation division in the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an an amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into	DAVIT ugging of this well will comply with K.S.A. SCALSAS CORPORATION COMMISS NOV 2 7 2006 ch drilling rig; by circulating cement to the top; in all cases surface production described in the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set int	DAVIT ugging of this well will comply with K.S.A. SCANSAS CORPORATION COMMISS NOV 2 7 2006 ch drilling rig; the by circulating cement to the top; in all cases surface biperation division in the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the surface district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the later by certify that the statements made herein are true and to the best of the plant is provided by the statements of the plant of	DAVIT ugging of this well will comply with K.S.A. ***CANSAS***CORPORATION COMMISS** NOV 2 7 2006 ch drilling rig; by circulating cement to the top; in all cases surface production production. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate It cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. **File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plants is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the surface district office will be notified before well is either plug for the surface as under the description of the surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of the surface pipe required. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 207 - 27 092 - 0000 Conductor pipe required. Minimum surface pipe required. Minimum surface pipe required. Approved by: Lith 1/-2 7-06 This authorization expires: 5-2 7-07	DAVIT ugging of this well will comply with K.S.A. SCANSAS CORPORATION COMMISS NOV 2 7 2006 ch drilling rig; If by circulating cement to the top; in all cases surface production production. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the surface pipe as specified before well is either plug for a purpopriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of the plants of the plants. For KCC Use ONLY API # 15 - 207 - 27 092 - 0000 Conductor pipe required	DAVIT ugging of this well will comply with K.S.A. **CANSAS***CORPORATION COMMISS** NOV 2 7 2006 ch drilling rig; th by circulating cement to the top; in all cases surface provided in the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. I my knowledge and belief. **File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the	If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. SCANSAS CORPORATION COMMISS NOV 2 7 2006 ch drilling rig; If by circulating cement to the top; in all cases surface provided by circulating cement to the top; in all cases surface provided by circulating cement to the top; in all cases surface provided by set within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate It cementing be plugged. In all cases, NOTIFY district office prior to any cementing. #133,891-C, which applies to the KCC District 3 area, alternate It cementing be plugged. In all cases, NOTIFY district office prior to any cementing. #134,891-C, which applies to the KCC District 3 area, alternate It cementing be plugged. In all cases, NOTIFY district office prior to any cementing. #135,891-C, which applies to the KCC District 3 area, alternate It cementing be plugged. In all cases, NOTIFY district office prior to any cementing. #145 Agent #156 Completion Form ACO-1 within 120 days of spud date; #157 File Completion Form ACO-1 within 120 days of spud date; #158 File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. #157 If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plants is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the surface pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of the plants. November 27, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 207 - 27 092 - 0000 Conductor pipe required	DAVIT ugging of this well will comply with K.S.A. **CANSAS***CORPORATION COMMISS** NOV 2 7 2006 ch drilling rig; th by circulating cement to the top; in all cases surface provided in the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. I my knowledge and belief. **File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 207-27092-0000	Location of Well: County: Woodson
Operator: Harry Conley	
Lease: Yoho	1066 feet from VE / W Line of Section
Well Number: 3	Sec. 20 Twp. 23 S. R. 16 ✓ East Wes
Field: wildcat	
Number of Acres attributable to well:	Is Section: ✓ Regular or ☐ Irregular
QTR / QTR / QTR of acreage: SE NE	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

			T	
	: :	•		
		•	l ·	
		-	-	
• • •				
		•		
1	•	•	•	
<u> </u>			-	'.
			•	
	•		•	
	•	•		
	:	: 		· · · · · · · · · · · ·
				· · · · · · · · · · · ·
				· · · · · · · · · · · · · · · · · · ·
		:		· · · · · · · · · · · · · · · · · · ·
		: : 		· · · · · · · · · · · · · · · · · · ·



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Harry Conley		License Number: 30948			
Operator Address: 317 S. Highland, Chanute, KS 66720					
Contact Person: Jerald Bolinger		Phone Number: (918) 637 -4059			
Lease Name & Well No.: Yoho #3		Pit Location (QQQQ):			
Type of Pit:	Pit is:		SW SE NE		
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 20 Twp. 23 R. 16		
Settling Pit	If Existing, date constructed:		2520 Feet from 🗸 North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		1066 Feet from 🗸 East / Nest Line of Section		
(If WP Supply API No. or Year Drilled)	150	(bbls)	Woodson County		
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes ✓		Chloride concentration: mg/l		
	Auto-t-113mmo		(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Yes No	Artificial Liner? Yes ✓	No	How is the pit lined if a plastic liner is not used? native clay		
50 4	20	8			
Pit dimensions (all but working pits): 20 Length (feet) 8 Width (feet) N/A: Steel Pits Depth from ground level to deepest point: 4 (feet)					
		I	to-threadens for		
			Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.		
			0		
Distance to nearest water well within one-mile	e of pit	Depth to shallo Source of infor	west fresh waterfeet.		
N/A feet Depth of water well	feet	Γ			
		Drilling, Work	measured well owner electric log KDWR Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation:		Type of materia	pe of material utilized in drilling/workover: drilling mud		
Number of producing wells on lease: Number of		i	umber of working pits to be utilized: 2		
Barrels of fluid produced daily:		Abandonment procedure: air dry and backfill			
Does the slope from the tank battery allow all spilled fluids to		Drill nite must l	pe closed within 365 days of spud date.		
flow into the pit? Yes No Drill pits must be closed			RECEIVED Information and belief KANSAS CORPORATION COMMISS		
I hereby certify that the above state	ements are true and o	correct to the best	of thy knowledge did belief.		
NOV 2 7 2006					
November 27, 2006 Wonna Manda CONSERVATION DIVISION Date Signature of Applicant or Agent WICHITA, KS					
KCC OFFICE USE ONLY					
ROC OFFICE USE ORLI					
Date Received: \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\					