For KCC Use:	12.2.00
Effective Date:_,	12-3-06
District #	5
SGA? Yes	<b>X</b> №

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

	Spot	<b>✓</b> East
month day year	<u> </u>	5. R. <u>21</u>
PERATOR: License# 32634		S Line of Section
ama. Kent Off Cameron.	Teet from VE/	W Line of Section
ddagaa 32147 NE 17000 Road	is SECTION   ✓ Regular.  Irregular?	
ity/State/Zip: Garnett, KS 66032	(Note: Locate well on the Section Plat on re-	verse side)
ontact Person: Cameron Kent	County: Anderson	
hone: (785) 204-1555	Lease Name: Talbot	Well #: 5
31708	Field Name: Centerville	
UNITACTOR: License#	Is this a Prorated / Spaced Field?	Yes ✓ No
ame: David Kimzey dha Ensminger-Kimzey	Target Formation(s): Bartlesville	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 250'	···
✓ Oil ✓ Enh Rec ✓ Infield ✓ Mud Rotary	Ground Surface Elevation: n/a	feet MSL
	Water well within one-quarter mile:	Yes ✓ No
	Public water supply well within one mile:	Yes ✓ No
	Depth to bottom of fresh water.	
Seismic;# of Holes Other	Depth to bottom of usable water: 125+	
	Surface Pipe by Alternate: 1 2	-
OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'	
Operator:	Length of Conductor Pipe required: none	· · · · · · · · · · · · · · · · · · ·
Well Name:	Projected Total Depth: 800'	
Original Completion Date:Original Total Depth:	Tomation at total Depth.	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:	
	Well Farm Pond Other haul	
Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR	
(CC DKT #:	Will Cores be taken?	Yes ✓ No
	If Yes, proposed zone:	
AFFI	DAVIT	
he undersigned hereby affirms that the drilling, completion and eventual place	ugging of this well will comply with K.S.A. 55 et. seq.	
is agreed that the following minimum requirements will be met:		
Notify the appropriate district office prior to spudding of well;		
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i></li> </ol>		pipe <b>shall be set</b>
<ol> <li>A copy of the approved notice of intent to drill shall be posted on eac</li> <li>The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into th</li> </ol>	t by circulating cement to the top; in all cases surface in underlying formation.	
<ol> <li>A copy of the approved notice of intent to drill shall be posted on eac</li> <li>The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into th</li> <li>If the well is dry hole, an agreement between the operator and the discountries.</li> </ol>	t by circulating cement to the top; in all cases surface ne underlying formation. istrict office on plug length and placement is necessary	
<ol> <li>A copy of the approved notice of intent to drill shall be posted on eac</li> <li>The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into th</li> <li>If the well is dry hole, an agreement between the operator and the d</li> <li>The appropriate district office will be notified before well is either plug</li> </ol>	t by circulating cement to the top; in all cases surface ne underlying formation. istrict office on plug length and placement is necessary ged or production casing is cemented in;	prior to plugging;
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the street of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for the ALTERNATE II COMPLETION, production pipe shall be cemented.</li> </ol>	t by circulating cement to the top; in all cases surface ne underlying formation. istrict office on plug length and placement is necessary ged or production casing is cemented in; ed from below any usable water to surface within 120 or	prior to plugging;
<ol> <li>A copy of the approved notice of intent to drill shall be posted on eac</li> <li>The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into th</li> <li>If the well is dry hole, an agreement between the operator and the d</li> <li>The appropriate district office will be notified before well is either plug</li> </ol>	t by circulating cement to the top; in all cases surface to underlying formation. istrict office on plug length and placement is necessary ged or production casing is cemented in; and from below any usable water to surface within 120 of #133,891-C, which applies to the KCC District 3 area,	prior to plugging; lays of spud date. alternate II cementing
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the seth of the well is dry hole, an agreement between the operator and the description of the appropriate district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be demented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to</li> </ol>	It by circulating cement to the top; in all cases surface the underlying formation. It is instruct office on plug length and placement is necessary ged or production casing is cemented in; the ed from below any usable water to surface within 120 of #133,891-C, which applies to the KCC District 3 area, the plugged. In all cases, NOTIFY district office prior	prior to plugging; lays of spud date. alternate II cementing
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the sether of the</li></ol>	t by circulating cement to the top; in all cases surface the underlying formation. istrict office on plug length and placement is necessary ged or production casing is cemented in; and from below any usable water to surface within 120 of #133,891-C, which applies to the KCC District 3 area, the plugged. In all cases, NOTIFY district office prior from knowledge and belief.	prior to plugging; lays of spud date. alternate II cementing
<ol> <li>A copy of the approved notice of intent to drill shall be posted on eac</li> <li>The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into th</li> <li>If the well is dry hole, an agreement between the operator and the d</li> <li>The appropriate district office will be notified before well is either plug</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order</li> </ol>	t by circulating cement to the top; in all cases surface the underlying formation. istrict office on plug length and placement is necessary ged or production casing is cemented in; and the form below any usable water to surface within 120 of #133,891-C, which applies to the KCC District 3 area, the plugged. In all cases, NOTIFY district office prior in my knowledge and belief.	prior to plugging; lays of spud date. alternate II cementing
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the the statements made herein are true and to the best of</li> </ol>	It by circulating cement to the top; in all cases surface the underlying formation. It is is is is is is common to the top; in all cases surface the underlying formation. It is is is common to the c	prior to plugging; lays of spud date. alternate II cementing
A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the description 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the spud date:    November 28, 2006	t by circulating cement to the top; in all cases surface the underlying formation. It is is is is considered in the constant of the constant o	prior to plugging; days of spud date. alternate II cementing to any cementing.
A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the description of the second of t	t by circulating cement to the top; in all cases surface the underlying formation. It is is is is compared to the top; in all cases surface the underlying formation. It is is is compared to the compared to	prior to plugging; days of spud date. alternate II cementing to any cementing.
2. A copy of the approved notice of intent to drill shall be posted on each of the second of the se	t by circulating cement to the top; in all cases surface the underlying formation. It is is is is considered in the constant of the constant o	rprior to plugging; days of spud date. alternate II cementing to any cementing.
A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the description of the second of t	t by circulating cement to the top; in all cases surface the underlying formation. It is is is is complete on plug length and placement is necessary ged or production casing is cemented in; the difference of the complete o	rprior to plugging; days of spud date. alternate II cementing to any cementing.  rill; d date; ion orders;
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the spud state.    November 28, 2006	t by circulating cement to the top; in all cases surface the underlying formation. Strict office on plug length and placement is necessary ged or production casing is cemented in; the deform below any usable water to surface within 120 to \$\pi\$133,891-C, which applies to the KCC District 3 area, the plugged. In all cases, NOTIFY district office prior in the knowledge and belief.    Title: Agent	rplor to plugging; days of spud date. alternate II cementing to any cementing.  rill; d date; ion orders; rkover or re-entry; pleted;
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the description of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the post of the spud state of the statements of the complete of the spud state of the statements of the spud state of the sp	t by circulating cement to the top; in all cases surface the underlying formation. Strict office on plug length and placement is necessary ged or production casing is cemented in; the deform below any usable water to surface within 120 to \$\pi\$133,891-C, which applies to the KCC District 3 area, the plugged. In all cases, NOTIFY district office prior to my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Description of the prior of the prior of the properties of the prior of the properties of the properties of the prior of the properties of th	rprior to plugging;  lays of spud date. alternate II cementing to any cementing.  rill; d date; ion orders; rkover or re-entry; pleted; salt water.
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the description of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the content of the post of the spud date or the well shall the statements of the content of the post of the spud date or the well shall the statements of the spud date or the spud date	t by circulating cement to the top; in all cases surface the underlying formation. Strict office on plug length and placement is necessary ged or production casing is cemented in; ed from below any usable water to surface within 120 to #133,891-C, which applies to the KCC District 3 area, the plugged. In all cases, NOTIFY district office prior my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Description form ACO-1 within 120 days of spuring appropriate district office 48 hours prior to wo submit plugging report (CP-4) after plugging is comeditation. Obtain written approval before disposing or injecting of this permit has expired (See: authorized expiration).	rprior to plugging; days of spud date. alternate II cementing to any cementing.  rill; d date; ion orders; rkover or re-entry; pleted; salt water. date) please
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the description of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the post of the spud state of the statements of the complete of the spud state of the statements of the spud state of the sp	t by circulating cement to the top; in all cases surface in underlying formation. istrict office on plug length and placement is necessary ged or production casing is cemented in; ed from below any usable water to surface within 120 of #133,891-C, which applies to the KCC District 3 area, the plugged. In all cases, NOTIFY district office prior in my knowledge and belief.  **Title: Agent**  **Remember to:* - File Drill Pit Application (form CDP-1) with Intent to District according to field proration. Notify appropriate district office 48 hours prior to wo Submit plugging report (CP-4) after plugging is come. Obtain written approval before disposing or injecting.	rprior to plugging; days of spud date. alternate II cementing to any cementing.  rill; d date; ion orders; rkover or re-entry; pleted; salt water. date) please
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the place.  Signature of Operator or Agent:  November 28, 2006  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - OO3 - 24385- OOOO  Conductor pipe required	t by circulating cement to the top; in all cases surface the underlying formation. Strict office on plug length and placement is necessary ged or production casing is cemented in; ed from below any usable water to surface within 120 to #133,891-C, which applies to the KCC District 3 area, the plugged. In all cases, NOTIFY district office prior my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Description form ACO-1 within 120 days of spuring appropriate district office 48 hours prior to wo submit plugging report (CP-4) after plugging is comeditation. Obtain written approval before disposing or injecting of this permit has expired (See: authorized expiration).	rprior to plugging; days of spud date. alternate II cementing to any cementing.  rill; d date; ion orders; rkover or re-entry; pleted; salt water. date) please
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the description of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the post of the spud date of the specific of the spud date of the well shall the statements made herein are true and to the best of the specific of the spud date of the well shall the specific of the specific of the spud date of the well shall the specific of the specific of the spud date of the well shall the specific of the spec	t by circulating cement to the top; in all cases surface the underlying formation. It is increased to the control of the contr	rprior to plugging; days of spud date. alternate II cementing to any cementing.  rill; d date; ion orders; rkover or re-entry; pleted; salt water. date) please

NOV 2 8 2006

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 003-24385-0220	Location of Well: County: Anderson
Operator: Kent Oil	1775feet fromN / ✓ S _Line of Section
Lease: Talbot	2890 feet from ✓ E / W Line of Section
Well Number: 5 Field: Centerville	Sec. 10 Twp. 21 S. R. 21 VEast Wes
Number of Acres attributable to well:  QTR / QTR / QTR of acreage:  NESE - NE - SW	Is Section:  Regular or Irregular  If Section is Irregular, locate well from nearest corner boundary.  Section corner used:  NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

┧ .	. ,				
				•	
İ					
					-
•		•			
i '		•	•	-	•
1		•			*
1					
,			•	•	•
					•
	• •	-			
1					
		•			•
	. ,	·		•	•
1 .					
		-		•	
ì	•				
		-			
1	•	,	•	•	•
•	•	•	•	•	•
		•			•
1					
			•		•
.			-		-
	•				•
					*
1			• • • • •		
l .			_		
	•	_		•	_
1	•	-	•	•	-
1	•	•	•	•	•



NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, $you\ must\ show$ :

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Kent Oil		License Number: 32634			
Operator Address: 32147 NE 1700 Road, Garnett, KS 66032					
Contact Person: Cameron Kent		Phone Number: ( 785 ) 204 - 1555			
Lease Name & Well No.: Talbot 5			Pit Location (QQQQ):		
Type of Pit:	Pit is:		NE SE NE SW		
Emergency Pit Burn Pit	Proposed Existing		Sec. 10 <sub>Twp.</sub> 21 <sub>R.</sub> 21		
Settling Pit	If Existing, date constructed:		1775 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		2890 Feet from 🗸 East / 🗌 West Line of Section		
(If WP Supply API No. or Year Drilled)	140	(bbls)	Anderson County		
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes ✓	No	Chloride concentration: mg/l		
	T		(For Emergency Pits and Settling Pits only)		
is the bottom below ground level?	Artificial Liner? Yes 7	No	How is the pit lined if a plastic liner is not used?		
learn Land			<u> </u>		
Pit dimensions (all but working pits):1			Width (feet) N/A: Steel Pits		
Depth fr	rom ground level to de	epest point: 5	(feet)		
			edures for periodic maintenance and determining ncluding any special monitoring.		
		Depth to shallo Source of infor	owest fresh waterfeet.		
NA feet Depth of water wellfeet		measu	uredwell owner electric logKDWR		
Emergency, Settling and Burn Pits ONLY:		-	over and Haul-Off Pits ONLY:		
Producing Formation:	MAYER	Type of materi	al utilized in drilling/workover: drilling mud		
Number of producing wells on lease:		Number of wor	Number of working pits to be utilized: 2		
Barrels of fluid produced daily:	<u> </u>	Abandonment	procedure: air dry and backfill		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
November 28, 2006  Date  Owner Signature of Applicant or Agent					
KCC OFFICE USE ONLY					
Date Received: 11 28 06 Permit Number: Permit Date: 11 28 06 Lease Inspection: Yes 1 No					

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 6720FECEIVED KANSAS CORPORATION COMMISSION

NOV 2 8 2006