For KCC Use: Effective Date: District # SGA? ☐ Yes ☑ No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

Expected Spud DateDecember 5, 2006	Spot ✓ East
month day year	E2W2 - E2 - SW Sec. 28 Two. 14 S. R. 22 West
ODER 4700 1 1 4567	1320 feet from N / S Line of Section
OPERATOR: License# 4567 Name: D.E. Exploration, Inc.	3520feet from F W Line of Section
P.O. Box 128	Is SECTION Regular Irregular?
Address: Wellsville, KS 66092 KANSAS CORPORATION COMMISSION COMMIS	ON (Note: Locate well on the Section Plat on reverse side)
Contact Person, Douglas G. Evans NOV 2 0 2006	County: Johnson
Phone: (785) 883-4057	Lease Name. Gardner Holding Well # 1-12
CONSERVATION DIVISION	Field Name: Gardner Holding
CONTRACTOR: License# 8509 WICHTA, KS	Is this a Prorated / Spaced Field?
Name: Evalls Ellergy Development, IIIc.	Target Formation(s): Bartlesville
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 880'
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: Ma feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
OWWO Disposal Wildcat Cable	Public water supply well within one mile:
Seismic; # of Holes Other	Depth to bottom of fresh water: 250+ Depth to bottom of usable water: 300+
Other	Surface Pipe by Alternate: 1 2
M CANDIO. Ald well lefe and he are City and	Length of Surface Pipe Planned to be set: 20'
If OWWO: old well information as follows:	Length of Conductor Pipe required: none
Operator:	Projected Total Depth: 950'
Original Completion Date:Original Total Depth:	Formation at Total Depth: Bartlesville
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
AFFI	DAVIT
The undersigned hereby affirms that the drilling, completion and eventual place	ugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:	
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second o	t by circulating cement to the top; in all cases surface pipe shall be set be underlying formation.
 The appropriate district office will be notified before well is either plug If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order 	ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed.	ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief.
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to hereby certify that the statements made herein are true and to the best of	ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief.
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be in hereby certify that the statements made herein are true and to the best of Date: November 30, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O9/-23/1/3-DOW Conductor pipe required None feet Minimum surface pipe required feet per Alt.	ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. Title: Agent
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be inhereby certify that the statements made herein are true and to the best of Date: November 30, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 09/-23/13-0000 Conductor pipe required Now feet per Alt. (2) Approved by: WW 11-30-06	ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: November 30, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O9/-23/1/3-000 Conductor pipe required Now feet Minimum surface pipe required feet per Alt. (2) Approved by: WW 1+30-06 This authorization expires: 5-30-07	ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be inhereby certify that the statements made herein are true and to the best of Date: November 30, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 09/-23/1/3-000 Conductor pipe required Now feet per Alt. Approved by: **W 1+ 30-06**	ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: November 30, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O9/-23/1/3-000 Conductor pipe required Now feet Minimum surface pipe required feet per Alt. (2) Approved by: WW 1+30-06 This authorization expires: 5-30-07	ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 091-23113-0000	Location of Well: County: Johnson
Operator: D.E. Exploration, Inc.	1320 feet from N / S Line of Section
Lease: Gardner Holding	3520 feet from 🗸 E / W Line of Section
Well Number: 1-12 Field: Gardner Holding	Sec. 28 Twp. 14 S. R. 22 ✓ East Wes
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR / QTR / QTR of acreage: E2W2 - E2 - SW	If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

1			
		•	
		•	
	•	•	•
1			
	•	•	•
		•	
1			•
1			
1			
		•	
	•	-	•
1 .	_		
,	•	•	•
	•		•
		•	_
		-	
		-	· ·
-		-	
,			
•	•	•	
		•	
1			
1			
1			· · · · · · ·
1			
		•	•
1 .			
1			
1			
	•	•	•
1 .			_
1	•		
		• •	
1			
1			
1			
1			
	•	•	•
1 ,			
1			
· ·		•	



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: D.E. Exploration, Ir	ıc.		License Number: 4567
Operator Address: P.O. Box 128, V	Vellsville, KS	66092	
Contact Person: Douglas G. Evans		Phone Number: (785) 883 - 4057	
Lease Name & Well No.: Gardner Holding I-12		Pit Location (QQQQ):	
Type of Pit:	Pit is:		E2W2E2SW
Emergency Pit Burn Pit	 Proposed	Existing	Sec. 28 Twp. 14 R. 22
Settling Pit	If Existing, date co	onstructed:	1320 Feet from North / South Line of Section
Workover Pit Haul-Off Pit			3520 Feet from ✓ East / West Line of Section
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbis)	Johnson County
Is the pit located in a Sensitive Ground Water		No (100)	Chloride concentration: mg/l
	Ţ	<u> </u>	(For Emergency Pits and Settling Pits only)
Is the bottom below ground level? Yes No	Artificial Liner? Yes	No	How is the pit lined if a plastic liner is not used? native clay
Pit dimensions (all but working pits):			j
Depth fi	rom ground level to de	epest point: 13	edures for periodic maintenance and determine CEIVED notuding any special monitoring.
If the pit is lined give a brief description of the material, thickness and installation procedure		liner integrity, i	ncluding any special monitoring.
			CONSERVATION DIVISION
Distance to nearest water well within one-mile	e of pit		CONSERVATION DIVISION
Distance to nearest water well within one-mile		Depth to shalld Source of info	west fresh water
,	2/7 feet	Depth to shallo Source of info	west fresh water SO feet / mation: well owner electric log KDWR
3116 feet Depth of water well	2/7 feet	Depth to shalld Source of information measure. Drilling, Work	WICHITA, KS west fresh water feet / mation: electric log KDWR
31/6 feet Depth of water well Emergency, Settling and Burn Pits ONLY:	2/7 feet	Depth to shalld Source of information measurements Drilling, Work Type of materi	west fresh water feet / mation: well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: drilling! mud king pits to be utilized: 2
31/6 feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation:	2/7 feet	Depth to shalld Source of information measurements Drilling, Work Type of materi	west fresh water feet / mation: well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: drillingl mud
31/6 feet Depth of water well	2/7 feet	Depth to shalk Source of informers. Drilling, Work Type of materi Number of work Abandonment	west fresh water feet / mation: well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: drilling! mud king pits to be utilized: 2
Barrels of fluid produced daily: Depth of water well	2/7 feet	Depth to shalk Source of informers. Drilling, Work Type of materi Number of work Abandonment. Drill pits must	west fresh water feet / mation:
Barrels of fluid produced daily: Does the slope from the tank battery allow alflow into the pit?	2/7 feet	Depth to shallo Source of informers. Drilling, Work Type of materia Number of work Abandonment. Drill pits must correct to the best Correct.	west fresh water feet / mation:
Barrels of fluid produced daily: Does the slope from the tank battery allow al flow into the pit? November 30, 2006	2/7 feet I spilled fluids to ements are true and c	Depth to shallo Source of informers. Drilling, Work Type of materia Number of work Abandonment. Drill pits must correct to the best Correct.	west fresh water

KANSAS

CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR BRIAN J. MOLINE, CHAIR ROBERT E. KREHBIEL, COMMISSIONER MICHAEL C. MOFFET, COMMISSIONER

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.