For KCC Use: 12-5-06 Effective Date: District # _____ SGA? Yes No

Kansas Corporation Commission **OIL & GAS CONSERVATION DIVISION**

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed

Must be approved by KCC five	5) days prior to commencing well	
Expected Spud Date December 5, 2006 month day year	Spot	East Vest
OPERATOR: License# 4567	1320 / feet from N / S Line of Section	
Name: D.E. Exploration, Inc.	4400 feet from VE / W Line of Section	
Address: P.O. Box 128	Is SECTION ✓ RegularIrregular?	
Address:	•	
Contact Person: Douglas G. Evans	(Note: Locate well on the Section Plat on reverse side) County: Johnson	
Phone: (785) 883-4057	Lease Name: Gardner Holding Well #: I-14	
	Field Name: Gardner Holding	
CONTRACTOR: License# 8509	Is this a Prorated / Spaced Field?	
Name: Evans Energy Development, Inc.	Target Formation(s): Bartlesville	ווס .
	Nearest Lease or unit boundary: 1,320'	
Well Drilled For: / Well Class: Type Equipment:	Ground Surface Elevation: Na feet	MSI
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile: Yes ✓	
☐Gas ☐ Storage ☐ Pool Ext. ✓ Air Rotary	Public water supply well within one mile:	
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 250+	
Seismic; # of Holes Other	Depth to bottom of usable water: 300+	
Other	Surface Pipe by Alternate: 1 1 2	
16 Charles Co. and small information on followers	Length of Surface Pipe Planned to be set: 20'	
If OWWO: old well information as follows:	Length of Conductor Pipe required: none	
Operator:	Projected Total Depth: 950'	
Well Name:	Formation at Total Depth: Bartlesville	
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well ✓ Farm Pond Other	
If Yes, true vertical depth:	DWR Permit #:	_
Bottom Hole Location:	(Note: Apply for Permit with DWR)	
	(Note: ripply for Comme with Britis	
KCC DKT #:	Will Cores he taken?	No
KCC DKT #:	Will Cores be taken? Yes V	
	Bronn	
AFFI	If Yes, proposed zone: KANSAS CORPORATION C	-
AFFI	If Yes, proposed zone: KANSAS CORPORATION C	-
AFFII The undersigned hereby affirms that the drilling, completion and eventual plu	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. NOV 3 0 200	O COMMISSION D6
AFFII The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE If COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order in	If Yes, proposed zone: KANSAS CORPORATION CONSERVATION DIVISION OF CONSERVATION DIVISION DIVISIONE DIVISION DIVISIONE DIVISIONI DIVISIONI DIVISIONI DIVISIONI DIVISIONI	O OMMISSION SION g;
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of	DAVIT Ligging of this well will comply with K.S.A. 55 et. seq. NOV 3 0 200 CONSERVATION DIVIS The drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. Strict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cements are plugged. In all cases, NOTIFY district office prior to any cementing. The material of the set of the control of the prior to any cementing and knowledge and belief.	O OMMISSION SION g;
AFFII The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be the production of the shall be the post of the spud that the statements made herein are true and to the post of	If Yes, proposed zone: KANSAS CORPORATION CONSERVATION DIVISION OF THE CONSERVATION OF	O OMMISSION SION g;
AFFII The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be the production of the shall be the post of the spud that the statements made herein are true and to the post of	DAVIT Ligging of this well will comply with K.S.A. 55 et. seq. NOV 3 0 200 CONSERVATION DIVIS WICHITA KS of the drilling rig; the drilling rig; the underlying formation. Strict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cemente plugged. In all cases, NOTIFY district office prior to any cementing.	O OMMISSION SION g;
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE If COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be a completed. It hereby certify that the statements made herein are true and to the best of the post of the	DAVIT Ligging of this well will comply with K.S.A. 55 et. seq. NOV 3 0 200 CONSERVATION DIVIS WICHITA KS of the drilling rig; WICHITA KS of the underlying formation. Strict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cemente plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;	O OMMISSION SION g;
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the difference of the set of	DAVIT Ligging of this well will comply with K.S.A. 55 et. seq. NOV 3 0 200 CONSERVATION DIVIS WICHITA KS of the drilling rig; Wichita KS of the conclusion comment to the top; in all cases surface pipe shall be set to e underlying formation. Strict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cements on the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	O OMMISSION SION g;
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE If COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of Date: November 30, 2006 Signature of Operator or Agent: For KCC Use ONLY	DAVIT Ligging of this well will comply with K.S.A. 55 et. seq. NOV 3 0 200 CONSERVATION DIVIS WICHITA KS of the drilling rig; Wichita KS of the conclusion companies of the conclusion of the top; in all cases surface pipe shall be set of the underlying formation. Strict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	O OMMISSION SION g;
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the dience of the specified before well is either pluging. 5. The appropriate district office will be notified before well is either pluging. 6. If an ALTERNATE If COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be the intensity of the spud date or the well shall be the intensity of the spud date or the well shall be the intensity of the spud date or the well shall be the intensity of the spud date or the well shall be the intensity of the spud date or the well shall be the intensity of the spud date or the well shall be the intensity of the spud date or the well shall be the intensity of the spud date or the well shall be the intensity of the spud date or the well shall be the intensity of the spud date or the well shall be the intensity of the spud date or the well shall be the intensity of the spud date or the well shall be the intensity of the spud date or the well shall be the intensity of the spud date or the well shall be the spud date or the well shall be the intensity of the spud date or the well shall be the spud date or the well shall be the spud date. For KCC Use ONLY API # 15 - O91 - 33 1/5 - 0000	DAVIT Ligging of this well will comply with K.S.A. 55 et. seq. NOV 3 0 200 CONSERVATION DIVIS WICHITA KS of the drilling rig; Wichita KS of the conclusion comment to the top; in all cases surface pipe shall be set to e underlying formation. Strict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cements on the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	O OMMISSION SION g;
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE If COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of Date: November 30, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 291 - 231/5 - Cood Conductor pipe required feet per Alt. X 2	DAVIT Ligging of this well will comply with K.S.A. 55 et. seq. NOV 3 0 200 CONSERVATION DIVIS The drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. Strict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	O OMMISSION SION g;
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the displayment of the surface of the surf	If Yes, proposed zone: KANSAS CORPORATION CONSERVATION DIVISION OF The drilling rig; In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. Strict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cemer to plugged. In all cases, NOTIFY district office prior to any cementing. If Itle: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.	O OMMISSION SION g;
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the drill the well is dry hole, an agreement between the operator and the displayment. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE If COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: November 30, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 091-331/5-000 Conductor pipe required	If Yes, proposed zone: KANSAS CORPORATION CONSERVATION DIVISION OF THE PROPERTY OF THE PROPER	O OMMISSION SION g;
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is different and the different plug of the surface will be notified before well is either plug of the appropriate district office will be notified before well is either plug or pursuant to Appendix "B" - Eastern Kansas surface casing order in must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: November 30, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15	If Yes, proposed zone: CANSAS CORPORATION CONSERVATION DIVISION of this well will comply with K.S.A. 55 et. seq. NOV 3 0 200 CONSERVATION DIVISION of the drilling rig; If yo circulating cement to the top; in all cases surface pipe shall be set to underlying formation. Strict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. It is all cases, NOTIFY district office prior to any cementing. The plugged. In all cases, NOTIFY district office prior to any cementing. The completion form ACO-1 within 120 days of spud date; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	O OMMISSION SION g;
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. NOV 3 0 200 CONSERVATION DIVISION OF A CONSERVATION DIVISION DIVISION OF A CONSERVATION DIVISION OF A CONSERVATION DIVISION DIVISION OF A CONSERVATION DIVISION DIVISION DIVISION DIVISION OF A CONSERVATION DIVISION DIVISIONI DI	O OMMISSION SION g;
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be set in the statements made herein are true and to the best of Date: November 30, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15	If Yes, proposed zone: CANSAS CORPORATION CONSERVATION DIVISION of this well will comply with K.S.A. 55 et. seq. NOV 3 0 200 CONSERVATION DIVISION of the drilling rig; If yo circulating cement to the top; in all cases surface pipe shall be set to underlying formation. Strict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. It is all cases, NOTIFY district office prior to any cementing. The plugged. In all cases, NOTIFY district office prior to any cementing. The completion form ACO-1 within 120 days of spud date; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	O OMMISSION SION g;

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 091-23115-0000	Location of Well: County: Johnson
Operator: D.E. Exploration, Inc.	1320 feet from N / J S Line of Section
Lease: Gardner Holding	4400 feet from F E / W Line of Section
Well Number: I-14	Sec28 Twp14 S. R22
Field: Gardner Holding Number of Acres attributable to well: QTR / QTR / QTR of acreage: W2E2 - W2 SW	Is Section: Regular or Irregular If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

Γ							 			_										
						:		•												
		•					-			-	٠	•	٠.				٠		•	 •
	•	•	•				•				-									 •
						٠														
	•	•	•			•	 •			-	•	•			•		•			 •
F						•			•	-	-							 •		
														-		٠		-		
	•	•	•				 •			•		•	•		•		•			•
							 											 •		
	-	-	-	· İ				•												
l				.	L													 -		
	•	•	•	.						·				•						
						•		•								•		:		

EXAMPLE	
•	•
	1980
:	
	10
	3390'
:	3390
-	
SEWARD CO	

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: D.E. Exploration, In	nc.		License Number: 4567
Operator Address: P.O. Box 128, \	Wellsville, KS	66092	
Contact Person: Douglas G. Evans			Phone Number: (785) 883 - 4057
Lease Name & Well No.: Gardner Ho	Iding I-14		Pit Location (QQQQ):
Type of Pit:	Pit is:		<u>W2 _ E2 _ W2 _ SW</u>
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 28 Twp. 14 R. 22
Settling Pit	If Existing, date co	onstructed:	1320 Feet from North / South Line of Section
Workover Pit Haul-Off Pit	Frit annualtus		4400 Feet from 🗸 East / West Line of Section
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbis)	Johnson County
Is the pit located in a Sensitive Ground Water		No	Chloride concentration:mg/l
is the pit located in a Sensitive Ground water	Alea:ies		(For Emergency Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?
✓ Yes No	Yes ✓ I	No	native clay
Pit dimensions (all but working pits):	8 Length (fe	et) 12	Width (feet) N/A: Steel Pits
Depth f	rom ground level to de		(feet)
If the pit is lined give a brief description of the material, thickness and installation procedure		Describe proce liner integrity, i	edures for periodic maintenance and determining CIVED notuding any special monitoring ANSAS CORPORATION COMMISS OF
			NOV 3 0 2006 CONSERVATION DIVISION
Distance to nearest water well within one-mil		Depth to shalld Source of info	NOV 3 0 2006 CONSERVATION DIVISION WICHITA, KS west fresh water JR - HGS
2609 feet Depth of water well	2/7 _{feet}	Depth to shallo Source of info	NOV 3 0 2006 CONSERVATION DIVISION WICHTA, KS west fresh water feet. /// // // // // // // // // // // // //
2609 feet Depth of water well _ Emergency, Settling and Burn Pits ONLY	2/7 feet	Depth to shalld Source of information measu Drilling, Work	NOV 3 0 2006 CONSERVATION DIVISION WICHITA, KS West fresh water feet. JR - HGS Irred well owner electric log KDWR over and Haul-Off Pits ONLY:
2609 feet Depth of water well _ Emergency, Settling and Burn Pits ONLY Producing Formation:	2/7feet	Depth to shalld Source of information measured Drilling, Work	NOV 3 0 2006 CONSERVATION DIVISION WICHITA, KS West fresh water feet. JR - HGS Irred well owner electric log KDWR over and Haul-Off Pits ONLY:
2609 feet Depth of water well _ Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease:	2/7feet	Depth to shalld Source of informeast Drilling, Work Type of materia	NOV 3 0 2006 CONSERVATION DIVISION WICHITA, KS west fresh water feet.
2609 feet Depth of water well	2/7 feet	Depth to shalld Source of informeast Drilling, Work Type of materia	NOV 3 0 2006 CONSERVATION DIVISION WICHITA, KS West fresh water feet. JR - HGS Irred well owner electric log KDWR over and Haul-Off Pits ONLY:
2609 feet Depth of water well _ Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease:	2/7 feet	Depth to shalld Source of informeast Drilling, Work Type of material Number of work Abandonment	NOV 3 0 2006 CONSERVATION DIVISION WICHITA, KS Inwest fresh water feet. Invarion: IP - HGS Irred well owner electric log KDWR Inverse in drilling/workover: drilling mud It will be utilized: 2 Invarion: Irred air dry and backfill Invarion: Irred ks Invarion: Irr
2609 feet Depth of water well	2/7 feet	Depth to shalld Source of informers. Drilling, Work Type of materia Number of work Abandonment. Drill pits must	NOV 3 0 2006 CONSERVATION DIVISION WICHITA, KS Inwest fresh water feet. Invarion: IP - HGS Irred well owner electric log KDWR Inverse in drilling/workover: drilling mud It will be utilized: 2 Invarion: Irred air dry and backfill Invarion: Irred ks Invarion: Irr
	2/7 feet	Depth to shallo Source of informease Drilling, Work Type of materia Number of work Abandonment Drill pits must correct to the best	NOV 3 0 2006 CONSERVATION DIVISION WICHITA, KS Inwest fresh water feet. Invarion: IP - HGS Irred well owner electric log KDWR Inverse in drilling/workover: drilling/ mud It will it will be utilized: 2 Invarion: Irred air dry and backfill Invarion: Irred ks Invarion: Irred
Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow al flow into the pit? I hereby certify that the above stat November 30, 2006	2/7 feet I spilled fluids to ements are true and c	Depth to shallo Source of informease Drilling, Work Type of materia Number of work Abandonment Drill pits must correct to the best	NOV 3 0 2006 CONSERVATION DIVISION WICHTA, KS I feet. I R - KGS



CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR

BRIAN J. MOLINE, CHAIR
ROBERT E. KREHBIEL, COMMISSIONER
MICHAEL C. MOFFET, COMMISSIONER

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.