For KCC Use: Effective Date:

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Must be approved by KCC five	(3) days prior to continencing well	
Expected Spud Date December 5, 2006	Spot ✓	/ East
month day year	S2N2 S2 Sec. 28 Twp. 14 S. R. 22	West
OPERATOR: License#	880 feet from N / S Line of Sec	
Name: D.E. Exploration, Inc.	3960feet from/ E /W Line of Sec	tion
P O Box 128	Is SECTION ✓ RegularIrregular?	
Address: Wellsville, KS 66092	(Note: Locate well on the Section Plat on reverse side)	
Contact Person, Douglas G. Evans	County: Johnson	
Phone: (785) 883-4057	Lease Name: Gardner Holding Weil # I-18	
/	Field Name: Gardner Holding	
CONTRACTOR: License# 8509 V		√ No
Name: Evans Energy Development, Inc.	Target Formation(s): Bartlesville	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 880'	
		et MSL
Oil ✓ Enh Rec ✓ Infield Mud Rotary Gas Storage Pool Ext. ✓ Air Rotary	Water well within one-quarter mile:	✓ No _
	Public water supply well within one mile:	✓ No
OWNO Disposal Wildcat Cable	Depth to bottom of fresh water: 250+	
Seismic; # of Holes Other	Depth to bottom of usable water: 300+	
Other	Surface Pipe by Alternate: 1 2	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'	
Operator:	Length of Conductor Pipe required: none	
Well Name:	Projected Total Depth: 950'	
Original Completion Date:Original Total Depth:	Formation at Total Depth: Bartlesville	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well ✓ Farm Pond Other	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR)	
KCC DKT #:	Will Cores be taken?	√ No
	If Yes, proposed zone: KANSAS CORRES	
ΔFF		
The undersigned bereby affirms that the drilling, completion and eventual of	function of this well will comply with K.S.A. 55 et settle.	MMISSIO
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met:	3 0 2006	
Notify the appropriate district office <i>prior</i> to spudding of well;		
2. A copy of the enground notice of intent to drill shall be neeted on an	ch drilling rig; CONSERVATION DIVISIO	M
The minimum amount of surface pipe as specified below <i>shall be set</i>	of by circulating cement to the top; in all cases surface pipe shall be s	et
through all unconsolidated materials plus a minimum of 20 feet into the	he underlying formation.	
4. If the well is dry hole, an agreement between the operator and the d		ging;
 The appropriate district office will be notified before well is either plug If an ALTERNATE II COMPLETION, production pipe shall be cement 		nto.
	#133,891-C, which applies to the KCC District 3 area, alternate II cert	
· · · · · · · · · · · · · · · · · · ·	be plugged. In all cases, NOTIFY district office prior to any cementing	
I hereby certify that the statements made herein are true and to the best of	f my knowledge and belief.	
(,)	\mathcal{A}	
Date: November 30, 2006 Signature of Operator or Agent: Warn	na Thanda Title: Agent	
	Remember to:	
l =		
For KCC Use ONLY	- File Drill Pit Application (form CDP-1) with Intent to Drill:	1
For KCC Use ONLY ADJ. 45	 File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; 	Ø.
API # 15 - 091-23119-000	The state of the s	&
API # 15 - 091 - 23119 - 0000 Conductor pipe required None feet	 File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry 	y: L
API # 15 - 09/- 23//9- 0000 Conductor pipe required None feet Minimum surface pipe required 20 feet per Alt. 1/2	 File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry Submit plugging report (CP-4) after plugging is completed; 	y; &
API # 15 - 09/- 231/9- 0000 Conductor pipe required None feet Minimum surface pipe required 20 feet per Alt. X 2 Approved by: WH 1-30-06	 File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry 	y: 28
API # 15 - 09/- 23//9- 0000 Conductor pipe required None feet Minimum surface pipe required 20 feet per Alt. 1/2	 File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please 	28 14
API # 15 - 09/- 231/9-0000 Conductor pipe required None feet Minimum surface pipe required 20 feet per Alt. (2) Approved by: 4+30-06	 File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. 	28 14 14
API # 15 - 09/- 231/9-0000 Conductor pipe required None feet Minimum surface pipe required 20 feet per Alt. (2) Approved by: 4+30-06 This authorization expires: 5-30-07	 File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please 	28 14
API # 15 - 09/- 231/9- 0000 Conductor pipe required None feet Minimum surface pipe required 20 feet per Alt. X (2) Approved by: 4++30-06 This authorization expires: 5-30-07	 File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Agent: 	14
API # 15	 File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired 	28 14 22

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 091-23119-0000	Location of Well: County: Johnson
Operator: D.E. Exploration, Inc.	880 feet from N / S Line of Section
Lease: Gardner Holding	3960 feet from JE / W Line of Section
Well Number: I-18	Sec. 28 Twp. 14 S. R. 22 ✓ East Wes
Field: Gardner Holding	Is Section: ✓ Regular or Irregular
Number of Acres attributable to well: QTR / QTR / QTR of acreage: S2N2 - S2 - SW	If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

1							
		•			•	•	Ì
							.
			'				
	-					•	•
						•	
				١.			
ļ	•						
				•		•	_
		. ,	•				-
		•		•			
						-	
	•						
	•					-	
						-	
	•					-	
	•						
		· · · ·					
		· · · ·					



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: D.E. Exploration, Inc. Departor Address: P.O. Box 128, Wellsville, KS 66092 Contact Person: Douglas G. Evans Lease Name & Well No.: Gardner Holding I-18 Type of Pit. Sye of Pit. Desergency Pit. Designer Pit. Desergency Pi					
Contact Person: Douglas G. Evans	Operator Name: D.E. Exploration, Inc.			License Number: 4567	
Lease Name & Well No. Gardner Holding I-18 Type of Pt: Emergency Pt Burn Pt Pt is: Proposed Existing Sc. 2. N2. S2. SW Sec. 28 Np. 14. R. 22. East West Sec. 28 Np. 14. R. 22. East Np. 14. R. 22. East West Sec. 28 Np. 14. R. 22. East Np. 14. R. 22.	Operator Address: P.O. Box 128, V	Vellsville, KS	66092		
Lease Name & Well No.: Gardner Holding I-18 Type of Pit: Prit les: Proposed Extating S2 N2 S2 SW				Phone Number: (785) 883 - 4057	
Type of Pft: Emergency Pit Burn Pit Pit is: Settling Pit Drilling Pit Proposed Existing Settling Pit Proposed Existing Settling Pit Proposed Existing Settling Pit Proposed Existing Settling Pit Proposed Settling Pit Settling Pit Proposed Settling Pit Settling Pit Proposed Existing Settling Pit Proposed Settling Pit Settling Pit South Line of Section 3960 Feet from North / Y South Line of Section 3960 Feet from Settling Pit South Line of Section Johnson County Is the pit located in a Sensitive Ground Water Area? Yes No Choride concentration:		ldina I-18		Pit Location (QQQQ):	
Emergency Pit		1		S2N2S2SW	
Settling Pit Desiting Pit Pit capacity: 3960 Feet from North / V South Line of Section 3960 Feet from North / V South Line of Section 3960 Feet from North / V South Line of Section 3960 Feet from Described Section Described Section Described Section Described Section Described Feet Described Pits only Pits only Pits only Described Desc				Sec 28 Two 14 R. 22 Fast West	
Workover Pit				990	
Pit capacity: 100 (bbis) Johnson County County Stepty API No Chloride concentration: (For Emergency Pits and Setting Pits only) Is the pit located in a Sensitive Ground Water Area? Yes No Chloride concentration: (For Emergency Pits and Setting Pits only) Is the bottom below ground level? Artificial Liner? How is the pit lined if a plastic liner is not used? native clay No No No No No No No N				2060	
Is the pit located in a Sensitive Ground Water Area?		, ,		I	
Sine bottom below ground level?		100	(bbls)	JOHNSON County	
Is the bottom below ground level? Yes No	Is the pit located in a Sensitive Ground Water	Area? ☐ Yes 🗸] No	Į į	
Pit dimensions (all but working pits): Secretary	Is the bottom below around level?	Artificial Liner?			
Depth from ground level to deepest point: 15		Yes 🗸	No	native clay	
Depth from ground level to deepest point: 15	Pit dimensions (all but working pits):	8 Length (fe	eet) 12	Width (feet) N/A: Steel Pits	
Describe procedures for periodic maintenance and determining Describe procedures Describe pro					
Distance to nearest water well within one-mile of pit 2494 feet Depth of water well		!		ONSERVATION DU TO	
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? I hereby certify that the above statements are true and correct to the best of my knowledge and belief. November 30, 2006 Date Trype of material utilized in drilling/workover: Abandonment procedure: Abandonment pro	Source of info		west fresh water <u>SO</u> feet. mation: JR -KGS		
Producing Formation:	leet Deptil of Water Weil reet mean				
Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? I hereby certify that the above statements are true and correct to the best of my knowledge and belief. November 30, 2006 Date Number of working pits to be utilized: Abandonment procedure: air dry and backfill Drill pits must be closed within 365 days of spud date. November 30, 2006 Signature of Applicant or Agent KCC OFFICE USE ONLY	Lind going, Colling and Land		1		
Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? I hereby certify that the above statements are true and correct to the best of my knowledge and belief. November 30, 2006 Date Abandonment procedure: air dry and backfill Drill pits must be closed within 365 days of spud date. Signature of Applicant or Agent KCC OFFICE USE ONLY					
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. I hereby certify that the above statements are true and correct to the best of my knowledge and belief. November 30, 2006 Date KCC OFFICE USE ONLY	1				
Thereby certify that the above statements are true and correct to the best of my knowledge and belief. November 30, 2006 Date November 30, 2006 Control of Applicant or Agent Control			Appliculation	procedure	
November 30, 2006 Date November 30, 2006 Signature of Applicant or Agent KCC OFFICE USE ONLY			Drill pits must	be closed within 365 days of spud date.	
Date Signature of Applicant or Agent KCC OFFICE USE ONLY	I hereby certify that the above state	ements are true and o	correct to the bes	t of my knowledge and belief.	
Date Signature of Applicant or Agent KCC OFFICE USE ONLY		<i>(.</i>)	1	
KCC OFFICE USE ONLY		α	anna	1 Nanda	
12 12 12 12 12 12 12 12 12 12 12 12 12 1	Date		<u> </u>	signature of Applicant or Agent	
Peter Date: 11/30/06 Lease Inspection: Yes 4.No	KCC OFFICE USE ONLY				
Dale Received. 77/00/04 Ferrill Number.	Date Received: 11/30/06 Permit Num	nber:	Perm	it Date: 11/30/06 Lease Inspection: Yes 4 No	

KANSAS

CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR
BRIAN J. MOLINE, CHAIR
ROBERT E. KREHBIEL, COMMISSIONER
MICHAEL C. MOFFET, COMMISSIONER

FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.