For KCC Use: Effective Date: District # SGA? Yes No

KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date December 5, 2006	Spot
month day year	SENW - SW - SW Sec. 28 Twp. 14 S. R. 22 West
ODEDATOR: Licensett 4567	880 feet from N / V S Line of Section
OPERATOR: License# 4307 Name: D.E. Exploration, Inc.	4840 feet from Fe / W Line of Section
Name: P.O. Box 128	Is SECTION RegularIrregular?
Address: City/State/Zip: Wellsville, KS 66092	·
Contact Person: Douglas G. Evans	(Note: Locate well on the Section Plat on reverse side) County: Johnson
Phone: (785) 883-4057	Lease Name: Gardner Holding Well #: I-20
	Field Name: Gardner Holding
CONTRACTOR: License# 8509	Is this a Prorated / Spaced Field? Yes ✓ No
Name: Evans Energy Development, Inc.	Target Formation(s): Bartiesville
W. C.	Nearest Lease or unit boundary: 440'
Well Drilled For: / Well Class: / Type Equipment:	Ground Surface Elevation: Na feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
CWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 250+
Seismic; # of Holes Other	Depth to bottom of usable water: 300+
Other	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe required: none
Well Name:	Projected Total Depth: 950'
Original Completion Date:Original Total Depth:	Formation at Total Depth: Bartlesville
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well ✓ Farm Pond Other
If Yes, true vertical depth:	DWR Permit #;
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
AFFI	NAVIT KANSAS COPPORATION COMMISSIO
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl	NAME KANSAS CORROBATION COMMISSIO
The undersigned hereby affirms that the drilling, completion and eventual pl	NAVIT KANSAS COPPORATION COMMISSIO
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:	DAVIT KANSAS CORPORATION COMMISSION Upging of this well will comply with K.S.A. 55 et. seq NOV 3 0 2006
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the appropriate district of intent to drill chall be procted as except.	DAVIT KANSAS CORPORATION COMMISSIO ugging of this well will comply with K.S.A. 55 et. seq NOV 3 0 2006 CONSERVATION DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i>	DAVIT KANSAS CORPORATION COMMISSIO ugging of this well will comply with K.S.A. 55 et. seq NOV 3 0 2006 CONSERVATION DIVISION the drilling rig; the drilling cement to the top; in all cases surface pipe shall be set
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	DAVIT KANSAS CORPORATION COMMISSIO ugging of this well will comply with K.S.A. 55 et. seq NOV 3 0 2006 CONSERVATION DIVISION the drilling rig; to by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the driver is agreement.	DAVIT KANSAS CORPORATION COMMISSIO ugging of this well will comply with K.S.A. 55 et. seq NOV 3 0 2006 CONSERVATION DIVISION th drilling rig; the underlying formation. istrict office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the descriptions. The appropriate district office will be notified before well is either plug	DAVIT KANSAS CORPORATION COMMISSIO ugging of this well will comply with K.S.A. 55 et. seq NOV 3 0 2006 CONSERVATION DIVISION th drilling rig; the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the second of the appropriate district office will be notified before well is either plug for the ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order	DAVIT KANSAS CORPORATION COMMISSIO ugging of this well will comply with K.S.A. 55 et. seq NOV 3 0 2006 CONSERVATION DIVISION with the comply in all cases surface pipe shall be set to underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the second of the appropriate district office will be notified before well is either plug for the ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order	DAVIT WANSAS CORPORATION COMMISSIO ugging of this well will comply with K.S.A. 55 et. seq NOV 3 0 2006 CONSERVATION DIVISION with the complete of the comp
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the second of the appropriate district office will be notified before well is either plug for the ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order	DAVIT KANSAS CORPORATION COMMISSIO ugging of this well will comply with K.S.A. 55 et. seq NOV 3 0 2006 CONSERVATION DIVISION the drilling rig; the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the triangle of the second of the description of the second	DAVIT KANSAS CORPORATION COMMISSIO ugging of this well will comply with K.S.A. 55 et. seq NOV 3 0 2006 CONSERVATION DIVISION with by circulating cement to the top; in all cases surface pipe stall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Implementation
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the search o	DAVIT KANSAS CORPORATION COMMISSIO ugging of this well will comply with K.S.A. 55 et. seq NOV 3 0 2006 CONSERVATION DIVISION the drilling rig; the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the triangle of the second of the description of the second	DAVIT KANSAS CORPORATION COMMISSIO ugging of this well will comply with K.S.A. 55 et. seq NOV 3 0 2006 CONSERVATION DIVISION with by circulating cement to the top; in all cases surface pipe stall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Implementation
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the triangle of the second of the description of the second	DAVIT KANSAS CORPORATION COMMISSIO ugging of this well will comply with K.S.A. 55 et. seq NOV 3 0 2006 CONSERVATION DIVISION with by circulating cement to the top; in all cases surface pipe stail be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. I'my knowledge and belief. Title: Agent
The undersigned hereby affirms that the drilling, completion and eventual pleats agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the well is either pluguage. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of the complete of the well shall the complete of the complete of the well shall the complete of the complet	DAVIT KANSAS CORPORATION COMMISSIO ugging of this well will comply with K.S.A. 55 et. seq NOV 3 0 2006 CONSERVATION DIVISION with by circulating cement to the top; in all cases surface pipe state be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate il cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to:
The undersigned hereby affirms that the drilling, completion and eventual pleats agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office of intent to drill <i>shall be</i> posted on each and the district office of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of the place of the	DAVIT KANSAS CORPORATION COMMISSIO ugging of this well will comply with K.S.A. 55 et. seq NOV 3 0 2006 CONSERVATION DIVISION with the construction of the top; in all cases surface pipe state be set to underlying formation. In the construction of the construction
The undersigned hereby affirms that the drilling, completion and eventual pleating to be seen that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a surface pipe as specified below shall be seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seet into th	DAVIT KANSAS CORPORATION COMMISSIO ugging of this well will comply with K.S.A. 55 et. seq NOV 3 0 2006 CONSERVATION DIVISION with the construction of the construc
The undersigned hereby affirms that the drilling, completion and eventual plet is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and an amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set i	DAVIT KANSAS CORPORATION COMMISSIO ugging of this well will comply with K.S.A. 55 et. seq NOV 3 0 2006 CONSERVATION DIVISION with the drilling rig; the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Implication (form CDP-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual plet is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the seed that the well is dry hole, an agreement between the operator and the figure of the surface pipe as specified before well is either plug for a purpopriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to hereby certify that the statements made herein are true and to the best of the plug for KCC use ONLY API # 15 - 09/-23121-0000 For KCC use ONLY API # 15 - 09/-23121-0000 Conductor pipe required 10000 feet per Alt. (2) Approved by: Left 11-30-06	DAVIT KANSAS CORPORATION COMMISSIO ugging of this well will comply with K.S.A. 55 et. seq NOV 3 0 2006 CONSERVATION DIVISION with the conservation of the conserva
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of th	DAVIT KANSAS CORPORATION COMMISSIO ugging of this well will comply with K.S.A. 55 et. seq NOV 3 0 2006 CONSERVATION DIVISION with the properties of the top of the top of the conservation determined in the top of the conservation of the top of the conservation determined in the conservation of the cons
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the description of 5. The appropriate district office will be notified before well is either plug to the set of t	DAVIT KANSAS CORPORATION COMMISSIO ugging of this well will comply with K.S.A. 55 et. seq NOV 3 0 2006 CONSERVATION DIVISION the drilling rig; the underlying cement to the top; in all cases surface pipe stall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate il cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the surface pipe as specified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the hereby certify that the statements made herein are true and to the best of the post of the productor pipe required. Signature of Operator or Agent: For KCC Use ONLY API # 15	CONSERVATION DIVISION which drilling rig; the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; et from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the description of the surface district office will be notified before well is either plug for the surface casing order must be completed within 30 days of the spud date or the well shall the statements made herein are true and to the best of the post of the surface pipe required Signature of Operator or Agent: For KCC Use ONLY API # 15	DAVIT KANSAS CORPORATION COMMISSION Unusping of this well will comply with K.S.A. 55 et. seq NOV 3 0 2006 CONSERVATION DIVISION With the property of the top; in all cases surface pipe shall be set to be underlying formation. In the interest of the set of the underlying formation. In the interest of the complete of the production casing is cemented in; and the production casing is completed; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 09/-23121-000	Location of Well: County: Johnson
Operator: D.E. Exploration, Inc.	880 feet from N / V S Line of Section
Lease: Gardner Holding	4840 feet from 🗸 E / W Line of Section
Well Number: i-20	Sec. 28 Twp. 14 S. R. 22
Field: Gardner Holding	
Number of Acres attributable to well:	Is Section: Regular or Irregular If Section is irregular, locate well from nearest corner boundary.
	Section comer used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	•	•	•		•	
•	•	•	•			
	•	•	•	,	•	-
		•			•	
		•	•		•	
			·			
Ì	-					
ļ		•				
	-	•	•		-	•
					:	
1						•
					-	•
			•		•	
1	•					
!		•	•	•	•	-
		•				
			· · · · · · ·			
			· · · · · · ·			
			· · · · · · ·			
			· · · · · · ·			
			· · · · · · ·			
			· · · · · · ·			
			· · · · · · ·			



NOTE: In all cases locate the spot of the proposed drilling locaton.

in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: D.E. Exploration, Inc.			License Number: 4567		
Operator Address: P.O. Box 128, Wellsville, KS 66092					
Contact Person: Douglas G. Evans		Phone Number: (785) 883 - 4057			
Lease Name & Well No.: Gardner Holding I-20		Pit Location (QQQQ):			
Type of Pit:	Pit is:		SE _ NW _ SW _ SW		
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 28 Twp. 14 R. 22		
Settling Pit Drilling Pit	If Existing, date constructed:		880 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit			4840		
(If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from Fast / West Line of Section		
	100	(bbls)	Johnson County		
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes 🗸	No V	Chloride concentration:mg/l		
In the hattern holour ground lovel?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?		
Is the bottom below ground level? Ves No	Yes 🗸	No	native clay		
		10			
Pit dimensions (all but working pits):					
	rom ground level to de	eepest point: 10	(feet)		
If the pit is lined give a brief description of the material, thickness and installation procedur			edures for periodic maintenance and determining neduding any special monitoring.		
			RECEIVED		
			KANSAS CORPORATION COMMISSION		
			NOV 3 0 2006		
Distance to nearest water well within one-mile of pit		Depth to shallo Source of infor	west fresh water 50 CONSERVATION DIVISION / mation: JR -K6S WICHITA, KS		
2024 feet Depth of water well	<u> 217 feet</u>	measuredwell owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation: To		Type of materia	al utilized in drilling/workover; drillingl mud		
I		Number of working pits to be utilized: 2			
Barrels of fluid produced daily:	Barrels of fluid produced daily: Abandonment		procedure: air dry and backfill		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
			4		
November 30, 2006	W	una	Thanda		
Date	- (*	S	ignature of Applicant or Agent		
	KCC	OFFICE USE O	NLY		
Date Received: 11/30/06 Permit Num	shar:	Parm	it Date: ///30/06 Lease Inspection: Yes Ano		

KANSAS

CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR
BRIAN J. MOLINE, CHAIR
ROBERT E. KREHBIEL, COMMISSIONER
MICHAEL C. MOFFET, COMMISSIONER

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.